

### COMPLIMENTARY ALTERNATIVE MEDICINE

1. Kalauokalani D, Sherman K, Cherkin D. Acupuncture for Chronic Low Back Pain: Diagnosis and Treatment Patterns Among Acupuncturists Evaluating the Same Patient. *South Med J* 2001;94(5):486-492.
2. National Center for Complementary and Alternative Medicine (NCCAM). *Acupuncture Information and Resources*. <http://nccam.nih.gov/fcp/factsheets/acupuncture/acupuncture.htm> (accessed July 2, 2001).
3. Wootton J, Sparber A. Surveys of Complementary and Alternative Medicine: Part I. General Trends and Demographic Groups. *Journal of Alternative and Complementary Medicine* 2001;7(2):195-208.

### EDUCATION

1. Deyo R, Cherkin D, Weinstein J, et al. Involving Patients in Clinical Decisions: Impact of an Interactive Video Program on the Use of Back Surgery. *Medical Care* 2000;38(9):959-969.
2. Kuorinka I, Forcier L, Hagberg M, et al. *Work Related Musculoskeletal Disorders: A Reference Book for Prevention*. Taylor and Francis. Bristol, PA 1995.
3. Bernacki, M.D., MPH, Edward J, Xuguang Tao, M.D., PhD, and Larry Yuspeh, BA. "The Impact of Cost Intensive Physicians on Workers' Compensation." *JOEM* 20.10 (2009): 1-7.

### EVIDENCE-BASED MEDICINE

1. Enkin M, Jadad A. *Review on Evidence-Based Cancer Medicine – Anecdotal Information in Evidence-based health care: Heresy or necessity?* McMaster University Medical Centre, Hamilton, Ontario, Canada. 1998.
2. Guidotti T. Evidence-Based Medical Dispute Resolution in Workers' Compensation. *Occupational Medicine; State of the Art Reviews*. 1998;13(2):289-301.
3. Lie D. American Academy of Family Physicians 52<sup>nd</sup> Annual Scientific Assembly. *Evidence-Based Medicine Simplifies Practice*. <http://www.orthopedics.medscape.com/medscape/CNO/2000/AAFP/AAFP-09.html> (February 20, 2001).
4. McQuay H, Moore A. *An Evidence-Based Resource for Pain Relief*. Oxford University Press. Oxford, NY. 1998.
5. Moher D, Schulz K, Altman D. The CONSORT Statement: Revised Recommendations for Improving the Quality of Reports of Parallel-Group Randomized Trials. *Ann Intern Med* 2001;134:657-662.

6. Henley, M.D., MBA, M Bradford, et al. "Evidence-Based Medicine, the Quality Initiative, and P4P: Performance for Paperwork?" *Bone Joint Surgery America* 90 (2008): 2781-2790.

## INJECTIONS

1. Cheshire WP, Abashian SW, Mann JD. Botulinum toxin in the treatment of myofascial pain syndrome. *Pain* 1994;59:65-9.
2. Cluff R, Abdel-Kader M, Sang C. et al. *Epidural Steroid Injection Technique: A Nationwide Consensus*. MGH Pain Center. Harvard Medical School. Boston, MA. n.d.
3. Foster L, Clapp L, Erickson M, Jabbari B. Botulinum toxin A and chronic low back pain. A randomized, double blind study. *Neurology* 2001;56:1290-93.
4. Kumar K, Kelly M, Pirlot T. Continuous Intrathecal Morphine Treatment for Chronic Pain of Nonmalignant Etiology: Long-Term Benefits and Efficacy. *Surg Neurol* 2001;55:79-88.
5. Lew MF, Adornato BT, Duane DD et al. Botulinum toxin type B: A double-blind, placebo-controlled, safety and efficacy study in cervical dystonia. *Neurology* 1997;49:701-7.
6. Sloop R, Cole B, Escutin R. Human Response to Botulinum Toxin Injection: Type B Compared with Type A. *Neurology* 1997;49(1) or <http://home.mdconsult.com> (June 14, 2001)
7. Wheeler AH, Goolkasian P, Gretz SS. A Randomized, Double-Blind, Prospective Pilot Study of Botulinum Toxin Injection for Refractory, Unilateral, Cervicothoracic, Paraspinal, Myofascial Pain Syndrome. *Spine* 1998;23:1662-7.
8. Reeves K, Hassanein K. Randomized, Prospective, Placebo-Controlled, Double-Blind Study of Dextrose Prolotherapy for Osteoarthritic Thumb and Finger (DIP, PIP, and Trapeziometacarpal) Joints: Evidence of Clinical Efficacy. *Journal of Alternative and Complementary Medicine* 2000; 6(2): 311-20.

## LOW BACK PAIN

1. Sommer HM. The Patient in Jeopardy: How the Low Back Pain Patient Becomes Disabled. *Occupational Medicine* 1998;(13)1:23-31.
2. van Tulder M, Koes B, Bouter L. Conservative Treatment of Acute and Chronic Nonspecific Low Back Pain: A Systematic Review of Randomized Controlled Trials of the Most Common Interventions. *Spine* 1997; 22(18):2128-2156. (Includes Letter to the Editor and Response in *Spine* 1998; 23(11): 1288-1291, and Table A: Content of 12 Multidisciplinary Interventions for the Treatment of Chronic Low Back Pain tested in 10 Randomised Controlled Trials <http://www.bmj.com/cgi/content/full/322/7301/1511/DC1.htm> (accessed 8/2/01)).
3. Wetzel FT, Hassenbusch S, Oakley JC, et al. Treatment of Chronic Pain in Failed Back Surgery Patients with Spinal Cord Stimulation: A Review of Current Literature and Proposal for Future Investigation. *Neuromodulation* 2000;3(2):59-74.
4. Watson P, Booker C, Main C. Evidence for the Role of Psychological Factors in Abnormal Paraspinal Activity in Patients with Chronic Low Back Pain. *Journal of Musculoskeletal Pain* 1997;5(4):4156.

5. Watson P, Booker C, Main C. et al. Surface electromyography in the Identification of Chronic Low Back Pain Patients: The Development of the Flexion Relaxation Ratio. *Clinical Biomechanics* 1997;12(3):165-171.
6. Geurts J, van Wijk R, Wynne H, et al. Radiofrequency Lesioning of Dorsal Root Ganglia for Chronic Lumbosacral Radicular Pain: A Randomized, Double-blind, Controlled Trial. *Lancet* 2003; 361: 21-26.
7. Ackerman, III, M.D., William W, and Mahmood Ahmad, M.D. "Pain Relief with Intra-articular or Medial Branch Nerve Blocks in Patients with Positive Lumbar Facet Joint SPECT Imaging: A 12-Week Outcome Study." *Southern Medical Journal* 101.9 (2008): 931-934.
8. Boswell, M.D., PhD, Mark V, et al. "Interventional Techniques in the Management of Chronic Spinal Pain: Evidence-Based Practice Guidelines." *Pain Physician* 8 (2005): 1-47.
9. Cohen, M.D., Stephen P, et al. "Lumbar Zygapophysial (Facet) Joint Radiofrequency Denervation Success as a Function of Pain Relief during Diagnostic Medial Branch Blocks: A Multicenter Analysis." *Spine* 8 (June 2008): 498-504. ASSIP. Web. 15 Apr. 2010. <<http://www.asipp.org//.pdf>>.
10. Makkia, Daoud, et al. "Single Photon Emission Computerized Tomography (SPECT) Scan-Positive Facet Joints and Other Spinal Structures in a Hospital-wide Population with Spinal Pain." *Spine* 10.1 (2010): 58-62.
11. Nguyen, M.D., Trang H, et al. "Long-term Outcomes of Lumbar Fusion Among Workers' Compensation Subjects." *Spine* (2010): n. pag.
12. Pneumaticos, M.D., Spiros G, et al. "Low Back Pain: Prediction of Short-term Outcome of Facet Joint Injection with Bone Scintigraphy." *Radiology* (Feb. 2006): 693-698. Web. 25 May 2010. <<http://radiology.rsna.org/abstract?sid=9ba76109-be0b-42aa-ad5f>>

## **MEDICAL TREATMENT GUIDELINES**

1. American Society of Anesthesiologists Task Force on Pain Management. Practice Guidelines for Chronic Pain Management. In Miller, Ronald D. *Anesthesia* 5<sup>th</sup> Edition, pp. 2827-2837. Philadelphia, PA Churchill-Livingstone, 2000.
2. Colorado. State Board of Medical Examiners. Guidelines for Prescribing Controlled Substances for Intractable Pain. 1996.  
<http://www.medsch.wisc.edu/edi/painpolicy/domestic/combguid.htm> (November 27, 2000).
3. Dossetor J. Psychosocial Patient Selection Criteria in Clinical Practice Guidelines: An Ethical Basis for Rationing. *JAMC* 2001;164(5):642-643.
4. Federation of State Medical Boards of the U.S. Inc. Model Guidelines for the Use of Controlled Substances for the Treatment of Pain. 1998.  
<http://www.medsch.wisc.edu/painpolicy/domestic/model.htm> (November 27, 2000)
5. Jovey R, Ennis J, Gardner-Nix J, et al. Use of Opioid Analgesics for the Treatment of Chronic Noncancer Pain – A Consensus Statement and Guidelines for the Canadian Pain Society. November 1998. [http://www.pulsus.com/pain/03\\_04?opio\\_ed.htm](http://www.pulsus.com/pain/03_04?opio_ed.htm) (February 20, 1001).
6. Liberati A. Which Guidelines Can We Trust? Assessing strength of evidence behind recommendations for clinical practice. *West J Med.* 2001;174:262-265.
7. National Guideline Clearinghouse. Chronic Pain Guideline Comparison.  
<http://www.guideline.gov> (April 13, 2001).
8. Wilson P, Caplan R, Connis R, et al. Practice Guidelines for Chronic Pain Management. American Society of Anesthesiologists. *Anesthesiology* 1997;86(4):995-1004.

## MEDICATIONS

1. American Academy of Pain Medicine. Use of Opioids for the Treatment of Chronic Pain. <http://www.painmed.org/productpub/statements/opioidstmt.html>. (February 6, 2001).
2. Anis A, Lynd L, Xiao-hua W, et al. Double Trouble: Impact of Inappropriate Use of Asthma Medication on the Use of Health Care Resources. *CMAJ* 2001;164(5):625-631. Includes Commentary, Guidelines Do Matter. *CMAJ* 2001;164(5):641
3. Barkin RL and Barkin D. Pharmacologic Management of Acute and Chronic Pain: Focus on Drug Interactions and Patient-Specific Pharmacotherapeutic Selection. *South Med J* 2001;94(8):756-812.
4. Brookoff D. Chronic Pain: 2. The Case for Opioids. University of Tennessee College of Medicine. <http://www.hosprrpact.com/issues/2000> (January 17, 2001).
5. Catella-Lawson F, Muredach P, Kapoor S. et al. Cyclooxygenase Inhibitors and the Antiplatelet Effects of Aspirin. *N Engl J Med* 2001;345(25):1809-1817.
6. Ciccone DS, Just N, Bandilla MA et al. Psychological Correlates of Opioid Use in Patients with Chronic Nonmalignant Pain: A Preliminary Test of the Downhill Spiral Hypothesis. *Journal of Pain and Symptom Management* 2000;20:180-92.
7. Copic Insurance. Physician-Patient Contract for Opioid Medications.  
<http://www.copic.com/guidance/opioid-1.htm> (January 11, 2001).
8. Florida Agency for Health Care Administration. Management of Pain Using Dangerous Drugs and Controlled Substances. October 1996. <http://www.guideline.gov> (April 13, 2001).

9. Goodman Gilman A. *The Pharmacological Basis of Therapeutics*. Tenth Edition. McGraw-Hill Medical Publishing Division, USA. 2001
10. Hansen HC. Treatment of Chronic Pain with Antiepileptic Drugs: A New Era. <http://www.medscape.com?SMA/SMJ/1999/v92n07/smj9207.01.hans/smj9207.01.hans-01.html> (February 8, 2001)
11. Healy D, Tranter R. Pharmacological Stress Diathesis Syndromes. *Journal of Psychopharmacology* 1999;3(3):287-290.
12. Jovey, RD, Ennis J, Gardner-Nix J, et al. Pain Research and Management: Use of Opioid Analgesics for the treatment of Chronic Noncancer Pain – A consensus Statement and Guidelines from the Canadian Pain Society. *Canadian Pain Society*, Ottawa, Ontario [http://www.pulsus.com/pain/03\\_04?opio\\_ed.htm](http://www.pulsus.com/pain/03_04?opio_ed.htm) (February 20, 2001).
13. Kalnins V, Terry S, Woodward J, et al. Colorado Guidelines of Professional Practice for Controlled Substances. *Colorado Prescription Drug Abuse Task Force*. Denver, CO 1999.
14. Katz N. Morphidex (MS:DM) Double-Blind, Multiple-Dose Studies in Chronic Pain Patients. *Journal of Pain and Symptom Management* 2000;19(1):S37-S41.
15. McLean W, Boucher E, Brennan M. et al. Is there An Indication for the Use of Barbituate-Containing Analgesic Agents in the Treatment of Pain. Guidelines for Their Safe Use and Withdrawl Management. *Canadian Journal of Clin Pharm* 2000;(7)4:191-197. [http://www.pulsus.com/clin-phi/07\\_04/mcle\\_ed.htm](http://www.pulsus.com/clin-phi/07_04/mcle_ed.htm) (February 20, 2001).
16. McQuay H. Opioids in Pain Management. *Lancet* 1999;353:2229-32.
17. Rosen R, Lane R, Menza M. Effects of SSRIs on Sexual Function: A Critical Review. *Journal of Clinical Psychopharmacology* 1999;19(1):67-85.
18. Schneider R, Levenson J, Schnoll S. Update in Addiction Medicine. *Ann Intern Med* 2001;134:387-395.
19. Schug S, Large R. Opioids for Chronic Noncancer Pain. *Pain Clinical Updates*. 1995;(III)(3) <http://www.halecyon.com/iasp/PCU95c.html> (February 21, 2001).
20. Stitik T, Klecz R, Zafonte R. et al. Pharmacotherapy of Disability. *Rehabilitation Medicine: Principles and Practice, third edition*. Lippincott-Raven Publishers, Philadelphia, PA. 1998.
21. Wang P, Walker A, Tsuang M, et al. Antidepressant Use and the Risk of Brest Cancer: A Non-Association: *Journal of Clinical Epidemiology* 2001;54:728-734.
22. Washington State Department of Labor and Industries. Guidelines for Outpatient Prescription of Controlled Substances, Schedules II-IV, for Workers on Time-Loss. November 1999. <http://www.guideline.gov> (April 13, 2001)
23. Washington State Department of Labor and Industries. Guidelines on Prescription of Oral Opioids for Chronic, Noncancer Pain. *Provider Bulletin*. May 2000.
24. Tennant F, Herman L, Reinking J, et al. The Use of Oral Transmucosal Fentanyl Citrate for Breakthrough Pain in Severe, Non-Malignant Chronic Pain. *AJPM* 2002; 12(4): 130-35.

## MEDICATIONS, CONSENT

1. American Academy of Pain Medicine. Consent for Chronic Opioid Therapy. <http://www.painmed.org/productpub/statements/opioidconsent.html> (February 6, 2001).
2. Copic Insurance. Charting – Problem Lists and Medication Lists. June 4, 1998. <http://www.copic.com/guidance/charting.htm> (January 11, 2001).

3. Copic Insurance. Informed Consent on the Use of Pain Control with Opioid Medications. <http://www.copic.com/guidance/opioid.htm> (January 11, 2001).
4. Copic Insurance. Physician-Patient Contract for Opioid Medications. <http://www.copic.com/guidance/opioid-1.htm> (January 11, 2001).

## **PAIN – ASSESSMENT AND MANAGEMENT**

1. Abram S. and Haddox J. Patient Pain Questionnaire, Treatment Evaluation Questionnaire, and History and Physical Examination Recording Form. (Appendix F) *Pain Clinic Manual, Second Edition*. Lippincott Williams and Wilkins, Philadelphia. 2000.
2. Agency for Healthcare Research and Quality. Washington, DC. *Management of Cancer Pain*. <http://www.ahrq.gov/clinic/canpainsum.htm> (March 1, 2001).
3. American Academy of Pain Medicine. The Necessity for Early Evaluation of the Chronic Pain Patient. <http://www.painmed.org/productpub/statements/earlyevalstmt.html>. (February 6, 2001).
4. American Geriatrics Society. Management of Chronic Pain in Older Persons. *J Am Geriatr Soc* 1998;46(5):635-51.
5. Ashburn MA and Staats PS. Management of Chronic Pain. *Lancet* 1999;353:1865-69.
6. Bruns D, Disorbio JM, Copeland-Disorbio J. et al. Diagnosis Specific Norms for the 0-10 Pain Scale. Paper presented to the World Congress on Pain. Vienna, Austria 1999.
7. Dahl J. Implementing the JCAHO Pain Management Standards. American Pain Society 19<sup>th</sup> Annual Meeting. <http://www.medscape.com> (Accessed January 3, 2001.)
8. Federation of State Medical Boards of the U.S. Inc. Position of the Federation of State Medical Boards in Support of the Adoption of Pain Management Guidelines. 1998.
9. Fordyce WE. Pain and Suffering: A Reappraisal. *American Psychologist* 1988;43(4):276-282.
10. Gatchel R., Polatin P. and Kinney R. Predicting Outcome of Chronic Back Pain Using Clinical Predictors of Psychopathology: A Prospective Analysis. *Health Psychology* 1995;14 (5):415-20.
11. Gordon DB, Dahl JL, Stevenson KK. *Building an Institutional Commitment to Pain Management: The Wisconsin Resource Manual*. Second Edition. Resource Center of the American Alliance of Cancer Pain Initiatives. Madison, WI. 2000.
12. Hopwood M. Collection of Historical Data. Department of Anesthesia. Univ. of Iowa Hospitals and Clinics. Iowa City, IA. (Chapter 4) *Pain Clinic Manual, Second Edition*. Lippincott Williams and Wilkins, Philadelphia. 2000.
13. International Association for the Study of Pain. Assess the Person, Not Just the Pain. *Pain Clinical Updates*. 1993. <http://www.halcyon.com.iasp/PCU93c.html>. (February 21, 2001).
14. International Association for the Study of Pain. Neurogenic Pain: Diagnosis and Treatment. *Pain Clinical Updates*. 1994. <http://www.halcyon.com.iasp/PCU94c.html>. (February 21, 2001).
15. Lackner J. Treating the Chronic Pain Patient: Why Doesn't the Medical Model Always Work and What Can Be Done About It: *Journal of Controversial Medical Claims*.2001;8(2):15-20.
16. Main C. Waddess G. Spine Update Behavioral Responses to Examination: A Reappraisal of the Interpretation of Nonorganic Signs. *Spine* 1998;23(21):2267-2371.



17. Sherry A. Hospitals Wince Over Pain Ratings: New Patient Policy Tough for some Workers to Absorb. *Denver Post*. February 20, 2001, p. 1A.
18. Turk DC and Okifuji A. Assessment of Patients' Reporting of Pain: An Integrated Perspective. *Lancet* 1999;53:1784-88.
19. Woolf CJ and Mannion RJ. Neuropathic Pain: Aetiology, Symptoms, Mechanisms, and Management. *Lancet* 1999;353:1959-64.
20. Yang J and Wu C. Gene Therapy for Pain: Will future treatments for one of medicine's most intractable problems include the new genetic technologies? *American Scientist* 2000;(89):126-135.

## **PAIN – CHRONIC**

1. Brookoff D. Chronic Pain: 1. A New Disease. University of Tennessee College of Medicine. <http://www.hosprrpact.com/issues/2000> (January 17, 2001).
2. LaRocca H. A Taxonomy of Chronic Pain Syndromes: 1991 Presidential Address, Cervical Spine Research Society Annual Meeting, December 5, 1991. *Spine* 1992;17(10S):S344-S355.
3. Merskey H, Bogduk N. *Classification of Chronic Pain: Descriptions of Chronic Pain Syndromes and Definition of Pain Terms*. Second Edition. International Association for the Study of Pain. IASP Press, Seattle, WA. 1994.
4. Ranney D. *Chronic Musculoskeletal Injuries in the Workplace*. 1997. W.B. Saunders Co. Philadelphia, PA.
5. Ackerman, III, M.D., William W, and Mahmood Ahmad, M.D. "Pain Relief with Intra-articular or Medial Branch Nerve Blocks in Patients with Positive Lumbar Facet Joint SPECT Imaging: A 12-Week Outcome Study." *Southern Medical Journal* 101.9 (2008): 931-934.
6. Boswell, M.D., PhD, Mark V, et al. "Interventional Techniques in the Management of Chronic Spinal Pain: Evidence-Based Practice Guidelines." *Pain Physician* 8 (2005): 1-47.
7. Cohen, M.D., Stephen P, et al. "Lumbar Zygapophysial (Facet) Joint Radiofrequency Denervation Success as a Function of Pain Relief during Diagnostic Medial Branch Blocks: A Multicenter Analysis." *Spine* 8 (June 2008): 498-504. ASSIP. Web. 15 Apr. 2010. <<http://www.asipp.org//.pdf>>.
8. Nguyen, M.D., Trang H, et al. "Long-term Outcomes of Lumbar Fusion Among Workers' Compensation Subjects." *Spine* (2010): n. pag
9. Pneumaticos, M.D., Spiros G, et al. "Low Back Pain: Prediction of Short-term Outcome of Facet Joint Injection with Bone Scintigraphy." *Radiology* (Feb. 2006): 693-698. Web. 25 May 2010. <<http://radiology.rsna.org/abstract?sid=9ba76109-be0b-42aa-ad5f>>

## **PAIN – MISCELLANEOUS**

1. Agency for Healthcare Research and Quality. Washington, DC. *Management of Cancer Pain*. <http://www.ahrq.gov/clinic/canpainsum.htm> (March 1, 2001).
2. Besson JM. The Neurobiology of Pain. *Lancet* 1999;353:1610-15.
3. Carr DB and Goudas LC. Acute Pain. *Lancet* 1999;353:2051-58.
4. Cerveri F and Laird JM. Visceral Pain. *Lancet* 1999;353:2145-48.
5. J. Acute Pain and Pain Control: State of the Art. *Annals of Emergency Medicine* 2000;35(6):592-603.
6. Ducharme J. Acute Pain and Pain Control: State of the Art. *Ann Emerg Med* 2000;35:592-603.
7. Grabois M. Myofascial Pain Syndrome. *Pain Clinic Manual*, Second Edition. Lippincott Williams & Wilkins, Philadelphia, PA. 2000.
8. Harden R, Bruehl S, Gass S, et al. Signs and Symptoms of the Myofascial Pain Syndrome: A National Survey of Pain Management Providers. *Clinical Journal of Pain* 2000;16:64-72.
9. Loeser JD. Pain: An Overview. *Lancet* 1999;353:1607-09.
10. Portenoy RK and Lesage P. Management of Cancer Pain: *Lancet* 1999;353:1695-1700.
11. Wall PD and Melzack R. *Textbook of Pain*, Fourth edition 1999. (Chapters 49, 50, 51, and 61). Harcourt Publishers Ltd. London.
12. Washington State Department of Labor and Industries. Complex Regional Pain Syndrome. <http://www.guideline.gov> (April 13, 2001).
13. Young D. *Acute Pain Management*. University of Iowa. Gerontological Nursing Interventions Center. 1999.

## **PSYCHOSOCIAL EVALUATION AND TREATMENT**

1. Agency for Health Care Policy and Research. Washington, DC. *Treatment of Depression-Newer Pharmacotherapies*. <http://www.ahcpr.gov/clinic/deprsumm.htm> (March 1, 2001).
2. American Psychiatric Association. Domains of the Clinical Evaluation. [http://www.psych.org/clin\\_res/pg\\_adult\\_3.cfm](http://www.psych.org/clin_res/pg_adult_3.cfm) (February 6, 2001).
3. Bruns D. *Psychological Terms for the Pain Glossary*. Health Psychology Associates. Greeley, CO. 2001.
4. Bruns D. *Theory of Psychomedical Disorders*. Health Psychology Associates. Greeley, CO. 2001.
5. Bruns D. *When to Refer Rehabilitation Patients for Psychological Testing*. Health Psychology Associates. Greeley, CO. A presentation to the Pain 2000 International Pain Conference.
6. Burgess A. Psychiatric Disability in the Workplace: Depression and Workplace Productivity. <http://www.mcn.com/Spring1999Psychiatricdisabilityintheworkplace.html>. (Accessed February 21, 2001).
7. Chesson A, Hartse K, Anderson W, et al. Practice Parameters for the Evaluation of Chronic Insomnia. *Sleep* 2000;23;(2):237-241 <http://www.guideline.gov> (April 13, 2001).
8. Chiles J, Lambert M, Hatch A. The Impact of Psychological Interventions on Medical Cost Offset: A Meta-analytic Review. *Clin Psychol Sci Prac* 1999;6:204-220.



9. Colorado Clinical Guidelines Collaborative. Practice Guideline: *Major Depression in Adults*. December 2000. (Packet of materials contains Overview and information regarding Diagnosis and Assessment, Treatment Planning, Medication Management and Treatment Course, Antidepressant Classification Table, Depression Screening Tool Comparison and Treatment Tracking Log). <http://www.coloradoguidelines.org>
10. Cuffel B, Goldman W, Schlesinger H. Does Managing Behavioral Health Care Services Increase the Cost of Providing Medical Care? *Journal of Behav Health Services and Research* 1999;26(4):372-380.
11. Disorbio JM and Bruns D. *Psychological Profiles of Rehabilitation Patients Reporting Childhood Sexual Abuse*. Paper Presentation to the American Psychological Association National Convention. 1998. Integrated Therapies, Lakewood, CO and Health Psychology Associates, Greeley, CO.
12. Dodrill, C. Myths of Neuropsychology. *Clinical Neuropsychologist* 1997;11(1):1-17.
13. Franklin, G. Guidelines for Psychiatric and Psychological Evaluation of Injured or Chronically Disabled Workers. Washington State Department of Labor and Industries. <http://www.guideline.gov> (April 13, 2001).
14. Healy D, Langmaak C, Savage M. Suicide in the Course of the Treatment of Depression. *Journal of Psychopharmacology* 1999;13(1):94-99.
15. Healy D, McMonagle T. The Enhancement of Social Functioning As A Therapeutic Principle in the Management of Depression. *Journal of Psychopharmacology* 1997;11(4):S25-S31.
16. Kahn JP. *Mental Health in the Workplace: A Practical Psychiatric Guide*. Van Nostrand Reinhold, New York, NY. 1993.
17. Keefe FJ, Kashikar-Zuck S, Robinson E, et al. Pain Coping Strategies that Predict Patients' and Spouses' Ratings of Patients' Self-efficacy. *Pain* 1997;73:191-199.
18. Kroenke K. Depression Screening is not Enough. *Ann Intern Med* 2001;134(5):418-420
19. Large R and Strone J. The Personal Constructs of Coping with Chronic Low Back Pain: Is Coping A Necessary Evil? *Pain* 1997;73:245-252.
20. Meyer GJ, Finn SE, Eyde LD, et al. Psychological Testing and Psychological Assessment: A Review of Evidence and Issues. *American Psychologist*. 2001;56(2):128-65.
21. Ormel J, VonKorff M, Ustun B. et al. Common Mental Disorders and Disability Across Cultures: Results from the WHO Collaborative Study on Psychological Problems in General Health Care. *JAMA* 1994;272(22):1741-48.
22. Strosahl KD, Sobel D. Behavioral Health and the Medical Cost Offset Effect: Current Status, Key Concepts and Future Applications. *HMO Pract* 1996;10(4):156-162
23. U.S. Preventive Services Task Force. U.S. Department of Health and Human Services. Washington, DC. *Guide to Preventive Services. Second Edition*. 1995;541-546. <http://www.odphp.osophs.dhhs.gov/pubs/guidecps/pcpstoc.htm>
24. Valenstein M, Sandeep V., Zeber J, et al. The Cost-Utility of Screening for Depression in Primary Care. *Ann Intern Med* 2001;134:345-360.
25. van Lankveld W, Naring G, van't Pad Bosch P, et al. The Negative Effect of Decreasing the Level of Activity in Coping with Pain in Rheumatoid Arthritis: An Increase in Psychological Distress and Disease Impact. *Journal of Behav Med* 2000;23(4):377-391.

26. Wells K, Sherbourne C, Schoenbaum M, et al. Impact of Disseminating quality Improvement Programs for Depression in Managed Primary Care: A Randomized Controlled Trial. *JAMA* 2000;283:212-220.
27. Wells K, Stewart A, Hays R, et al. The Functioning and Well-being of Depressed Patients: Results for the Medical Outcomes Study. *JAMA* 1989;262(7):914-919.

### **RETURN TO WORK**

1. Fritz J, Wainner R, Hicks G. The Use of Nonorganic Signs and Symptoms as a Screening Tool for Return-to-Work in Patients with Acute Low Back Pain. *Spine* 2000;25(15):1925-1931.
2. Kinsley, Don. *Successful Return-to-Work Strategies*. LRP Publications. Horsham PA. 1998.
3. Martin K. AAOHN Advisory Statement on Case Management in Occupational Health. *AAOHN Journal Special Report on Case Management* 1999;(47)9.
4. Peters P. Successful Return to Work Following A Musculoskeletal Injury. *AAOHN Journal* 1990;38(6):264-270.
5. Randolph S, Dalton P. Limited Duty Work: An Innovative Approach to Early Return to Work. *AAOHN Journal* 1989;37(11):446-453.

### **REFLEX SYMPATHETIC DYSTROPHY**

1. Bickerstaff DR, Kanis JA. Use of Nasal Calcitonin in the Treatment of Post-traumatic Algodystrophy. *Br J Rheumatol* 1991;30:291-94. Chelimsky TC, Low PA, Naessens JM, et al. Value of Autonomic Testing in Reflex Sympathetic Dystrophy. *Mayo Clin Proc* 1995;70:1029-1040.
2. Christensen K, Jensen EM, Noer I. The Reflex Dystrophy Syndrome Response to Treatment with Systemic Corticosteroids. *Acta Chir Scand* 1988;653-655.
3. Cronin KD, Kirsner RLG. Diagnosis of Reflex Sympathetic Dysfunction. Use of the Skin Potential Response. *Anaesthesia* 1982;37:848-52.
4. Gobelet C, Meier JL, Schaffner A, et al. Calcitonin and Reflex Sympathetic Dystrophy Syndrome. *Clinical Rheumatology* 1986;5(3):382-88.
5. Gobelet C, Waldburger M, Meier FL. The Effect of Adding Calcitonin to Physical Treatment on Reflex Sympathetic Dystrophy. *Pain* 1992;48:171-75.
6. Gulevich SJ, Conwell TD, Lane J, et al. Stress Infrared Telethermography is Useful in the Diagnosis of Complex Regional Pain Syndrome, Type I (Formerly Reflex Sympathetic Dystrophy). *Clinical Journal of Pain* 1997;13:50-59.
7. Jadad AR, Carroll D, Glynn CJ, et al. Intravenous Regional Sympathetic Blockade for Pain Relief in Reflex Sympathetic Dystrophy: A Systematic Review and a Randomized, Double-Blind Crossover Study. *J Pain Symptom Manage* 1995;10:13-20.
8. Kingery WS. A Critical Review of Controlled Clinical Trials for Peripheral Neuropathic Pain and Complex Regional Pain Syndromes. *Pain* 1997;73:123-129.
9. Ochoa JL. Reflex? Sympathetic? Dystrophy? Triple Questioned Again. *Mayo Clin Proc* 1995;70:1124-1126.
10. Oerlemans HM, Oostendorp RA, de Boo T, et al. Signs and Symptoms in Complex Regional Pain Syndrome Type I/Reflex Sympathetic Dystrophy: Judgment of the Physician Versus Objective Measurement. *Clinical Journal of Pain* 1999;15:224-232.

11. Perez R, Kwakkel G, Zuurmond W, et al. Treatment of Reflex Sympathetic Dystrophy (CRPS Type 1): A Research Synthesis of 21 Randomized Clinical Trials. *J Pain Symptom Manage* 2001;21:511-526.
12. Ramamurthy S, Hoffman J. Guanethidine Study Group. Intravenous Regional Guanethidine in the Treatment of Reflex Sympathetic Dystrophy/Causalgia: A Randomized, Double-Blind Study. *Anesth Analg* 1995;81:718-23.
13. Sandroni P, Low PA, Ferrer T. et al. Complex Regional Pain Syndrome I (CRPS I): Prospective Study and Laboratory Evaluation. *Clin J Pain* 1998;282-9.
14. Stanton –Hicks M, Baron R, Boas R, et al. Complex Regional Pain Syndromes: Guidelines for Therapy. *Clinical Journal of Pain* 1998;14:155-166.
15. Tahmoush AJ, Malley J, Jennings JR. Skin Conductance, Temperature, and Blood Flow in Causalgia. *Neurology* 1983;33:1483-6.
16. Varena M, Zucchi F, Ghiringhelli D. et al. Intravenous Clodronate in the Treatment of Reflex Sympathetic Dystrophy Syndrome. A Randomized, Double Blind, Placebo Controlled Study. *J Rheumatol* 2000;27:1477-83.
17. Watson H, Carlson L. Treatment of Reflex Sympathetic Dystrophy of the Hand with an Active “Stress Loading” Program. *J Hand Surg* 1987;12A[2 Pt 1]:779-85.

## **SURGERY**

1. Lewis C. Sizing Up Surgery. [http://www.fda.gov/fdac/features/1998/698\\_surg.html](http://www.fda.gov/fdac/features/1998/698_surg.html).
2. Wenger C. Radiofrequency Lesions for the Treatment of Spinal Pain. *Pain Digest* 1998.

## **THERAPEUTIC INTERVENTION**

1. Commission of Accreditation of Rehabilitation Facilities. Interdisciplinary Pain Rehabilitation Programs. *Medical Rehabilitation Standards Manual*. 2000. Sections 2.IPR-131-139, 2.OMR – 184-198, 2.ORM-255-270.
2. Guzman J, Esmail R, Karjalainen K. et al. Multidisciplinary Rehabilitation for Chronic Low Back Pain: Systematic Review. *BMJ* 2001;322:1511-1516.
3. Karjalainen K, Malmivaara A, van Tulder M, et al. Multidisciplinary Biopsychosocial Rehabilitation of Subacute Low Back Pain in Working-Age Adults: A Systematic Review Within the Framework of the Cochrane Collaboration Back Review Group. *Spine* 2001;26(3):262-269.
4. Loeser J, Boureau F, Brooks P, et al. *Desirable Characteristics for Pain Treatment Facilities*. International Association for the Study of Pain. <http://www.halcyon.com/iasp/desirabl.html> (February 21, 2001).
5. Robinson J, Fulton-Kehoe D, Martin D. et al. Outcomes of Pain Center Treatment in Washington State Workers’ Compensation. *Am. J. Ind. Med* 2001;39:227-236.

## **MISCELLANEOUS**

1. Bajwa ZH, Sabahat A. Approach to the Patient with Migraine Headache. <http://www.medscape.com/updodate/2001/01.01/utd0101.11.bajw/utd0101.11.bajw-01.html> (January 18, 2001).
2. Hood F. Pain Management Coding. *Southern Medical Journal* 2001;(94)8:798-802.
3. Joint Commission on Accreditation of Healthcare Organizations. 1999-2000 Comprehensive Accreditation Manual for Ambulatory Care (CAMAC) Patient Rights

and Organization Ethics Chapter. [http://www.jcaho.org/standart/pm\\_ac.html](http://www.jcaho.org/standart/pm_ac.html) (January 2, 2001).

4. Magee DJ. *Orthopedic Physical Assessment*. Third Edition. W.B. Saunders Co. Philadelphia, PA. 1997.