

**LOWER EXTREMITY  
MEDICAL TREATMENT GUIDELINES  
BIBLIOGRAPHY**

1. Aaron, R., Skolnich, A., Reinert, S., & Ciombor, D. (2006). Arthroscopic debridement for osteoarthritis of the knee. *J Bone Joint Surg Am* 88: 936-943. DOI: 10.2106/JBJS.D.02671.
2. Akseki, D., Özcan, Ö., Boya, H., & Pinar, H. (2004). A new weight-bearing meniscal test and a comparison with McMurray's test and joint line tenderness. *The Journal of Arthroscopic and Related Surgery*. 20 (9), 951-958. Assessment: Adequate.
3. Alvarez, R.G, Marini, A., Schmitt, C., & Saltzman, C.L. (2006). Stage I and II posterior tibial tendon dysfunction treated by a structured nonoperative management protocol: An orthosis and exercise program. *Foot & Ankle International*. 27 (1), 2-8.
4. American Academy of Orthopaedic Surgeons (AAOS) Academy News. (2001). ACI lowers costs in long run, according to study. <http://www.aaos.org/archives/acadnews/>
5. American Academy of Orthopaedic Surgeons (AAOS) Academy News. (2007). Clinical guidelines for the prevention of symptomatic pulmonary embolism in patients undergoing total hip or knee arthroplasty.
6. American Academy of Orthopaedic Surgeons (AAOS) Academy News. (2008). The treatment of osteoarthritis (OA) of the knee.
7. American Academy of Orthopaedic Surgeons (AAOS) Home Page (n.d.) [www.aaos.org](http://www.aaos.org).
8. American Academy of Orthopaedic Surgeons (AAOS). (2004). Osteoarthritis of the knee: Evidence-based resources.
9. American Academy of Orthopaedic Surgeons (AAOS). (2004). Osteoarthritis of the knee: Joint replacement.
10. American Academy of Orthopaedic Surgeons (AAOS). (2004). Osteoarthritis of the knee: State of the condition.
11. American College of Rheumatology. (2001). Recommendations for the prevention and treatment of glucocorticoid-induced osteoporosis. *Arthritis & Rheumatism*. 44:7, 1496-1503.
12. Andersen, K., Pfeiffer-Jensen, M., Haraldsted, V., & Soballe, K. (2007). Reduced hospital stay and narcotic consumption, and improved mobilization with local and intraarticular infiltration after hip arthroplasty. A randomized clinical trial of an interarticular technique versus epidural infusion in 80 patients. *Acta Orthopaedica*. 78(2), 180-186.
13. Andersen, L., Poulsen, T., Krogh, B., & Nielsen, T. (2007). Postoperative analgesia in total hip arthroplasty. A randomized double-blinded, placebo-controlled study on preoperative and

postoperative ropivacaine, ketorolac, and adrenaline wound infiltration. *Acta Orthopaedica*. 78 (2), 187-192.

14. Andersson-Molina, H., Karlsson, H., & Rockborn, P. (2002). Arthroscopic partial and total meniscectomy: A long-term follow-up study with matched controls. *The Journal of Arthroscopic and Related Surgery*. 18, 2, 183-189.
15. Archibeck, M., Jacobs, J., Roebuck, K., & Glant, T. (2000). The basic science of periprosthetic osteolysis. *The Journal of Bone and Joint Surgery*. 82-A (10), 1478-1489.
16. Archibeck, M., & White Jr., R.E. (2006). What's new in adult reconstructive knee surgery. *The Journal of Bone & Joint Surgery*. 88-A(7), 1677-1686. DOI: 10.2106/JBJS.F.00450.
17. **Arrich, J., Piribauer, F., Mad, P., Schmid, D., Klaushofer, K., & Mullner, M. (2005). Intra-articular hyaluronic acid for the treatment of osteoarthritis of the knee: systematic review and meta-analysis. *CMAJ*. 172(8), 1-13. DOI: 10.1503/cmaj.1041203. Assessment: Adequate. Used in Evidence Statement**
18. **Arroll, B., & Goodyear-Smith, F. (2004). Corticosteroid injections for osteoarthritis of the knee: Meta-analysis. *BMJ*. DOI: 10.1136/bmj.38039.573970.7C. Assessment: Adequate. Used in Evidence Statement.**
19. Astrand, J., Thorngren, K., & Tagil, M. (2006). 'One fracture is enough!: Experience with a prospective and consecutive osteoporosis screening program with 239 fracture patients'. *Acta Orthopaedica*. 77:1, 3-8.
20. Austin, A., Souza, R., Meyer, J., & Powers, C. (2008). Identification of abnormal hip motion associated with acetabular labral pathology. *Orthop Sports Physical Therapy*. 38 (9), 558-565. DOI:10.2519/jospt.2008.2790. Abstract Only.
21. Bachmann, L.M., Haberzeth, S., Steurer, J., & ter Riet, G. (2004). The accuracy of the Ottawa knee rule to rule out knee fractures: A systematic review. *Annals of Internal Medicine*, 140. 121-124.
22. Bachmann, L.M., Kolb, E., Koller, M.T., Steurer, J., & ter Riet, Gerben. (2003). Accuracy of Ottawa ankle rules to exclude fractures of the ankle and mid-foot: Systematic review. *British Medical Journal* 46(326). [www.BMJ.com](http://www.BMJ.com).
23. Bahr, R., Fossan, B., F., Loken, S., & Engebretsen, L. (2006). Surgical treatment compared with eccentric training for patellar tendinopathy (jumper's knee) a randomized, controlled trial. *The Journal of Bone & Joint Surgery*. 88-A (8), 1689-1698. DOI: 10.2106/JBJS.E.01181.b
24. Bailie, A., Lewis, P., Brumby, S., Roy, S., Paterson, R., & Campbell, D. (2008). The unispacer knee implant. *JBJS*. 90-B, 446-50.
25. Barber, F., & Iwasko, N. (2006). Treatment of grade III femoral chondral lesions: Mechanical chondroplasty versus monopolar radiofrequency probe. *Arthroscopy: The Journal of Arthroscopic and Related Surgery*. 22(12), 1312-1317.
26. Bartels, E., Lund, H., Hagen, K., Dagfinrud, H., Christensen, R., & Danneskiold-Samsøe, B. Aquatic exercise for the treatment of knee and hip osteoarthritis. *Cochrane Database of Systematic Reviews* 2007, Issue 4. Art. No.:CD005523.DOI: 10.1002/14651858.CD005523.pub2. Used in Evidence Statement

27. Beaulé, P., Le Duff, M., & Zaragosa, E. (2007). Quality of life following femoral head-neck osteochondroplasty for femoroacetabular impingement. *The Journal of Bone and Joint Surgery*. 89, 773-779. doi:10.2106/JBJS.F.00681.
28. Becker, R., Ropke, M., Krull, A., Musahl, V., & Nebelung, W. (2008). Surgical treatment of isolated patellofemoral osteoarthritis. *Clinical Orthopaedics and Related Research*. 466, 443-449. DOI: 10.1007/s11999-007-0071-9.
29. Beertema, W., Draijer, W., van Os, J., & Pilot, P. (2006). A retrospective analysis of surgical treatment in patients with symptomatic hallux rigidus: Long-term follow-up. *The Journal of Foot & Ankle Surgery*. 45(4), 244-251.
30. Bellamy, N., Campbell, J., Robinson, V., Gee, T., Bourne, R., & Wells, G. Intraarticular corticosteroid for treatment of osteoarthritis of the knee. *Cochrane Database of Systematic Reviews* 2006, Issue 2. Art. No.: CD005328. DOI: 10.1002/14651858.CD005328.pub2.
31. Bellamy, N., Campbell, J., Robinson, V., Gee, T., Bourne, R., & Wells, G. Viscosupplementation for the treatment of osteoarthritis of the knee. *Cochrane Database of Systematic Reviews* 2006, Issue 2. Art. No.: CD005321. DOI: 10.1002/14651858.CD005321.pub2.
32. **Ben-Galim, P., Steinberg, E.L, Amir, H., Ash, N., Dekel, S., & Arbel, R. (2006). Accuracy of magnetic resonance imaging of the knee and unjustified surgery. *Clinical Orthopaedics and Related Research*. 447, 100-104. Assessment: Adequate.**
33. **Berman, B., Lao, L., Langenberg, P., Lee, W., Gilpin, A., & Hochberg, M. (2004). Effectiveness of acupuncture as adjunctive therapy in osteoarthritis of the knee. *Annals of Internal Medicine*. 141(12), 901-910. Assessment: Adequate. Used in evidence statement.**
34. Beynon, B., Renstrom, P., Haugh, L., Uh, B., & Barker, H. (2006). A prospective, randomized clinical intervention of the treatment of first-time ankle sprains. *American Journal of Sports Medicine*. 34, 1401. Assessment: Inadequate.
35. Biau, D., Tournoux, C., & Katsahian, S. (2007). ACL reconstruction: A meta-analysis of functional scores. *Clinical Orthopaedics and Related Research*. 458, 180-187.
36. Bibbo, C., Patel, D., Gehrman, R., & Lin, S. (2005). Chlorhexidine provides superior skin decontamination in foot and ankle surgery. *Clinical Orthopaedics and Related Research*. 438, 204-208.
37. Bleakley, C., McDonough, S., & MasAuley, D. (2008). Some conservative strategies are effective when added to controlled mobilization with external support after acute ankle sprain: a systematic review. *Australian Journal of Physiotherapy*. 54, 7-20.
38. Blomfeldt, R., Tornkvist, H., Erikson, K., Soderqvist, A., Ponzer, S., & Tidermark, J. (2007). A randomized controlled trial comparing bipolar hemiarthroplasty with total hip replacement for displaced intracapsular fractures of the femoral neck in elderly patients. *The Journal of Bone & Joint Surgery (Br)*. 89-B (2). 160-165. DOI:10.1302/0301-620X.89B2.
39. *Blue Cross Blue Shield Association*. Technology Evaluation Center. (2007). Metal-on-metal total hip resurfacing. 22(3), <http://www.bcbs.com/blueresources/tec/vols/22/metal-on-metal-total-hip.html>

40. Boden, S., Davis, D., Dina, T., Stoller, D., Brown, S., Vailas, J. & Labropoulos, P. (1992). A prospective and blinded investigation of magnetic resonance imaging of the knee. *Clinical Orthopaedics and Related Research*. 282, 177-185.
41. Bolland, B., Tiley, S., New, A., Dunlop, D., & Oreffo, O. (2007). Adult mesenchymal stem cells and impaction grafting: a new clinical paradigm shift. *Expert Rev Med Devices*. 4(3), 393-404. Abstract Only.
42. Boutron, I., Moher, D., Altman, D., Schulz, K., & Ravaud, P. (2008). Extending the consort statement to randomized trials of nonpharmacologic treatment: Explanation and elaboration. *American College of Physicians*. 148, 295-309.
43. Boyd, K., & Myers, P. (2003). Meniscus preservation, rationale, repair techniques and results. *The Knee*. 10, 1-11.
44. Brosseau, L., MacLeay, L., Robinson, V., Tugwell, P., & Wells, G. Intensity of exercise for the treatment of osteoarthritis. *Cochrane Database of Systematic Reviews*. 2003, Issue 2. Art. No: CD004259. DOI: 10.1002/14651858. CD004259.
45. Brosseau, L., Wells, G., Tugwell, P., Egan, M., Dubouloz, C., & Casimiro, L. (2005). Ottawa panel evidence-based clinical practice guidelines for therapeutic exercises and manual therapy in the management of osteoarthritis. *Physical Therapy*. 85 (9), 907-971.
46. Brosseau, L., Yonge, K., Robinson, V., Marchand, S., Judd, M., Wells, G., & Tugwell, P. Thermotherapy for treatment of osteoarthritis. *Cochrane Database of Systematic Reviews*. 2003, Issue 4. Art. No.:CD004522. DOI: 10.1002/14651858.CD004522. Abstract Only. *Used in Evidence Statement*
47. Brosseau, L., Casimiro, L., Robinson, V., Milne, S., Shea, B., Judd, M., Wells, G. & Tugwell, P. Therapeutic ultrasound for treating patellofemoral pain syndrome. *Cochrane Database of Systematic Reviews* 2001, Issue 4. Art No.: CD003375. DOI: 10.1002/14651858.CD003375.
48. Brouwer, R., Jakma, T., Verhagen, A., Verhaar, J., & Bierma-Zeinstra, S. Braces and orthoses for treating osteoarthritis of the knee. *Cochrane Database of Systemic Reviews* 2005, Issue 1. Art. No.:CD004020. DOI: 10.1002/14651858.CD004020.pub2. Abstract Only.
49. Brouwer, R., Raaij, T., Bierma-Zeinstra, S., Verhagen, A., Jakma, T., & Verhaar, J. Osteotomy for treating knee osteoarthritis. *Cochrane Database of Systematic Reviews* 2007, Issue 2. Art. No.:CD004019. DOI: 10.1002/13651858. CD004019.pub3. Abstract Only.
50. Browner: Skelatal Trauma (4<sup>th</sup> ed.), Chapter 54, (2008). Retrieved 3/30/09 from MD Consult. 0-[www.mdconsult.com/impulse.ucdenver.edu](http://www.mdconsult.com/impulse.ucdenver.edu)
51. Buergi, M., & Walter, W. (2007). Hip resurfacing arthroplasty: The Australian experience. *The Journal of Arthroplasty*. 22 (7), 61-65.DOI:10.1016/j.arth.2007.05.021.
52. Bulthuis, Y., Drossaers-Bakker, K.W., Taal, E., Rasker, J., Oostveen, J., van't Pad Bosch, P., Oosterveld, F., & van de Laar, M. (2007). Arthritis patients show long-term benefits from 3 weeks intensive exercise training directly following hospital discharge. *Rheumatology*. 46, 1712-1717. DOI:10.1093/rheumatology/kem236.
53. Bulthuis, Y., Mohammad, S., Braakman-Jansen, L.M.A., Drossaers-Baaker, K.W., & van de Laar, M. A. F. J. (2007). Cost-effectiveness of intensive exercise therapy directly following hospital discharge in patients with arthritis: results of a randomized controlled clinical trial. *Arthritis & Rheumatism* 59 (2), 247-254. DOI: 10.1002/art.23332.

54. Burton, T. (2008). New doubts about popular joint surgery. *The Wall Street Journal*. <http://online.wsj.com/article/SB122394041078330741.html>.
55. Busse, J., Bhandari, M., Kulkarni, A., & Tunks, E. (2002). **The effect of low-intensity pulsed ultrasound therapy on time to fracture healing: a meta-analysis.** *CMAJ*. 166: 437-441. **Assessment: Adequate. Used in Evidence Statement**
56. Byrd, J., & Jones, K. (2004). Diagnostic accuracy of clinical assessment magnetic resonance imaging, magnetic resonance arthrography, and intra-articular injection in hip arthroscopy patients. (2004). *The American Journal of Sports Medicine*. 32(7), 1668-1674. DOI: 10.1177/0363546504266480.
57. Cadosch, D., Gautschi, O., Thyer, M., Song, S., Skirving, A., Filgueira, L., & Zellweger, R. (2009). Humoral factors enhance fracture-healing and callus formation in patients with traumatic brain injury. *JBJS*. 91, 282-8.
58. Campbell, D., Duncan, W., Ashworth, M., Mintz, A., Stirling, J., Wakefield, J., & Stevenson, T. (2005). Patellar resurfacing in total knee replacement: A ten year randomised prospective trial. *J. Bone Joint Surg Br*. 88-B, 734-9.
59. Campbell, J., Bellamy, N., & Gee, T. (2007). Differences between systematic reviews/meta-analyses of hyaluronic acid/hyaluronan/hylan in osteoarthritis of the knee. *Osteoarthritis and Cartilage*. 15, 1424-1436. doi:10.1016/j.joca.2007.01.022.
60. Canale, S.T., & Beaty, J.H. (Eds.) (2007). *Campbell's Operative Orthopaedics, 11<sup>th</sup> Ed.* <https://0-www.mdconsult.com.impulse.ucdenver.edu/>
61. Carpenter, B., & Motley, T. (2008). The role of viscosupplementation in the ankle using hylan G-F 20. *Journal of Foot & Ankle Surgery*. 47: 5, 377-384.
62. Centeno, C.J., Busse, D., Kisiday, J., Keohan, C., & Freeman, M. (2008). Increased knee cartilage volume in degenerative joint disease using percutaneously implanted, autologous mesenchymal stem cells, platelet lysate and dexamethasone. *The American Journal of Case Reports*. 9, 201-206.
63. Cerezal, L., Llopis, E., Canga, A., & Rolon, A. (2008). MR arthrography of the ankle: Indications and technique. *Radiol Clin N Am* 46, 973-994. DOI:10.1016/j.rcl.2008.09.002.
64. Chaiwanichsiri, D., Lorprayoon, E., & Noomanoch, L. (2005). Star excursion balance training: Effects on ankle functional stability after ankle sprain. *J Med Assoc Thai*. 88 (4), S90-S94.
65. Chang, C., Wu, H., Huang, T., Ma, H., & Hung, S. (2004). Imaging evaluation of meniscal injury of the knee joint. A comparative MR imaging and arthroscopic study. *Journal of Clinical Imaging*. 28, 372-376.
66. Charalambous, C.P., Tryfonidis, M., Alvi, F., Kumar, R., & Hirst, P. (2006). Purely intra-articular versus general anesthesia for proposed arthroscopic partial meniscectomy of the knee: a randomized controlled trial. *Arthroscopy: The Journal of Arthroscopic and Related Surgery*, 22 (9), 972-977. DOI:10.1016/j.arthro.2006.04.108.
67. Charles, M.N., Bourne, R.B., Davey, J.R., Greenwald, A.S., Morrey, B.F., & Rorabeck, C.H. (2004). Soft-tissue balancing of the hip: the role of femoral offset restoration. *The Journal of Bone & Joint Surgery*. 86-A(5), 1078-1088.

68. Chauhan, S.K., Scott, R.G., Breidahl, Beaver, R.J. (2004). Computer-assisted knee arthroplasty versus a conventional jig-based technique: A randomized trial. *Journal of Bone and Joint Surgery*. 86-B, 372-377.
69. Chevalier, X., Jerosch, J., Goupille, P., van Dijk, N., Luyten, F., Scott, D., Bailleul, F., & Pavelke, K. (2009). Single, intra-articular treatment with 6 ml of hylan G-F 20 in patients with symptomatic primary osteoarthritis of the knee: A randomised, multi-centre, double-blind, placebo-controlled trial. *Ann Rheum Dis*. published online 19 Mar 2009, doi: 10.1136/ard.2008.094623.
70. Chevillotte, C., Ali, M., Trousdale, R., & Pagano, M. (2008). Variability in hip range of motion on clinical examination. *The Journal of Arthroplasty*. 00 (0), 1-5.
71. Clegg, D., Reda, D., Harris, C., Klein, M., O'Dell, J., Hooper, M., Bradley, J., Bingham, III, C., Weisman, M., Jackson, C., Lane, N., Cush, J., Moreland, J., Schumacher, Jr. R., Oddis, C., Wolfe, F., Molitor, J., Yocum, D., Schnitzer, T., Furst, D., Sawitzke, A., Shi, H., Brandt, K., Moskowitz, R., & Williams, J. (2006). **Glucosamine, chondroitin sulfate and the two in combination for painful knee osteoarthritis. *The New England Journal of Medicine*. 354(8), 795-808. Assessment: High-quality. Used in Evidence Statement**
72. Cohen, A., Hirst, C., Sherrill, B., Holmes, P., & Fidan, D. (2005). Meta-analysis of trials comparing ximelagatran with low molecular weight heparin for prevention of venous thromboembolism after major orthopaedic surgery. *British Journal of Surgery*. 92, 1335-1344. DOI: 10.1002/bjs.5180.
73. Colditz, G., Miller, J., & Mosteller, F. (1989). How study design affects outcomes in comparison of therapy. I: Medical. *Statistics in Medicine*. 8, 441-454.
74. Collins, N., Crossley, K., Beller, E., Darnell, R., McPoil, T., & Vicenzino, B. (2008). **Foot orthoses and physiotherapy in the treatment of patellofemoral pain syndrome: randomised clinical trial. *BMJ*. 337(a1735), 1-8. DOI:10.1136/bmj.a1735. Assessment: Adequate. Used in Evidence Statement**
75. Colwell, C., Hozack, W., Mesko, J., D'Antonio, J., Bierbaum, B., Capello, W., Jaffe, W., & Mai, I. (2007). Ceramic-on-ceramic total hip arthroplasty early dislocation rate. *Clinical Orthopaedics and Related Research*. 465, 155-158. DOI:10.1097/BLO.0b013e31815072e4.
76. Coughlin, M., & Smith, B. (2008). Hallux valgus and first ray mobility. *The Journal of Bone and Joint Surgery*. 90-A, Supplement 2, Part 2, 153-170. DOI:10.2106/JBJS.H.00095.
77. Cracchiolo, III, A., & DeOrio, J. (2008). Design features of current total ankle replacements: Implants and instrumentation. *J Am Acad Orthop Surg*. 16, 530-540.
78. Crawford, F., & Thompson, C. Interventions for treating plantar heel pain. *Cochrane Database of Systematic Reviews* 2003, Issue 3, Art. No.:CD000416. DOI: 10.1002/14651858.CD000416.
79. Dahlberg, L. Lohmander, L., & Ryd, L. (1994). Intraarticular injections of hyaluronan in patients with cartilage abnormalities and knee pain. *Arthritis & Rheumatism*. 17: 4, 521-528.
80. Davis, W., & Porteous, M. (2006). Joint replacement in the overweight patient: a logical approach or new form of rationing? *Annals of the Royal College of Surgeons of England*. 89, 203-206.

81. Day, R., Brooks, P., Conaghan, P. & Petersen, M. (2004). A double blind, randomized, multicenter, parallel group study of the effectiveness and tolerance of intraarticular hyaluronan in osteoarthritis of the knee. *Journal of Rheumatology*. 331, 775-82.
82. DeHeer, P. (2006). The case against first metatarsal phalangeal joint implant arthroplasty. *Clinics in Podiatric Medicine and Surgery*. 23, 709-723. DOI:10.1016/j.cpm.2006.08.001.
83. de Vries, J., Krips, R., Sierevelt, I., Blankevoort, L., & van Dijk, C. (2008). Interventions for treating chronic ankle instability (Review). *Cochrane Database of Systematic Reviews*.
84. Denis, M., Moffet, H., Caron, F., Ouellet, D., Paquet, J., & Nolet, J. (2006). Effectiveness of continuous passive motion and conventional physical therapy after total knee arthroplasty: A randomized clinical trial. *Physical Therapy*. 86(2), 174-185.
85. D'hondt, N., Struijs, P., Kerkhoffs, G., Verheul, C., Lysens, R., Aufdemkampe, G., & Van Dijk, C. Orthotic devices for treating patellofemoral pain syndrome. *Cochrane Database of Systematic Reviews* 2002, Issue 2. Art. No.: CD002267. DOI: 10.1002/14651858.CD002267.
86. Digiovanni, B., Nawoczenski, D., Malay, D., Graci, P., Williams, T., Wilding, G., & Baumhauer, J. (2006). Plantar fascia-specific stretching exercise improves outcomes in patients with chronic plantar fasciitis. A prospective clinical trial with two-year follow-up. *The Journal of Bone and Joint Surgery*. 88-A (8), 1775-1781. DOI:10.2106/JBJS.E.01281.
87. Di Lorenzo, L., Forte, A., Formisano, R., Gimigliano, R., & Gatto, S. (2007). Low back pain after unstable extracapsular hip fractures: randomized control trial on a specific training. *Europa Medicophysica*. 43(3), 349-357.
88. Diracoglu, D., Alptekin, K., Taksoz, B., Yager, I., Ozcakar, L., & Aksoy, C. (2009). Knee vs hip single-joint intra-articular hyaluronic acid injection in patients with both hip and knee osteoarthritis: a pilot study. *Clin Rheumatol*. DOI: 10.1007/s 10067-0009-1199-7.
89. Divine, J., Zazulak, B., & Hewett, T. (2006). Viscosupplementation for knee osteoarthritis. *Clinical Orthopaedics and Related Research*. 455: 113-122.
90. **Doetsch, A., Faber, J., Lynnerup, N., Watjen, I., Bliddal, H., & Danneskiold-Samsoe, B. (2004). The effect of calcium and vitamin D3 supplementation on the healing of the proximal humerus fracture: A randomized placebo-controlled study. *Calcified Tissue International*. 75, 183-188. Assessment: Adequate. Used in Evidence Statement**
91. Dooley, P. (2008). Femoroacetabular impingement syndrome. Nonarthritic hip pain in young adults. *Canadian Family Physician*. 54, 42-47.
92. Dorr, L., Gendelman, V., Maheshwari, A., Boutary, M., Wan, Z., & Long, W. (2007). Multimodal thromboprophylaxis for total hip and knee arthroplasty based on risk assessment. *The Journal of Bone and Joint Surgery*. 89, 2648-2657. doi:10.2106/JBJS.F.00235.
93. Dutton, A., Yeo, S., Yang, K., Lo, N., Chia, K., & Chong, H. (2008). Computer-assisted minimally invasive total knee arthroplasty compared with standard total knee arthroplasty. A prospective, randomized study. *The Journal of Bone and Joint Surgery, Inc*. 90, 2-9. DOI: 10.2106/JBJS.F.01148. Assessment: Inadequate.
94. Ellis, R., Griffin, K., & Meadows, S. (2004). For knee pain, how predictive is physical examination for meniscal injury. *The Journal of Family Practice*. 53 (11), 918-920.
95. Emami, A., Petren-Mallmin, M., & Larsson, S. (1999). No effect of low-intensity ultrasound on healing time of intramedullary fixed tibial fractures. *Journal of Orthopaedic Trauma*. 13(4), 252-257.

96. Emara, K., & Allam, M. (2005). Management of calcaneal fracture using the Illizarov technique. *Clinical Orthopaedics and Related Research*. 439, 215-220.
97. Englanoff, G., Anglin, D., & Hutson, H. (1995). Lisfrance fracture-dislocation: A frequently missed diagnosis in the emergency department. *Annals of Emergency Medicine*. 26:2, 229-233.
98. Englund, M., Guermazi, A., Gale, D., Hunter, D., Aliabadi, P., Clancy, M., & Felson, D. (2008). Incidental meniscal findings on knee MRI in middle-aged and elderly persons. *The New England Journal of Medicine*. 359, 1108-15.
99. Englund, M., Roos, E., & Lomander, L. (2001). Patient-relevant outcomes fourteen years after meniscectomy: Influence of type of meniscal tear and size of resection. *Rheumatology*. 40, 631-839.
100. Eperdling, J., Kobs, J., Nance, C., Rendleman, D. (1997). Section 6: Knee and lower leg. In Sinder, R. K. (Ed.), *Essentials of Musculoskeletal Care*. (pp. 305-365). Rosemont, IL: American Academy of Orthopaedic Surgeons.
101. Eriksson, B., Borris, L., Friedman, R., Haas, S., Huisman, M., Kakkar, A., Bandel, T., Beckmann, H., Muehlhofer, E., Misselwitz, F., & Geerts, W. (2008). Rivaroxaban versus enoxaparin for thromboprophylaxis after hip arthroplasty. *The New England Journal of Medicine*. 358(26), 2765-2775.
102. Escobar, A., Quintana, J., Bilbao, A., Azkarate, J., Guenaga, J., Arenaza, J., & Gutierrez, L. (2007). Effect of patient characteristics on reported outcomes after total knee replacement. *Rheumatology*. 46, 112-119.
103. Felson, D. (2006). Osteoarthritis of the knee. *New England Journal of Medicine*. 354, 841-8.
104. Folsom, G., & Larson, C. (2008). Surgical treatment of acute versus chronic complete proximal hamstring ruptures: Results of a new allograft technique for chronic reconstructions. *The American Journal of Sports Medicine*. 36(1), 104-109. DOI: 10.1177/0363546507312167.
105. Food and Drug Administration. (n.d.). Home Page. [www.fda.gov](http://www.fda.gov).
106. Foucher, K., Hurwitz, D., & Wimmer, M. (2007). Preoperative gait adaptations persist one year after surgery in clinically well-functioning total hip replacement patients. *Journal of Biomechanics*. 40, 3432-3437. DOI:10.1016/j.biomech.2007.05.020.
107. Fowler, P., & Lubliner, J. (1989). The predictive value of five clinical signs in the evaluation of meniscal pathology. *Arthroscopy*. 5(3), 184-186. Assessment: Inadequate.
108. **Fransen, M., Crosbie, J., & Edmonds, J. (2001). Physical therapy is effective for patients with osteoarthritis of the knee: a randomized controlled clinical trial. *The Journal of Rheumatology*. 28(1), 156-164. Assessment: Adequate. Used in Evidence Statement**
109. **Fransen, M., Anderson, C., Douglas, J., MacMahon, S., Neal, B., & Norton, R. (2006). Safety and efficacy of routine postoperative ibuprofen for pain and disability related to ectopic bone formation after hip replacement surgery (HIPAID): Randomized controlled trial. *BMJ*. 1-5. DOI: 10.1136/bjm.38925.471146.4F (published 2 August 2006). Assessment: High-quality. Used in Evidence Statement**

110. Fransen, M., McConnell, S., & Bell, M. Exercise for osteoarthritis of the hip or knee. *Cochrane Database of Systematic Reviews* 2001, Issue 2. Art No.: CD004376. DOI: 10.1002/14651858.CD004376. Abstract Only.
111. Fredericson, M., & Yoon, K. (2006). Physical examination and patellofemoral pain syndrome. *American Journal of Physical Medicine Rehabilitation*. 85, 234-243.
112. Fuhrman, R.A., Wagner, A., & Anders, J.O. (2003) First metatarsophalangeal joint replacement: the method of choice for end-stage hallux rigidus? *Foot Ankle Clinic North America*. 8, 711-721. DOI: 10.1016/S1083-7515(03)00146-3.
113. Fulkerson, J. (2002). Diagnosis and treatment of patients with patellofemoral pain. *The American Journal of Sports Medicine*. 30(3), 447-456.
114. Gaitini, D. (2006). Current approaches and controversial issues in the diagnosis of deep vein thrombosis via duplex doppler ultrasound. *Journal of Clinical Ultrasound*. 34, 6, 289-297.
115. Geerts, W., Bergqvist, D., Pineo, G., Heit, J., Samama, C., Lassen, M., & Colwell, C. (2008). Prevention of venous thromboembolism: American college of chest physicians evidence-based clinical practice guidelines (8<sup>th</sup> edition). *American College of Chest Physicians*. 133(6), 381-453. DOI: 10.1378/chest.08-0656.
116. Gelfer, Y., Tavor, H., Oron, A., Peer, A., Halperin, N., & Robinson, D. (2006). Deep vein thrombosis prevention in joint arthroplasties. *Journal of Arthroplasty*. 21 (2), 206-214. Assessment: Inadequate.
117. Genzyme Corporation. (2007). Carticel (autologous cultured chondrocytes) for implantation: Highlights of prescribing information. Initial U.S. Approval: 1997
118. **Gerdesmeyer, L., Frey, C., Vester, J., Maier, M., Weil, L., Jr., Weil, L., Sr., Russlies, M., Steinstra, J., Scurran, B., Fedder, K., Diehl, P., Lohrer, H., Henne, M., & Gollwitzer, H. (2008). Radial extracorporeal shock wave therapy is safe and effective in the treatment of chronic recalcitrant planter fasciitis: Results of a confirmatory randomized placebo-controlled multicenter study. *American Orthopaedic Society for Sports Medicine*. 36(11), 2100-2109. DOI: 10.1177/0363546508324176. Assessment: Adequate. Used in Evidence Statement**
119. **Gibson, J., & Thomson, C. (2005). Arthrodesis or total replacement arthroplasty for hallux rigidus: A randomized controlled trial. *Foot & Ankle International*. 26(9), 680-690. Assessment: Adequate. Used in Evidence Statement**
120. Gioe, T., Stroemer, E., & Santos, E. (2007). All-polyethylene and metal-backed tibias have similar outcomes at 10 years: A randomized level 1 evidence study. *Clinical Orthopaedic and Related Research*. 455, 212-218. DOI: 10.1097/01.blo.0000238863.69486.97.
121. Gobbi, A., & Francisco, R. (2006). Factors affecting return to sports after anterior cruciate ligament reconstruction with patellar tendon and hamstring graft: A prospective clinical investigation. *Knee Surg Sports Traumatol Arthrosc*. 14, 1021-1028.
122. Gobbi, A., Francisco, R., Lubowitz, J., Allegra, F., & Canata, G. (2006). Osteochondral lesions of the talus: Randomized controlled trial comparing chondroplasty, microfracture, and osteochondral autograft transplantation. *The Journal of Arthroscopic and Related Surgery*. 22(10), 1085-1092.

123. Gobbi, A. Kon, E., Berruto, M., Francisco, R., Filardo, G., & Marcacci, M. (2006). Patellofemoral full-thickness chondral defects treated with Hyalograft-C: a clinical, arthroscopic, and histologic review. *American Journal of Sports Medicine*. 34, 1763-1773. DOI: 10.1177/0363546506288853.
124. Gorodetskyi, L., Gorodnichenko, A., Tursin, P., Reshetnyak, V., & Uskov, O. (2007). Non-invasive interactive neurostimulation in the post-operative recovery of patients with a trochanteric fracture of the femur: A randomised controlled trial. *The Journal of Bone and Joint Surgery*. 89-B (11), 1488-1494. DOI:10.1302/0301-620x.89b11.19352.
125. **Govender, S., Csimma, C., Genant, H., Valentin-Opran, A., Amit, Y., Arbel, R., Aro, H., Atar, D., Bishay, M., Borner, M., Chiron, P., Choong, P., Cinats, J., Courtenay, B., Fiebel, R., Geulette, B., Gravel, C., Haas, N., Raschke, M., Hammacher, E., van der Velde, D., Hardy, P., Holt, M., Josten, C., Ketterl, R., Lindeque, B., Lob, G., Mathevon, H., McCoy, G., Marsh, D., Miller, R., Munting E., Oevre, S., Nordsletten, L., Patel, A., Pohl, A., Rennie, W., Reynders, P., Rommens, P., Rondia, J., Rossouw, W., Daneel, P., Ruff, S., Ruter, A., Santavirta, S., Schildhauer, T., Gelke, C., Schnettler, R., Segal, D., Seiler, H., Snowdowne, R., Stapert, J., Taglang, G., Verdonk, R., Vogels, L., Weckbach, A., Wenzensen, A., & Wisniewski, T. (2002). Recombinant human bone morphogenetic protein-2 for treatment of open tibial fractures: A prospective, controlled, randomized study of four hundred and fifty patients. *JBJS*. 84-A, 2123-2134. Assessment: Adequate.**
126. Green, T., Refshauge, K., Crosbie, J., & Adams, R. (2001). A randomized controlled trial of a passive accessory joint mobilization on acute ankle inversion sprains. *Physical Therapy*. 81(4), 984-994. Assessment: Inadequate.
127. Griffin, X.L., Warner, F., & Costa, M. (2008). The role of electromagnetic stimulation in the management of established non-union of long bone fractures: what is the evidence? *Injury, International Journal of the care of the injured*. 39, 419-429. DOI: 10.1016/j.injury.2007.12.014.
128. Grohs, J., Schmidt, M., & Wanivenhaus, A. (2007). Selective COX-2 inhibitor versus indomethacin for the prevention of heterotopic ossification after hip replacement. *Acta Orthopaedica*. 78 (1), 95-98. DOI 10.1080/17453670610013484.
129. Gudas, R., Kalesinskas, R., Kimtys, V., Stankevicius, E., Toliusis, V., Bernotavicius, G., & Smailys, A. (2005). A prospective randomized clinical study of mosaic osteochondral autologous transplantation versus microfracture for the treatment of osteochondral defects in the knee joint in young athletes. *Arthroscopy: The Journal of Arthroscopic and Related Surgery*. 2(9), 1066-1075.
130. Haddad, S., Coetzee, J., Estok, R., Fahrbach, K., Banel, D., & Nalysnyk, L. (2007). Intermediate and long-term outcomes of total ankle arthroplasty and ankle arthrodesis: A systematic review of the literature. *The Journal of Bone and Joint Surgery*. 89, 1899-905.
131. Haim, A., Yaniv, M., Dekel, S., & Amir, H. (2006). Patellofemoral pain syndrome: Validity of clinical and radiological features. *Clinical Orthopaedics and Related Research*. 451, 223-228.
132. Hale, S., Hertel, J., & Olmsted-Kramer, L. (2007). The effect of a 4-week comprehensive rehabilitation program on postural control and lower extremity function in individuals with chronic ankle instability. *Journal of Orthopaedic & Sports Physical Therapy*. 37(6), 303-311.
133. Halinen, J., Lindahl, J., Hirvensalo, E., & Santavirta, S. (2006). Operative and nonoperative treatments of medial collateral ligament rupture with early anterior cruciate

134. Handoll, H., Rowe, B., Quinn, K., & de Bie, R. Interventions for preventing ankle ligament injuries. *Cochrane Database of Systematic Reviews* 2001, Issue 3. Art. : CD000018. DOI: 10.1002/146551858.CD000018. Abstract Only. *Used in Evidence Statement*.
135. **Harilainen, A., & Sandelin, J. (2006). Post-operative use of knee brace in bone-tendon-bone patellar tendon anterior cruciate ligament reconstruction: 5-year follow-up results of a randomized prospective study. *Scand J Med Sci Sports. 16, 14-18. DOI: 10.1111/j.1600-0838.2005.00435.x* Assessment: Adequate.**
136. Hawke, F., Burns, J., Radford, J., & du Toit, V. Custom-made foot orthoses for the treatment of foot pain. *Cochrane Database of Systematic Reviews* 2008, Issue 3. Art. No.: CD006801. DOI: 10.1002/14651858.CD006801.pub2.
137. Hayashi, A. (2007). Gastrocnemius recession: Effective remedy for recalcitrant foot pain. *AAOS Now*.
138. Heckman, J., Ryaby, J., McCabe, J., Frey, J., & Kilcoyne, R. (1994). Acceleration of tibial fracture-healing by non-invasive, low-intensity pulsed ultrasound. *JBJS. 76-A: 1, 26-34*.
139. Hegedus, E., Cook, C., Hasselblad, V., Goode, A., & McCrory, D. (2007). Physical examination tests for assessing a torn meniscus in the knee: A systemic review with meta-analysis. *Journal of Orthopaedic & Sports Physical Therapy. 37 (9), 541-550*.
140. Heijne, A., & Werner, S. (2007). Early versus late start of open kinetic chain quadriceps exercises after ACL reconstruction with patellar tendon or hamstring grafts: a prospective randomized outcome study. *Knee Surgery Sports Traumatol Arthrosc. 15, 402-414. DOI: 10.1007/s00167-006-0246-z*.
141. Heintjes, E., Berger, M., Bierma-Zeinstra, S., Bernsen, R., Verhaar, J., & Koes, B. Exercise therapy for patellofemoral pain syndrome. *Cochrane Database of Systematic Reviews* 2003, Issue 4. Art. No.: CD003472. DOI: 10.1002/14651858.CD003472.
142. Hempfling, H. (2007). Intra-articular hyaluronic acid after knee arthroscopy: a two-year study. *Knee Surg Sports Traumatol Arthrosc. 15, 537-546. DOI: 10.1007/s00167-006-0260-1*.
143. **Hernandez-Molina, G., Reichenbach, S., Zhang, B., LaValley, M., & Felson, D. (2008). Effect of therapeutic exercise for hip osteoarthritis pain: Results of a meta-analysis. *American College of Rheumatology. 59(9), 1221-1228. DOI: 10.1002/art.24010. Assessment: Adequate. Used in Evidence Statement***
144. Herrlin, S., Hallander, M., Wange, P., Weidenhielm, L., & Werner, S. (2007). Arthroscopic or conservative treatment of degenerative medial meniscal tears: a prospective randomized trial. *Knee Surg Sports Traumatol Arthrosc. 15, 393-401. DOI: 10.1007/s00167-006-0243-2. Assessment: Inadequate*.
145. **Hoeksma, H., Dekker, J., Ronday, H., Heering, A., van der Lubbe, N., Vel, C., Breedveld, F., & van den Ende, C. (2004). Comparison of manual therapy and exercise therapy in osteoarthritis of the hip: a randomized clinical trial. *Arthritis & Rheumatism. 51(5), 722-729. DOI:10.1002/art.20685. Assessment: Adequate. Used in Evidence Statement***

146. Holm, L., Esmarck, B., Mizuno, M., Hansen, H., Suetta, C., Holmich, P., Krogsgaard, M., & Kjaer, M. (2006). The effect of protein and carbohydrate supplementation on strength training outcome of rehabilitation in ACL patients. *Journal of Orthopaedic Research*. November, 2114-2123. DOI: 10.102/jor.20147.
147. Holme, E., Magnusson, P., Becher, K., Bieler, T., Aagaard, P., & Kjaer, M. (1999). The effect of supervised rehabilitation on strength, postural sway, position sense and re-injury risk after acute ankle ligament sprain. *Scandinavian Journal of Medicine & Science in Sports*. 9, 104-109.
148. Huang, M., Yang, R., & Chou, P. (2007). Preliminary effects of hyaluronic acid on early rehabilitation of patients with isolated anterior cruciate ligament reconstruction. *Clin J Sport Med*. 17(4), 242-250. Assessment: Inadequate.
149. Hughes, R., Ali, K., Jones, H., Kendall, S., & Connell, D. (2007). Treatment of Morton's neuroma with alcohol injections under sonographic guidance: Follow-up of 101 cases. *AJR*. 188, 1535-1539.
150. Ibrahim, T., Rowsell, M., Rennie, W., Brown, A., Taylor, G., & Gregg, P. (2007). Displaced intra-articular calcaneal fractures: 15-year follow-up of a randomised controlled trial of conservative versus operative treatment. *Injury Int. J. Care Injured*. 38, 848-855.
151. Illgin II, R.L., Honkamp, N.J., Weisman, M.H., Hagenauer, M.E., Heiner, J.P., & Anderson, P.A. (2006). The diagnostic and predictive value of hip anesthetic arthrograms in selected patients before total hip arthroplasty. *The Journal of Arthroplasty*. 21(5), 724-232. DOI:10.1016/j.arth.2005.08.017.
152. Institute For Clinical Systems Improvement (ICSI). (2006). Diagnosis and treatment of osteoporosis.
153. Ioannidis, J. (2008). Perfect study, poor evidence: Interpretation of biases preceding study design. *Seminars in Hematology*. 180-188. DOI: 10.1053/j.seminhematol.2008.04.010.
154. Isberg, J., Faxen, E., Brandsson, S., Eriksson, B., Karrholm, J., & Karlsson, J. (2006). Early active extension after anterior cruciate ligament reconstruction does not result in increased laxity of the knee. *Knee Surg Sports Traumatol Arthrosc*. 14, 1108-1115. DOI: 10.101007/s00167-006-0138-2.
155. Jaber, F., & Parvizi, J. (2007). Hip pain in young adults. Femoroacetabular impingement. *The Journal of Arthroplasty*. 22(7), Suppl 3, 37-42.
156. Jackson, J., O'Malley, P., & Kroenke, K. (2003). Evaluation of acute knee pain in primary care. *Annals of Internal Medicine*. 139, 575-588.
157. Jacobson, E., Assareh, H., Cannerfelt, R., Renstrom, P., & Jakobsson, J. (2006). Pain after elective arthroscopy of the knee: a prospective, randomized, study comparing conventional NSAID to coxib. *Knee Surg Sports Traumatol Arthrosc*. 14, 1166-1170. DOI: 10.1007/s00167-006-0081-2.
158. Jarvholm, B., From, C., Lewold, S., Malchau, H., & Vingard, E. (2007). Incidence of surgically treated osteoarthritis in the hip and knee in male construction workers. *Occup. Environ. Med*. 65, 275-278.
159. Jenkinson, R., Sanders, D., Macleod, M., Domonkos, A., & Lydestadt, J. (2005). Intraoperative diagnosis of syndesmosis injuries in external rotation ankle fractures. *J Orthop Trauma*. 19, 9, 604-609.

160. Johnston, C., Kerr, J., Ford, S., O'Byrne, J., & Eustace, S. (2007). MRI as a problem-solving tool in unexplained failed total hip replacement following conventional assessment. *Skeletal Radiology*. 36, 955-961.
161. Jensen, L. (2007). Hip osteoarthritis: Influence of work with heavy lifting, climbing stairs or ladders, or combining kneeling/squatting with heavy lifting. *Occupational and Environmental Medicine*. 65, 6-19. DOI:10.1136/oem.2006-032409.
162. Jung, T., Reinhardt, C., Scheffler, S., & Weiler, A. (2006). Stress radiography to measure posterior cruciate ligament insufficiency: a comparison of five different techniques. *Knee Surgery Sports Traumatol Arthrosc*. 14, 1116-1121. DOI: 10.1007/s00167-006-0137-3.
163. Kahan, A., Uebelhart, D., De Vathaire, F., Delmas, P., & Reginster, J. (2009). Long-term effects of chondroitins 4 and 6 sulfate on knee osteoarthritis. The study on osteoarthritis progression prevention, a two-year, randomized double-blind, placebo-controlled trial. *Arthritis & Rheumatism*. 60, 2, 524-533.
164. Kakar, S., Tornetta, III, P., Schemitsch, E., Swiontkowski, M., Koval, K., Hanson, B., Jonsson, A., & Bhandari, M. (2007). Technical considerations in the operative management of femoral neck fractures in elderly patients: A multinational survey. *The Journal of Trauma, Injury, Infection and Critical Care*. 63 (3), 641-646. DOI:10.1097/01ta.000249296.55245.97.
165. Kakkos, S., Caprini, J., Geroulakos, G., Nicolaidis, A., Stansby, G., & Reddy, D. Combined intermittent pneumatic leg compression and pharmacological prophylaxis for prevention of venous thromboembolism in high risk patients. (Review). *The Cochrane Collaboration* 2008, Issue 4.
166. Kangas, J., Pajala, A., Ohtonen, P., & Leppilahti, J. (2007). Achilles tendon elongation after rupture repair: A randomized comparison of 2 postoperative regimens. *American Journal of Sports Medicine*. 35, 1, 59-64.
167. Karachalios, T., Hantes, M., Zibis, A., Zachos, V., Karantanas, A., & Malizos, K. (2005). Diagnostic accuracy of a new clinical test (the Thessaly test) for early detection of meniscal tears. *The Journal of Bone & Joint Surgery*. 87, 955-962. Assessment: Inadequate.
168. **Karlsson, J., Lundin, S., & Styf, J. (1999). Early mobilization versus immobilization after ankle ligament stabilization. *Scandinavian Journal of Medicine & Science in Sport*. 9, 299-303. Assessment: Adequate. Used in Evidence Statement**
169. Karlsson, J., Sjogren, L. & Lomander, L. (2002). Comparison of two hyaluronan drugs and placebo in patients with knee osteoarthritis. A controlled, randomized, double-blind, parallel-design multicentre study. *Rheumatology*. 41, 1240-1248.
170. Keiserman, L., Cassandra, J., & Amis, J. (2003). The piano key test: A clinical sign for the identification of subtle tarsometatarsal pathology. *Foot & Ankle International*. 24, 5, 437-438.
171. Keiserman, L., Sammarco, V., & Sammarco, G. (2005). Surgical treatment of the hallux rigidus. *Foot and Ankle Clinic N Am*. 10, 75-96. DOI:10.1016/j.fcl.2004.09.005.
172. Kelly, B., & Buly, R. (2005). Hip arthroscopy update. *Sports Medicine and Hip Injuries, Hospital for Special Surgery*. 1, 40-48. DOI: 10.2007/s11420-005-0105-3.
173. Kerkhoffs, G., Rowe, B., Assendelft, W., Kelly, K., Struijjs, P., & vanDijk, C. Immobilisation and functional treatment for acute lateral ankle ligament injuries in adults

174. Kerkhoffs, G., Rowe, B., Assendelft, J., Kelly, K., Struijs, P., & van Dijk, N. (2001). Immobilisation for acute ankle sprain. *Arch Orthop Trauma Surg.* 121: 462-471.
175. Kerkhoffs, G., Struijs, P., Marti, R., Blankevoort, L., Assendelft, J., & van Dijk, N. (2003). Functional treatments for acute ruptures of the lateral ankle ligament: A systematic review. *Acta Orthop Scand.* 74: (1), 69-77.
176. Kerkhoffs, G., Handoll, H., de Bie, R., Rowe, B., & Struijs, P. Surgical versus conservative treatment for acute injuries of the lateral ligament complex of the ankle in adults. *Cochrane Database of Systematic Reviews* 2007, Issue 2. Art. No.: CD000380. DOI: 10.1002/14651858.CD000380.pub2.
177. Kettunen, J., Harilainen, A., Sandelin, J., Schlenzka, D., Hietaniemi, K., Seitsalo, S., & Malmivaara, A. (2007). Knee arthroscopy and exercise versus exercise only for chronic patellofemoral pain syndrome: a randomized controlled trial. *BioMed Central Medicine.* 5(38), 1-8. DOI: 10.1186/1741-7015-5-38. Assessment: Inadequate.
178. Khan, F., Ng, L., Gonzalez, S., Hale, T., & Tuner-Stokes, L. Multidisciplinary rehabilitation programmes following joint replacement at the hip and knee in chronic arthropathy. *Cochrane Database of Systematic Reviews* 2008, Issue 2. Art. No.: CD004957. DOI: 10.1002/14651858.CD004957.pub3. *Used in Evidence Statement*
179. Khan, R., Fick, D., Brammer, T., Crawford, J., & Parker, M. Surgical interventions for treating acute achillies tendon ruptures. *Cochrane Database of Systematic Reviews* 2004, Issue 3. Art. No.: CD003674.DOA: 10.1002/14651858.CD003674.pub2.
180. Kidgell, D., Horvath, D., Jackson, B., & Seymour, P. (2007). Effect of six weeks of dura disc and mini-trampoline balance training on postural sway in athletes with functional ankle instability. *Journal of Strength and Conditioning Research.* 21(2), 466-469.
181. Kijowski, R., Blankenbaker, D., Stanton, P., Fine, J., De Smet, A. (2006). Arthroscopic validation of radiographic grading scales of osteoarthritis of the tibiofemoral joint. *AJR.* 187, 794-799. DOI: 10.2214/AJR.05.1123.
182. Kim, Y., Kim, J., & Yoon, S. (2007). Alignment and orientation of the components in total knee replacement with and without navigation support. *J Bone Joint Surg Br.* 89-B(4), 471-6.
183. **Kirkley, A., Birmingham, T., Litchfield, R., Giffin, R., Willits, K., Wong, C., Feagan, B., Donner, A, Griffin, S., D'Ascanio, L., Pope, J., & Fowler, P. (2008). A randomized trial of arthroscopic surgery for osteoarthritis of the knee. *The New England Journal of Medicine.* 359(11), 1097-1107. Assessment: High-quality. *Used in Evidence Statement***
184. **Knutsen, G., Drogset, J., Engebretsen, L., Grontvedt, T., Isaksen, V., Ludvigsen, T., Roberts, S., Solheim, E., Strand, T., & Johansen, O. (2007). A randomized trial comparing autologous chondrocyte implantation with microfracture: Findings at five years. *The Journal of Bone and Joint Surgery.* 89, 2105-12. DOI: 10.2106/JBJS.G.00003. Assessment: Adequate. *Used in Evidence Statement***
185. Knutsen, G., Engebretsen, L., Ludvigsen, T.C., Drogset, J.O., Grøntvedt, T., Solheim, E., Strand, T., Roberts, S., Isaksen, V., Johansen, O. (2004). Autologous chondrocyte

186. Konkel, K., Menger, A., & Retzlaff, S. (2008). Mid-term results of future hemi-great toe implants. *Foot & Ankle International*. 29(8), 831-837. DOI: 10.3113/FAI.2008.0831.
187. Koo, K., Ha, Y., Jung, W.H., Kim, S., Yoo, J.J., & Kim, H.J. (2008). Isolated fracture of the ceramic head after third-generation alumina-on-alumina total hip arthroplasty. *Journal of Bone & Joint Surgery*. 90, 329-336. DOI: 10.2106/JBJS.F.01489.
188. Korper, S., & Welssman, N. (1988). Measuring gain in the evaluation of medical technology. *Intl. J. of Technology Assessment in Health Care*. 4, 637-642.
189. **Kudo, P., Dainty, K., Clarfield, M., Coughlin, L., Lavoie, P., & Lebrun, C. (2006). Randomized, placebo-controlled, double-blind clinical trial evaluating the treatment of plantar fasciitis with an extracorporeal shockwave therapy (ESWT) devise: A North American confirmatory study. *Journal of Orthopaedic Research*. 115-123. DOI:10.1002/jor.20008. Assessment: Adequate. Used in Evidence Statement**
190. Kurosaka, M., Yagi, M., Yoshiya, S., Muratsu, H., & Mizuno, K. (1999). Efficacy of the axially loaded pivot shift test for the diagnosis of a meniscal tear. *International Orthopaedics*. 23, 271-274. Assessment: Inadequate.
191. Kynsburg, A., Halasi, T., Tallay, A., & Berkes, I. (2006). Changes in joint position sense after conservatively treated chronic lateral ankle instability. *Knee Surgery Sports Traumatol Arthrosc*. 14, 1299-1306. DOI: 10.1007/s00167-006-0106-x.
192. **Lamb, S., Marsh, J., Hutton, J., Nakash, R., & Cooke, M. (2009). Mechanical supports for acute, severe ankle sprain: a pragmatic, multicentre, randomised controlled trial. *Lancet*. 373: 575-81. Assessment: Adequate. Used in Evidence Statement**
193. Lane, N. (2007). Osteoarthritis of the Hip. *The New England Journal of Medicine*. 357 (14), 1413-1421.
194. Lapidus, L.J., Ponzer, S., Elvin, A., Levander, C., Larfars, G., Rosfors, S., & de Bri, E. (2007). Prolonged thromboprophylaxis with Dalteparin during immobilization after ankle fracture surgery: a randomized placebo-controlled, double-blind study. *Acta Orthopaedica* 78(4), 528-535. DOI: 10.1080/17453670710014185.
195. **Lassen, M., Ageno, W., Borris, L., Lieberman, J., Rosencher, N., Bandel, T., Misselwitz, F., & Turpie, A. (2008). Rivaroxaban versus enoxaparin for thromboprophylaxis after total knee arthroplasty. *The New England Journal of Medicine*. 358 (26), 2776-2786. Assessment: Adequate for use. Not approved in the U.S.**
196. Laupattarakasem, W., Laopaiboon, M., Laupattarakasem, P., & Sumananont, C. Arthroscopic debridment for knee osteoarthritis. *Cochrane Database of Systematic Reviews* 2008, Issue 1. Art. No.CD005118. DOI: 10.1002/14651858.CD005118.pub2.
197. Learmonth, I., Young, C., & Rorabeck, C. (2007). The operation of the century: total hip replacement. *The Lancet*. 370, 1508-1519.
198. Lee, A., & Lin, W. (2008). Twelve-week biomechanical ankle platform system training on postural stability and ankle proprioception in subjects with unilateral functional ankle instability. *Clinical Biomechanics*. 23, 1065-1072. DOI:10.1016/j.clinbiomech.2008.04.013.

199. LeHir, P., Charousset, C., Duranthon, L., Grimberg, J., Shmider, L., Elis, J., Chassaing, V., & Laude, F. (2007). [Magnetic resonance imaging of medial meniscus tears with displaced fragment in the meniscal recesses]. *Review Chir Ortho Reparative Appar Mot.* 93 (4), 357-63. Abstract Only.
200. Lindahl, A., Brittberg, M., & Peterson, L. (2001). Health economics benefits following autologous chondrocyte transplantation for patients with focal chondral lesions of the knee. *Knee Surg. Sports Traumatol Arthrosc.* 9, 358-363. Assessment: Inadequate.
201. Linko, E., Harilainen, A., Malmivaara, A., & Seitsalo, S. Surgical versus conservative interventions for anterior cruciate ligament ruptures in adults. *Cochrane Database of Systematic Reviews* 2005, 2 Art No.: CD001356. DOI: 10.1002/14651858.CD001356.pub3.
202. Liu, B., Balkwill, A., Banks, E., Cooper, C., Green, J., & Beral, V. (2007). Relationship of height, weight and body mass index to the risk of hip and knee replacements in middle-aged women. *Rheumatology.* 46, 861-867.
203. **Lo, G., LaValley, M., McAlindon, T., & Felson, D. (2003). Intra-articular hyaluronic acid in treatment of knee osteoarthritis: A meta-analysis. *JAMA.* 290 (23), 3115-3121. DOI: 10.1001/jama.290.23.3115. Assessment: Adequate.**
204. Lohmander, L., Englund, P., Dahl, L., & Roos, E. (2007). The long-term consequence of anterior cruciate ligament and meniscus injuries: Osteoarthritis. *The American Journal of Sports Medicine.* 35, 10, 1756-1769.
205. Lubowitz, J., Bernardini, B., & Reid, III, J. (2008). Current concepts review. Comprehensive physical examination for instability of the knee. *The American Journal of Sports Medicine.* 36 (3), 577-594.
206. Ly, T., & Coetsee, C. (2006). Treatment of primarily ligamentous lisfranc joint injuries: Primary arthrodesis compared with open reduction and internal fixation. A prospective, randomized study. *JBJS.* 88, 514-520. Assessment: Inadequate.
207. MacWilliams, C., Yood, M., Verner, J. McCarthy, B., & Ward, R. (1996). Patient-related risk factors that predict poor outcome after total hip replacement. *HSR: Health Services Research.* 31:5, 623-638.
208. Magee, D. (Ed.). (2008). Orthopedic Physical Assessment. *Musculoskeletal Rehabilitation Series.* 5<sup>th</sup> Ed. St. Louis, Missouri: Saunders.
209. Malchau, H., & Potter, H. (2008) How are wear-related problems diagnosed and what forms of surveillance are necessary? *Journal of the American Academy of Orthopaedic Surgeons.* 16, (suppl 1), S14-S19.
210. Maloney, W., & Rosenberg, A. (2007). What is the outcome of treatment for osteolysis? *Journal of American Academy of Orthopaedic Surgeons.* 16 (Suppl 1), S28-S32.
211. Mancuso, C.A., Graziano, S., Briskie, L.M., Peterson, M.G.E., Pellicci, P.M., Salvati, E.A., & Sculco, T.P. (2008). Randomized trials to modify patients' preoperative expectations of hip and knee arthroplasties. *Clinical Orthopaedics and Related Research.* 466, 424-431. DOI:10.1007/s11999-007-0052-z.
212. Manheimer, E., Linde, K., Lao, L., Bouter, L., & Berman, B. (2007). Meta-analysis: acupuncture for osteoarthritis of the knee. *Annals of Internal Medicine.* 146(12), 868-877. Abstract Only.

213. Margaretten, M., Kohlwes, J., & Moore, D. (2007). Does this adult patient have septic arthritis? *Journal of American Medical Association*. 297 (13), 1478-1488.
214. Marlovitz, S., Striessnig, G., Schuster, R., Stocker, R., Luxl, M., Trattnig, S., & Vecsei, V. (2007). Extended-duration thromboprophylaxis with enoxaparin after arthroscopic surgery of the anterior cruciate ligament: A prospective, randomized, placebo-controlled study. *The Journal of Arthroscopic and Related Surgery*. 23(7), 696-702.  
DOI:10.1016/j.arthro.2007.02.001.
215. Martin, R., Irrgang, J., & Sekiya, J. (2008). The diagnostic accuracy of a clinical examination in determining intra-articular hip pain for potential hip arthroscopy candidates. *The Journal of Arthroscopic and Related Surgery*. 24 (9), 1013-1018.
216. Martin, R., & Sekiya, J. (2008). The interrater reliability of 4 clinical tests used to assess individuals with musculoskeletal hip pain. *Journal of Orthopaedic & Sports Physical Therapy*. 38 (2), 71-77.
217. Marx, J.A., (Ed.). (2006). *Rosen's Emergency Medicine: Concepts of Clinical Practice, 6<sup>th</sup> Edition*. Philadelphia, PA: Mosby-Elsevier.
218. Marx, R., & Mizel, M. (2008). What's new in foot and ankle surgery. *JBJS*. 90: 928-42.  
doi: 10.2106/JBJS.G.01289.
219. **McCarthy, C., Mills, P., Pullen, R., Roberts, C., Silman, A., & Oldham, J. (2004). Supplementing a home exercise programme with a class-based exercise programme is more effective than home exercise alone in the treatment of knee osteoarthritis. *Rheumatology*. 43, 880-886. Assessment: High-quality. Used in Evidence Statement.**
220. McConaghy, J. (2002). What is the diagnostic accuracy of the clinical examination for meniscus or ligamentous knee injuries? *The Journal of Family Practice*. 51 (1), 85.
221. McDonald, S., Hetrick, S., & Green, S. Pre-operative education for hip or knee replacement. *Cochrane Database of Systematic Reviews* 2004, Issue 1. Art. No.: CD003526.DOI: 10.1002/14651858.pub2. Abstract Only.
222. McHugh, M., Tyler, T., Mirabella, M., Mullaney, M., & Nicholas, S. (2007). The effectiveness of a balance training intervention in reducing the incidence of noncontact ankle sprains in high school football players. *The American Journal of Sports Medicine*. 35(8), 1289-1294. DOI: 10.1177/1363546507300059.
223. **McKeon, P., & Hertel, J. (2008). Systematic review of postural control and lateral ankle instability, part II: Is balance training clinically effective? *Journal of Athletic Training*. 43(3), 305-315. Assessment: Adequate.**
224. McKeon, P., & Mattacola, C., (2008). Interventions for the prevention of first time ankle sprains. *Clinics in Sports Medicine*. 27(3). Retrieved from <http://0-www.mdconsult.com.impulse.ucdenver.edu/>
225. *Medical Advisory Secretariat Ministry of Health and Long-Term Care*. (2005). Intra-articular viscosupplementation with hylan G-F 20 to treat osteoarthritis of the knee. Health Technology Literature Review.
226. Meier, B. (2008). Complaints undermine hip device. *The New York Times*.  
<http://www.nytimes.com/2008/07/24/business/24hip.html>.
227. Melhorn, J., & Ackerman, W. (2008). Lower Limb. Guides to the evaluation of disease and injury causation. *American Medical Association*.

228. Menetrey, J., Siegrist, O., & Fritschy, D. (2002). Medical meniscectomy in patients over the age of fifty: a six year follow-up study. *Swiss Surg.* 8(3), 113-119. Abstract Only.
229. Meserve, B., Cleland, J., & Boucher, T. (2008). A meta-analysis examining clinical test utilities for assessing meniscal injury. *Clinical Rehabilitation.* 22, 143-161. Assessment: Inadequate.
230. Middleton, F., Coakes, J., Umarji, S., Palmer, S., Venn, R., & Panayiotou, S. (2006). The efficacy of intra-articular bupivacaine for relief of pain following arthroscopy of the ankle. *Journal of Bone & Joint Surgery(Br).* 88-B(12), 1603-1605. DOI: 10.1302/1301-620X.88B12.17740.
231. Migliore, A., Tormenta, S., Martin, L., Iannessi, F., Massafra, U., Carloni, E., Monno, D., Alimonti, A., & Granata, M. (2006). The symptomatic effects of intra-articular administration of hylan G-F 20 on osteoarthritis of the hip: clinical data of 6 months follow-up. *Clin Rheumatol.* 25: 389-393.
232. Miller, J., Colditz, G., & Mosteller, F. (1989). How study design affects outcomes in comparisons of therapy. II: Surgical. *Statistics in Medicine.* 8, 455-466.
233. Milne, S., Brosseau, L., Robinson, V., Noel, M., Davis, J., Drouin, H., Wells, G., & Tugwell, P. Continuous passive motion following total knee arthroplasty. *Cochrane Database of Systematic Reviews* 2003, Issue 2. Art. No.: CD004260. DOI: 10.1002/14651858.CD004260.
234. Modawal, A., Ferrer, M., Choi, H., & Castle, J. (2005). Hyaluronic acid injections relieve knee pain. *The Journal of Family Practice.* 54(9), 758-767. Assessment: Inadequate.
235. Moe, R., Haavardsholm, E., Christie, A., Jamtvedt, G., Dahm, K., & Hagen, K. (2007). Effectiveness of nonpharmacological and nonsurgical interventions for hip osteoarthritis: An umbrella review of high-quality systematic reviews. *American Physical Therapy Association.* 87(12), 1716-1727.
236. Mohammadi, F. (2007). Comparison of 3 preventive methods to reduce the recurrence of ankle inversion sprains in male soccer players, *The American Journal of Sports Medicine.* 35(6), 922-926. DOI: 10.1177/0363546507299259.
237. **Mollon, B., da Silva, V., Busse, J., Einhorn, T., & Bhandari, M. (2008). Electric stimulation for long-bone fracture-healing: A meta-analysis of randomized controlled trials. *The Journal of Bone & Joint Surgery.* 90-A (11), 2322-2330. DOI: 10.2106/JBJS.H.00111. Assessment: High-quality. Used in Evidence Statement.**
238. Mont, M., Seyler, T, Ulrich, S., Beaulé, P., Boyd, H., Grcula, M., Goldberg, V., Kennedy, W., Marker, D., Schmalzried, T., Sparling, E., Vail, T., & Amstutz, H. (2007). Effect of changing indications and techniques on total hip resurfacing. *Clinical Orthopaedics and Related Research.* 465, 63-70.
239. Morshed, S., Bozic, K., Ries, M., Malchau, H., & Colford, Jr., J. (2007). Comparison of cemented and uncemented fixation in total hip replacement: A meta-analysis. *Acta Orthopaedica.* 78(3), 315-326. DOI: 10.1080/17453670710013861.
240. Moseley, J., O'Malley, K., Petersen, N., Menke, T., Brody, B., Kuykendall, D., Hollingsworth, J., Ashton, C., & Wray, N. (2002). A controlled trial of arthroscopic surgery for osteoarthritis of the knee. *The New England Journal of Medicine.* 347:2, 81-88.

241. Mulhall, K., Ghomrawi, H., Mihalko, W., Cui, Q., & Saleh, K. (2007). Adverse effects of increased body mass index and weight on survivorship of total knee arthroplasty and subsequent outcomes of revision TKA. *J. Knee Surg.* 20, 199-204.
242. Mulhall, K.J, Ghomrawi, H.M, Scully, S, Callaghan, J.J, & Saleh, K.J. (2006). Current etiologies and modes of failure in total knee arthroplasty revision. *Clinical Orthopaedics and Related Research.* 446, 45-50.
243. Muller, S.D., Deehan, D.J., Holland, J.P., Outterside, S.E., Kirk, L.M.G., Gregg, P.J., & McCaskie, A.W. (2006). Should we reconsider all-polyethylene tibial implants in total knee replacement? *Journal of Bone & Joint Surgery(Br).* 88-B(12), 1596-1602. DOI: 10.1302/0301-620X.88B12.17695.
244. Murphy, L., Schwartz, T., Helmick, C., Renner, J., Tudor, G., Koch, G., Dragomir, A., Kalsbeek, W., Luta, G., & Jordan, J. (2008). Lifetime risk of symptomatic knee osteoarthritis. *Arthritis & Rheumatism.* 59, 9, 1207-1213. DOI 10.1002/art.24021.
245. **Najm, W., Reinsch, S., Hoehler, F., Tobis, J., & Harvey, P. (2004). S-Adenosyl methionine (SAME) versus celecoxib for the treatment of osteoarthritis symptoms: A double-blind cross-over trial. *BMC Musculoskeletal Disorders.* 5(6), 1-15. Assessment: Adequate.**
246. Nakata, K., Shino, K., Horibe, S., Tanaka, Y., Toritsuka, Y., Nakamura, N., Koyanagi, M., & Yoshikawa, H. (2008). Arthroscopic anterior cruciate ligament reconstruction using fresh-frozen bone plug-free allogenic tendons: 10 year follow-up. *The Journal of Arthroscopic and Related Surgery.* 24(3), 285-291. DOI: 10.1016/j.arthro.2007.09.007.
247. *National Guideline Clearinghouse.* (2003). AAOS Clinical Guideline on osteoarthritis of the knee. (Phase II). Complete Summary. American Academy of Orthopaedic Surgeons. <http://www.guidelines.gov>.
248. *National Guideline Clearinghouse.* (2008). Diagnosis and treatment of osteoporosis. Institute for Clinical Systems Improvement (ICSI). <http://www.guidelines.gov>.
249. *National Guideline Clearinghouse.* (2008). Review criteria for knee surgery. Complete Summary. Washington State Department of Labor and Industries. <http://www.guidelines.gov>.
250. *National Guideline Clearinghouse.* (2007). Antithrombotic therapy supplement. Institute for Clinical Systems Improvement (ICSI). <http://www.guidelines.gov>.
251. *National Guideline Clearinghouse.* (2006). Diagnosis and treatment of osteoporosis. Institute for Clinical Systems Improvement (ICSI). <http://www.guidelines.gov>.
252. *National Institute for Health and Clinical Excellence (NICE).* (2000). Guidance on the selection of prostheses for primary total hip replacement.
253. *National Institute for Health and Clinical Excellence (NICE).* (2002). Guidance on the use of metal on metal hip resurfacing arthroplasty.
254. *National Institute for Health and Clinical Excellence (NICE).* (2005). The use of autologous chondrocyte implantation for the treatment of cartilage defects in knee joints. 1-4.
255. *National Institute for Health and Clinical Excellence (NICE).* (2005). Minimally invasive two-incision surgery for total hip replacement.
256. *National Institute for Health and Clinical Excellence (NICE).* (2006). Mosaicplasty for knee cartilage defects.

257. *National Institute for Health and Clinical Excellence (NICE)*. (2006). Single mini-incision hip replacement.
258. *National Institute for Health and Clinical Excellence (NICE)*. (2007). Arthroscopic femoro-acetabular surgery for hip impingement syndrome.
259. *National Institute for Health and Clinical Excellence (NICE)*. (2007). Arthroscopic knee washout, with or without debridement, for the treatment of osteoarthritis. ISBN 1-8-84629-465-7.
260. *National Institute for Health and Clinical Excellence (NICE)*. (2007). Open femoro-acetabular surgery for hip impingement syndrome.
261. *National Institute for Health and Clinical Excellence (NICE)*. (2007). Guideline 46: Venous thromboembolism.
262. *National Osteoporosis Foundation*. (2003). Physicians guide to prevention and treatment of osteoporosis.
263. Nikku, R., Nietosvaara, Y., Aalto, K., & Kallio, P. (2005). Operative treatment of primary patellar dislocation does not improve medium-term outcome. *Acta Orthopaedica*. 76(5), 699-704. DOI: 10.1080/17453670510041790.
264. Nixon, M., Taylor, G., Sheldon, P., Iqbal, S., & Harper, W. (2007). Does bone quality predict loosening of cemented total hip replacements? *The Journal of Bone and Joint Surgery (Br)*. 89-B (10), 1303-1308.
265. **Nizard, R., Biau, D., Porcher, R., Ravaut, P., Bizot, P., Hannouche, D., & Sedel, L. (2005). A meta-analysis of patellar replacement in total knee arthroplasty. *Clinical Orthopaedics and Related Research*. 432, 196-203. Assessment: Adequate.**
266. Nuelle, D.G., and Mann, K. (2007). Minimal incision protocols for anesthesia, pain management, and physical therapy with standard incisions in hip and knee arthroplasties: the effect on early outcomes. *Journal of Arthroplasty*. 22(1), 20-25. DOI: 10.1016/j.arth.2006.03.002.
267. **Oei, E., Nikken, J., Verstijnen, A., Ginai, A., & Hunink, M. (2003). MR imaging of the menisci and cruciate ligaments: A systematic review<sup>1</sup>. *Radiology*. 226, 837-848. Assessment: High-quality.**
268. Oloff, J., & Jhala-Patel, G. (2008). A retrospective analysis of joint salvage procedures for Grades III and IV hallux rigidus. *The Journal of Foot and Ankle Surgery*. 47, 3, 230-236.doi: 10.1053/j.jfas.2008.02.001.
269. Osiri, M., Welch, V., Brosseau, L., Shea, B., McGowan, J., Tugwell, P., & Wells, G. Transcutaneous electrical nerve stimulation for knee osteoarthritis. *Cochrane Database of Systematic Reviews* 2000, Issue 4. Art. No.: CD002823. DOI: 10.1002/14651858.CD002823. Abstract Only.
270. Ostrowski, J. (2006). Accuracy of 3 diagnostic tests for anterior cruciate ligament tears. *Journal of Athletic Training*. 41 (1), 120-121.
271. Oude Vosbaar, R.C., Banerjee, S., Horan, M., Baldwin, R., Pendleton, N., Proctor, R., Tarrier, N., Woodward, Y., & Burns, A. (2007). Predictors of incident depression after hip fracture surgery. *American Journal of Geriatric Psychiatry* 15(9), 807-814.

272. Pagenstert, G., Hintermann, B., Barg, A., Leumann, A., & Valderrabano, V. (2007). Realignment surgery as alternative treatment of varus and valgus ankle osteoarthritis. *Clinical Orthopaedics and Research*. 462, 156-168.
273. Pakos, E., Ntzani, E., & Trikalinos, T. (2005). Patellar resurfacing in total knee arthroplasty: A meta-analysis. *Journal of Bone and Joint Surgery*. 87, 1438-1445. Assessment: Inadequate.
274. Palacios, L., Jones, W., Mayo, H., & Malaty, W. (2004). Clinical inquiries: Do steroid injections help with osteoarthritis of the knee? *The Journal of Family Practice*. 53(11), 921-922.
275. Pariente, G., Lombardi, A., Jr., Berend, K., Mallory, T., & Adams, J. (2006). Manipulation with prolonged epidural analgesia for treatment of TKA complicated by arthrofibrosis. *Surg Technol Int*. 15, 221-4. Abstract Only.
276. Parker, D., & Viskontas, D. (2007). Osteotomy for the early varus arthritic knee. *Sports Medicine and Arthroscopy Review*. 15(1), 3-14. DOI: 10.1097/JSA.0b013e3180303592.
277. Parratte, S., & Argenson, J. (2007). Validation and usefulness of a computer-assisted-cup-positioning system in total hip arthroplasty. *The Journal of Bone and Joint Surgery*. 89-A (3), 494-499. DOI:10.2106/JBJS.F.00529.
278. Parvizi, J., Azzam, K., & Rothman, R. (2008). Deep venous thrombosis prophylaxis for total joint arthroplasty: American academy of orthopedic surgeons guidelines. *The Journal of Arthroplasty*. 23(7), 2-5. DOI:10.1016/j.arth.2006.06.028.
279. Peccin, M., Almeida, G., Amaro, J., Cohen, M., Soares, B., & Atallah, A. Interventions for treating posterior cruciate ligament injuries of the knee in adults. *Cochrane Database of Systematic Reviews* 2005, Issue 2. Art No. CD002939. DOI: 10.1002/14651858.CD002939.pub2. Abstract.
280. **Petersen, W., Welp, R., & Rosenbaum, D. (2007). Chronic Achilles tendinopathy: A prospective randomized study comparing the therapeutic effect of eccentric training, the airheel brace, and a combination of both. *American Journal of Sports Medicine*. 35, 1659-1667. Assessment: Adequate.**
281. Philippon, M., Schenker, M., Briggs, K., Kuppersmith, D., Maxwell, R., & Stubbs, A. (2007). Revision hip arthroscopy. *American Journal of Sports Medicine*. 35, 1918-1922.
282. Pinczewski, L., Lyman, J., Salmon, L., Russell, V., Roe, J., & Linklater, J. (2007). A 10-year comparison of anterior cruciate ligament reconstructions with hamstring tendon and patellar tendon autograft: A controlled, prospective trial. *Am J Sports Med*. 35, 564. DOI: 10.1177/0363546506296042.
283. Pinney, S. (2004). Strayer procedure (gastrocnemius recession). *Operative Techniques in Orthopaedics*. 14(1), 6-10. DOI:10.1053/j.oto.2003.11.003.
284. Poitras, S., Avouac, J., Rossignol, M., Avouac, B., Cedraschi, C., Nordin, M., Rousseaux, C., Rozenberg, S., Savarieau, B., Thoumie, P., Valat, J., Vignon, E., & Hilliquin, P. (2007). A critical appraisal of guidelines for the management of knee osteoarthritis using appraisal of guidelines research and evaluation criteria. *Arthritis Research & Therapy*. 9:R126 DOI: 10.1186/ar2339.
285. Porcheret, M., Jordan, K., & Croft, P. (2007). Treatment of knee pain in older adults in primary care: Development of an evidence-based model of care. *Rheumatology*. 46, 638-648.

286. Pour, A., Parvizi, J., Sharkey, P., Hozack, W., & Rothman, R. (2008). Minimally invasive hip arthroplasty: What role does patient preconditioning play? *The Journal of Bone and Joint Surgery*. 2007. 89-A (9):1920-1927. DOI:10.2106/jbjs.F01153.
287. Ptasznik, R., Feller, J., Bartlett, J., Fitt, G., Mitchell, A., & Hennessy, O. (1995). The value of sonography in the diagnosis of traumatic rupture of the anterior cruciate ligament of the knee. *AJR*. 164, 1461-1463.
288. Puddu, G., Massimo, C., Guglielmo, C., Villorio, F., & Enrico, G. (2007). Osteotomies: The surgical treatment of the valgus knee. *Sports Medicine and Arthroscopy Review*. 15(1), 15-22. DOI: 10.1097/JSA.0b013e3180305c76.
289. Qaseem, A., Snow, V., Shekelle, P., Hopkins, Jr., R., Forciea, M., & Owens, D. (2008). Screening for osteoporosis in men: A clinical practice guideline from the American College of Physicians. *Ann Intern Med*. 148, 680-684.
290. Quintana, J., Arostegui, I., Azkarate, J., Goenaga, I., Elexpe, X., Letona, J., & Arcelay, A. (2000). Evaluation of explicit criteria for total hip joint replacement. *Journal of Clinical Epidemiology*. 53, 1200-1208.
291. Quintana, J., Arostegui, I., Azkarate, J., Goenaga, I., Tobio, R., Aranburu, J., & Goikoetxea, B. (2002). Use of explicit criteria for total hip joint replacement fixation techniques. *Health Policy*. 60, 1-16.
292. Quintana, J., Escobar, A., Azkarate, J., Goenaga, I., & Bilbao, A. (2005). Appropriateness of total hip joint replacement. *International Journal for Quality in Health Care*. 17(4), 315-321.
293. Quintana, J., Escobar, A., Arostegui, I., Bilbao, A., Azkarate, J., Goenaga, I., & Arenaza, C. (2006). Health-related quality of life and appropriateness of knee or hip joint replacement. *Arch Intern Med*. 166, 220-226.
294. Qvistgaard, E., Christensen, R., Pedersen, S., & Bliddal, H. (2006). Intra-articular treatment of hip osteoarthritis: a randomized trial of hyaluronic acid, corticosteroid, and isotonic saline. *Osteo Arthritis Research Society International*. 14(2), 163-170. DOI:10.1016/joca.2005.09.007.
295. Rafee, A., Herlikar, D., Gilbert, R., Stockwell, R., & McLauchlan, G. (2008). D-dimer in the diagnosis of deep vein thrombosis following total hip and knee replacement: A prospective study. *Ann R. Coll Surg Engl*. 90 (2), 123-6. Abstract Only.
296. Raikin, S., Ahmad, J., Pour, A., & Abidi, N. (2007). Comparison of arthrodesis and metallic hemiarthroplasty of the hallux metatarsophalangeal joint. *The Journal of Bone and Joint Surgery, Inc.*, 89-A (9): 1979-1985. DOI: 10.2106/jbjs.F.01385.
297. Rasanen, P., Paavolainen, P., Sintonen, H., Koivisto, A., Blom, M., Ryynanen, O., & Roine, R. (2007). Effectiveness of hip or knee replacement surgery in terms of quality-adjusted life years and costs. *Acta Orthopaedica*. 78(1) 108-115. DOI: 10.1080/17453670610013501.
298. Rasmussen, S., Christensen, M., Mathiesen, I., & Simonsen, O. (2008). Shockwave therapy for chronic Achilles tendinopathy. A double-blind, randomized clinical trial of efficacy. *Acta Orthopaedica*. 79(2), 249-256.
299. Ricchetti, E., Mehta, S., Sennett, B., & Huffman, R. (2007). Comparison of lateral release versus lateral release with medial soft-tissue realignment for the treatment of recurrent

300. Robinson, V., Brosseau, L., Peterson, J., Shea, B., Tugwell, P., & Wells, G. Therapeutic ultrasound for osteoarthritis of the knee. *Cochrane Database of Systematic Reviews*. 2001, Issue 3. Art. No. CD003132. DOI: 10.1002/14651858. CD003132.
301. Roddy, E., Zhang, W., Doherty, M., Arden, N., Barlow, J., Birrell, F., Carr, A., Chakravarty, K., Dickson, J., Hay, E., Hosie, G., Hurley, M., Jordan, K., McCarthy, C., McMurdo, M., Mockett, S., O'Reilly, S., Peat, G., Pendleton, A., & Richards, S. (2005). Evidence-based recommendations for the role of exercise in the management of osteoarthritis of the hip or knee- the move consensus. *Rheumatology*. 44, 1, 67-73. Assessment: Inadequate.
302. **Rodkey, W., DeHaven, K., Montgomery, III, W., Baker Jr., C., Beck Jr., C., Hormel, S., Steadman, R., Cole, B., & Briggs, K. (2008). Comparison of the collagen meniscus implant with partial meniscectomy: A perspective randomized trial. *The Journal of Bone and Joint Surgery*. 90-A (7), 1413-1426. DOI: 10.2106/JBJS.G.00656. Assessment: Adequate. Used in Evidence Statement**
303. Rome, K., Handoll, H., & Ashford, R. Interventions for preventing and treating stress fractures and stress reactions of bone of the lower limbs in young adults. *Cochrane Database of Systematic Reviews* 2005, Issue 4. Art No.: CD000450. DOI: 10.1002/14651858.CD000450.pub2. *Used in Evidence Statement*.
304. Rompe, J., Furia, J., & Maffulli, N. (2008). Eccentric loading versus eccentric loading plus shock-wave treatment for midportion Achilles tendinopathy. A randomized, controlled trial. *American Journal of Sports Medicine*. XX(X), 1-8. doi:10.1177/0363546508326983.
305. Rompe, J., Furia, J., & Maffulli, N. (2008). Eccentric loading compared with shock wave treatment for chronic insertional Achilles tendinopathy. A randomized, controlled trial. *The Journal of Bone and Joint Surgery*. 90: 52-61. doi:10.2106/JBJS.F.01494.
306. **Rooks, D., Huang, J., Bierbaum, B., Bolus, S., Rubano, J., Connolly, C., Alpert, S., Iversen, M., & Jatz, J. (2006). Effect of preoperative exercise on measures of functional status in men and women undergoing total hip and knee arthroplasty. *American College of Rheumatology*. 55(5), 700-708. DOI: 10.1002/art.22223. Assessment: Adequate. Used in Evidence Statement**
307. Roos, E., Brandsson, S., & Karisson, J. (2001). Validation of the foot and ankle outcome score for ankle ligament reconstruction. *Foot & Ankle International*. 22(10), 788-794.
308. Ross, S., Arnold, B., Blackburn, T., Brown, C., & Guskiewicz, K. (2007). Enhanced balance associated with coordination training with stochastic resonance stimulation in subjects with functional ankle instability: and experimental trial. *Journal of Neuro Engineering and Rehabilitation*. 4(47), 1-8. DOI: 10.1186/1743-0003-4-47.
309. **Rozendaal, R., Koes, B., van Osch, G., Uitterlinden, E., Garling, E., Willemsen, S., Ginai, A., Verhaar, J., Weinans, H., & Bierma-Zeinstra, S. (2008). Effect of glucosamine sulfate on hip osteoarthritis. *Annals of Internal Medicine*. 148, 268-277. Assessment: High-quality. Used in Evidence Statement.**
310. Ryzewicz, M., Peterson, B., Siparsky, P., & Bartz, R. (2007). The diagnosis of meniscus tears. *Clinical Orthopaedics and Related Research*. 455, 123-133. Assessment: Adequate.

311. Saleh, K., Santos, E., Ghomrawi, H., Parvizi, J., & Mulhall, K. (2006). Socioeconomic issues and demographics of total knee arthroplasty revision. *Clinical Orthopaedics and Related Research*. 446, 15-21.
312. Saleh, K., Mulhall, K., Bershadsky, B., Ghomrawi, H., White, L., Buyea, C., & Krackow, K. (2005). Development and validation of a lower-extremity activity scale. Use for patients treated with revision total knee arthroplasty. *JBJS*. 87: 1985-1994. doi:10.2106/JBJS.D.02564.
313. Sandell, C., A multidisciplinary assessment an intervention for patients awaiting total hip replacement to improve their quality of life. (2008). *Journal of Orthopaedic Nursing*, 12 26-34. doi: 10.1016/j.joon.2007.11.002.
314. Saris, D., Vanlauwe, J., Victor, J., Haspl, M., Bohnsack, M., Fortems, Y., Vandekerckhove, B., Almqvist, K., Claes, T., Handelberg, F., Lagae, K., van der Bauwhede, J., Vandenneucker, H., Yang, K., Jelic, M., Verdonk, R., Veulemans, N., Bellemans, J., & Luyten, F. (2008). Characterized chondrocyte implantation results in better structural repair when treating symptomatic cartilage defects of the knee in a randomized controlled trial versus microfracture. *Am J. Sports Med.* 36, 235-246.
315. Saudan, M., Saudan, P., Perneger, T., Riand, N., Keller, A., & Hoffmeyer, P. (2007). Celecoxib versus ibuprofen in the prevention of heterotopic ossification following total hip replacement. *The Journal of Bone and Joint Surgery (Br)*.89-B (2), 155-159. DOI 10.1302/0301-620X.89B2.
316. Sawitzke, A., Shi, H., Finco, M., Dunlop, D., Bingham, III, C., & Harris, C. (2008). The effect of glucosamine and/or chondroitin sulfate on the progression of knee osteoarthritis: A report from the glucosamine/chondroitin arthritis intervention trial. *Arthritis & Rheumatism*. 58(10), 3183-3191. DOI: 10.1002/art.23973.
317. Scale, D., Wobig, M., & Wolpert, W. (1994). Viscosupplementation of osteoarthritic knees with hylan: A treatment schedule study. *Current Therapeutic Research*. 55, 3, 220-232.
318. Scholten, R., Deville, W., Opstelten, W., Bijl, D., van der Plas, C., & Bouter, L. (2001). The accuracy of physical diagnostic tests for assessing meniscal lesions of the knee. *The Journal of Family Practice*. 50 (11), 938-944.
319. Scholten, R., Opstelten, W., van der Plas, C., Bijl, D., Deville, W., & Bouter, L. (2003). Accuracy of physical diagnostic tests for assessing ruptures of the anterior cruciate ligament: A meta-analysis. *The Journal of Family Practice*. 52(9), 689-694.
320. Schultz, A., Seide, K., Queitsch, C., Haugwitz, A., Meiners, J., & Kienast, B., Tarabolsi, M., Kammal, M., & Jurgens, C. (2007). Results of total hip replacement using the Robodoc surgical assistant system: clinical outcome and evaluation of complications for 97 procedures. *The International Journal of Medical Robotics and Computer Assisted Surgery*. 3, 301-306. DOI:10.1002/rcs.161.
321. Scott, D., & Kowalczyk, A. Osteoarthritis of the Knee. (2006). *BMJ Clinical Evidence*, 12: 1121. [www.BMJ.com](http://www.BMJ.com) Used in Evidence Statement
322. Sharrock, N., Della Valle, A., Go, G., Lyman, S., & Salvati, E. (2008). Potent anticoagulants are associated with a higher all-cause mortality rate after hip and knee arthroplasty. *Clinical Orthopaedics and Related Research*. 466, 714-721. doi:10.1007/s11999-007-0092-4.

323. Silvis, M., Clinch, C., & Tillet, J. (2008). What is the best way to evaluation an acute traumatic knee injury? *The Journal of Family Practice*. 57(2), 116-118.
324. Singer, B., Silbert, P., Dunne, J., Song, S., & Singer, K. (2006). An open label pilot investigation of the efficacy of botulinum toxin type A (Dysport<sup>®</sup>) injection in the rehabilitation of chronic anterior knee pain. *Disability and Rehabilitation*. 28(11), 707-713. DOI: 10.1080/09638280500301477.
325. Siparsky, P., Ryzewicz, M., Peterson, B., & Reed, B. (2007). Arthroscopic treatment of osteoarthritis of the knee: Are there any evidence-based indications? *Clinical Orthopaedics and Related Research*. 455, 107-112. DOI:10.1097/BLO.0b13e31802fc18c.
326. Sisto, D., & Sarin, V. (2007). Custom patellofemoral arthroplasty of the knee. Surgical techniques. *Journal of Bone & Joint Surgery*. 89, 214-225.
327. Sisto, D., & Mitchell, I. (2005). Unispacer arthroplasty of the knee. *J Bone Joint Surg. Am.* 87: 1706-1711. doi: 10.2106/JBJS.D.02339.
328. Slappendel, R., Weber, E.W.G., Hemon, Y.J.M., Mahler, S., Dalen, T., Rouwet, E.F.A.M, van Os, J.J., Vosmaer, A., & van der Ark, P.D. (2006). Patients with and without rheumatoid arthritis benefit equally from preoperative epoetin- $\alpha$  treatment. *Acta Orthopaedica*. 77(4), 677-683. DOI:10.1080/17453670610012782.
329. Smetana, M., & Vencalkova, S. (2003). Use of a silicone metatarsophalangeal joint endoprosthesis in hallux rigidus over a 15-year period. *Acta Chir Orthop Traumatol Cech*. 70(3), 177-181. Abstract Only.
330. **Smith, A., Wood, D., & Li, M. (2008). Total knee replacement with and without patellar resurfacing. *J Bone Joint Surg*. 90-B, 43-9. Assessment: High-quality.**
331. Smith, G., Knutsen, G., & Richardson, J. (2005). A clinical review of cartilage repair techniques. *The Journal of Bone and Joint Surgery*. 87-B (4), 445-449. DOI:10.1302/0301-620X.87B4.15971.
332. Smith, T., Davies, L., O'Driscoll, M., & Donell, S. (2008). Review. An evaluation of the clinical tests and outcome measures used to assess patellar instability. *The Knee*. 15, 255-262.
333. Snider, R. *American Academy of Orthopaedic Surgeons (AAOS)*. (1997). Essentials of musculoskeletal care. Rosemont, IL: AAOS.
334. Solan, M., & Davies, M. (2007). Management of insertional tendinopathy of the Achilles tendon. *Foot Ankle Clinics N Am*. 12, 597-615. DOI:10.1016/j.fcl.2007.07.005.
335. Solheim, N., Rosseland, L.A., & Stubhaug, A. (2006). Intra-articular morphine 5 mg after knee arthroscopy does not produce significant pain relief when administered to patients with moderate to severe pain via an intra-articular catheter. *Regional Anesthesia and Pain Medicine*. 31(6), 506-513. DOI:10.1016/j.rapm.2006.06.206.
336. Solomon, D., Simel, D., Bates, D., Katz, J., & Schaffer, J. (2001). Does this patient have a torn meniscus or ligament of the knee? *Journal of American Medical Association*. 286 (13), 1610-1620.
337. Soohoo, N., Sharifi, H., Kominski, G., & Lieberman, J. (2006). Cost-effective analysis of unicompartmental knee arthroplasty as an alternative to total knee arthroplasty for unicompartmental osteoarthritis. *The Journal of Bone & Joint Surgery*. 88-A (9), 1975-1982. DOI: 10.2106/JBJS.E.00597.

338. Soohoo, N., Zingmond, D., & Ko, C. (2007). Comparison of reoperation rates following ankle arthrodesis and total ankle arthroplasty. *The Journal of Bone and Joint Surgery*. 89, 2143-2149. doi:10.2106/JBJS.F.01611.
339. Sorbie, C., & Saunders, G. (2008). Hemiarthroplasty in the treatment of hallux rigidus. *Foot & Ankle International*. 29(3), 273-281. DOI: 10.3113/FAI.2008.0273.
340. Speer, K., Cavanaugh, J., Warren, R., Day, L., & Wickiewicz, T. (1993). A role for hydrotherapy in shoulder rehabilitation. *The American Journal of Sports Medicine*. 21(6), 850-853.
341. Spencer, J., Chauhan, S., Sloan, K., Taylor, A., & Beaver, R. (2007). Computer navigation versus conventional total knee replacement. No difference in functional results at two years. *JBJS*. 89-B(4), 477-80. Assessment: Inadequate.
342. Stephen, R., Burnett, J., Della Rocca, G., Prather, H., Curry, M., Maloney, W., & Clohisy, J. (2006). Clinical presentation of patients with tears of the acetabular labrum. *The Journal of Bone and Joint Surgery*. 88: 1448-1457. doi:10.2106/JBJS.D.02806.
343. Stitik, T., Blacksins, M., Stiskal, D. Kim, J., Foye, P. Schoenherr, L., Choi, E., Chen, B., Saunders, H., & Nadler, S. (2006). Efficacy and safety of hyaluronan treatment in combination therapy with home exercise for knee osteoarthritis pain. *Arch Phys Med Rehabil*. 88: 135-141.
344. Strauss, J., Forsberg, J., & Lippert, III, F. (2007). Chronic lateral ankle instability and associated conditions: A rationale for treatment. *Foot & Ankle International*. 28 (100), 1041-1044. DOI: 10.3113/FAI.2007.1041.
345. Straw, R., Kulkarni, S., Attfield, S., & Wilton, T. (2003). Posterior cruciate ligament at total knee replacement. *J Bone Joint Surg*. DOI: 10.1302/0301-620X.85B5.13812. Assessment: Inadequate.
346. Strom, H., Nilsson, O., Milbrink, J., Mallmin, H., & Larsson, S. (2007). The effect of early weight bearing on migration pattern of the uncemented CLS stem in total hip arthroplasty. *The Journal of Arthroplasty*. 22 (8). DOI:10.1016/j.arth.206.11.015.
347. Struijs, P. & Kerkhoffs, G. Ankle Sprain. (2007). *BMJ Clinical Evidence*. 12:1115. www.BMJ.com
348. Stulberg, B., Trier, K., Naughton, M., & Zadzilka, J. (2008). Results and lessons learned from a United States hip resurfacing investigational device exemption trial. *The Journal of Bone and Joint Surgery*. 90-A (3) 21-26.DOI:10.2106/JBJS.H.00718.
349. Stulberg, B., & Valle, A. (2008). What are the guidelines for the surgical and nonsurgical treatment of periprosthetic osteolysis? *Journal of the American Academy of Orthopaedic Surgeons*. 16 (Suppl 1), S20-S25.
350. Swiontkowski, M., Aro, H., Donell, S., Esterhai, J., Goutlet, J., Jones, A., Kregor, P, Nordsletten, L, Paiement, G, & Patel, A. (2006). **Recombinant human bone morphogenetic protein-2 in open tibial fractures. A subgroup analysis of data combined from two prospective randomized studies.** *The Journal of Bone & Joint Surgery*. 88, 1258-1265. DOI: 10.2106/JBJS.E.00499. Assessment: Adequate. *Used in Evidence Statement*

351. Swirtun, L., Jansson, A., & Renstrom, P. (2005). The effects of a functional knee brace during early treatment of patients with a nonoperated acute anterior cruciate ligament tear: A prospective randomized study. *Clinical Journal of Sports Medicine*. 15(5), 299-304.
352. Takao, M., Innami, K., Matsushita, T., Uchio, Y. & Ochi, M. (2008). Arthroscopic and magnetic resonance image appearance and reconstruction of the anterior talofibular ligament in cases of apparent functional ankle instability. *American Journal of Sports Medicine*. 36(8), 1542-1547. DOI: 10.1177/0363546508315537.
353. Tang, B., Eslick, G., Nowson, C., Smith, C., & Bensoussan, A. (2007). Use of calcium or calcium in combination with vitamin D supplementation to prevent fractures and bone loss in people aged 50 years and older: a meta-analysis. *Lancet*. 370 (9588): 657-66.
354. *The Medical Letter*. (2008). Diclofenac gel for osteoarthritis. 50:1284.
355. Thein, J., & Brody, L. (2000). Aquatic-based rehabilitation and training for the shoulder. *Journal of Athletic Training*. 35(3), 382-389.
356. Thien, T., Ahnfelt, L., Eriksson, M., Stromberg, C., & Karrholm, J. (2007). Immediate weight bearing after uncemented total hip arthroplasty with an anteverted stem. *Acta Orthopaedica*. 78(6), 730-738. DOI: 10.1080/17453670710014491.
357. Thomson, C., Martin, D., & Gibson, J. Interventions for the treatment of Morton's neuroma. *Cochrane Database of Systematic Reviews* 2004, Issue 3. Art. No.: CE003118. DOI: 10.1002/14651858.CD003118.pub2.
358. Trees, A., Howe, T., Grant, M., & Gray, H. Exercise for treating anterior cruciate ligament injuries in combination with collateral ligament and meniscal damage of the knee in adults. *Cochrane Database of Systematic Reviews*. (2007), Issue 3. Art No.: CD004961. DOI: 10.1002/14651858.CD005961.pub2.
359. Trnka, H., Hofstaetter, S., Hofstaetter, J., Gruber, F., Adams, Jr., S., & Easley, M. (2008). Intermediate-term results of the Ludloff osteotomy in one hundred and eleven feet. *J Bone Joint Surg Am*. 90, 531-539. DOI:10.2106/JBJS.F00205.
360. Ulrich, S., Bhav, A., Marker, D., Thorsten, S., & Mont, M. (2007). Focused rehabilitation treatment of poorly functioning total knee arthroplasties. *Clinical Orthopaedics and Related Research*. 464, 138-145. DOI: 10.1097/BLO.0b013e3181560d99.
361. Unlu, E., Eksioglu, E., Aydog, E., Aydo, S., & Atay, G. (2007). The effect of exercise on hip muscle strength, gait speed and cadence in patients with total hip arthroplasty: a randomized controlled study. *Clinical Rehabilitation*. 21, 706-711.
362. Upmeier, H., Bruggenjurg, B., Weiler, A., Flamme, C., Laprell, H., & Willich, S. (2007). Follow-up costs up to 5 years conventional treatments in patients with cartilage lesions of the knee. *Knee Surg Sports Traumatol Arthrosc*. 15, 249-257.
363. van den Bekerom, M., Lamme, B., Sermon, A., & Mulier, M. (2008). What is the evidence for viscosupplementation in the treatment of patients with hip osteoarthritis? Systematic review of the literature. *Arch Orthop Trauma Surg*. 128: 815-823.
364. Van der Heide, H., Rijnberg, W., Van Sorge, A., Van Kampen, A., & Schreurs, B. (2007). Similar effects of rofecoxib and indomethacin on the incidence of heterotopic ossification after hip arthroplasty. *Acta Orthopaedica*. 78 (1), 90-94. Abstract Only.

365. van der Wees, P., Lenssen, A., Hendriks, E., Stomp, D., Dekker, J., & de Bie, R. (2006). Effectiveness of exercise therapy and manual mobilization in acute ankle sprain and functional instability: A systematic review. *Australian Journal of Physiotherapy*. 52, 27-37.
366. van Oosterhout, M., Sont, J.K., Bajema, I.M., Breedveld, F.C., & van Laar, J.M. (2006). Comparison of efficacy of arthroscopic lavage plus administration of corticosteroids, arthroscopic lavage plus administration of placebo, and joint aspiration plus administration of corticosteroids in arthritis of the knee: a randomized controlled trial. *Arthritis & Rheumatism* 55(6), 964-970. DOI: 10.1002/art.22340.
367. van Rijn, R., van Os, A., Bernsen, R., Luijsterburg, P., Koes, B., & Bierma-Zeinstra, B. (2008). What is the clinical course of acute ankle sprains? A systematic literature review. *The American Journal of Medicine*. 121, 324-331.
368. van Rijn, R., van Os, A., Kleinrensink, G., Bernsen, R., Verhaar, J., Koes, B., & Bierma-Zeinstra, S. (2007). Supervised exercises for adults with acute lateral ankle sprain: a randomized controlled trial. *British Journal of General Practice*. 57, 793-800.
369. Vaz, C., de Camargo, O., de Santana, P., & Valezi, A. (2005). Accuracy of magnetic resonance in identifying traumatic intraarticular knee lesions. *Clinics*. 60 (6), 445-50.
370. Vickerstaff, J., Miles, A., & Cunningham, J. (2007). A brief history of total ankle replacement and a review of the current status. *Medical Engineering & Physics*. 29, 1056-1054.
371. Victor, J., Banks, S., & Bellemans, J. (2005). Kinematics of posterior cruciate ligament-retaining and -substituting total knee arthroplasty. *JBJS*. 87-B, 646-55. Assessment: Inadequate.
372. Vioreanu, M., Dudeney, S., Hurson, B., Kelly, E., O'Rourke, K., & Quinlan, W. (2007). Early mobilization in a removable cast compared with immobilization in a cast after operative treatment of ankle fractures: a prospective randomized study. *Foot & Ankle International*. 28 (1), 13-19.
373. Wadey, V., Mohtadi, N., Bray, R., & Frank, C. (2007). Positive predictive value of maximal posterior joint-line tenderness in diagnosing meniscal pathology: A pilot study. *J Can Chiro*. 50(2), 96-100.
374. Walker, N., Denegar, C., & Preische, J. (2007). Low-intensity pulsed ultrasound (LIPUS) and pulsed electromagnetic field in the treatment of tibial fractures: A systematic review. *Journal of Athletic Training*. 42(4), 530-535.
375. Wang, C., Jin-Yang, K., Chan, Y., Weng, L., & Hsu, S. (2007). Extracorporeal shockwave for chronic patellar tendinopathy. *The American Journal of Sports Medicine*. 35(6), 972-978. DOI: 10.1177/0363546506298109. Assessment: Inadequate.
376. Wang, C., Wang, F., Yang, K.D., Weng, L., & Ko, J. (2006). Long-term results of extracorporeal shockwave treatment for plantar fasciitis. *American Journal of Sports Medicine* 34, 592-596. DOI: 10.1177/0363546505281811.
377. Wang, C., Wang, H., Hsu, C., Shieh, J., Wang, T., & Jiang, C. (2007). Role of sonographic examination in traumatic knee internal derangement. *Archives Physical Medicine Rehabilitation*. 88, 984-7.

378. Wapner, K., & Bordelon, L. (2003). Retrocalcaneal bursitis (Hagland's disease, enlargement of the superior tuberosity of the Os calcis). *DeLee and Drez's Orthopaedic Sports Medicine*, 2<sup>nd</sup> ed.
379. Warwick, D., Friedman, R., Agnelli, G., Gil-Garay, E., Johnson, K., & FitzGerald, F., & Turibio, F. (2007). Insufficient duration of venous thromboembolism prophylaxis after total hip or knee replacement when compared with the time course of thromboembolic events. *The Journal of Bone & Joint Surgery (Br)*. 89-B (6), 799-807.
380. Washington State Department of Labor and Industries. Medical Treatment Guidelines. Provider Bulletin: 03-02. Updated: 10/6/2010: This PB has been retired see link below for more information.  
<http://www.lni.wa.gov/ClaimsIns/Providers/Treatment/CovMedDev/SpecCovDec/default.asp>
381. Washington State Department of Labor and Industries. Medical Treatment Guidelines. Review criteria for knee surgery. Provider bull. 03-16, date introduced Dec. 2003.  
<http://www.LNI.wa.gov/ClaimsIns/Providers/Treatment/TreatGuide/default.asp>.
382. Washington State Health Care Authority. (2008). HTA evidence report arthroscopic surgery of the knee for osteoarthritis. Health Technology Assessment.
383. Wasiak, J., Clar, C., & Villanueva, E. Autologous cartilage implantation for full thickness articular cartilage defects of the knee. *Cochrane Database of Systematic Reviews* 2002, Issue 4. Art. No: CD003323. DOI: 10.1002/14651858.CD003323. pub. 2.
384. Weiler, A., Schmeling, A., Stohr, I., Kaab, M., & Wagner, M. (2007). Primary versus single-stage revision anterior cruciate ligament reconstruction using autologous hamstring tendon grafts: A prospective matched-group analysis. *American Journal of Sports Medicine*. 35, 1643-1653.
385. Wester, J., Jespersen, S., Nielsen, K., & Neumann, L. (1996). Wobble board training after partial sprains of the lateral ligaments of the ankle: A prospective randomized study. *Journal of Orthopaedic & Sports Physical Therapy*. 23(5), 332-336.
386. Widuchowski, W., Widuchowski, J., & Trzaska, T. (2007). Articular cartilage defects: Study of 25,124 knee arthroscopies. *The Knee*. 14, 177-182.
387. Williamson, L., Wyatt, M.R., Yein, K., & Melton, J.T.K. (2007). Severe knee osteoarthritis: a randomized controlled trial of acupuncture, physiotherapy (supervised exercise) and standard management for patients awaiting knee replacement. *Rheumatology*. 46, 1445-1449. DOI:10.1093/rheumatology/kem119.
388. Witt, C., Jena, S., Brinkhaus, B., Liecker, B., Wegscheider, K., & Willich, S. (2006). **Acupuncture in patients with osteoarthritis of the knee or hip. *American College of Rheumatology*. 54(11), 3485-3493. DOI: 10.1002/art.22154. Assessment: Adequate. Used in Evidence Statement**
389. Wisniewski, S., & Grogg, B. (2006). Femoroacetabular impingement: An overlooked cause of hip pain. *American Journal of Physical Medicine and Rehabilitation*. 85, 546-549.
390. Wobig, M., Dickhut, A., Maier, R., & Vetter, G. (1998). Viscosupplementation with hylan G-F 20: A 26-week controlled trial of efficacy and safety in the osteoarthritic knee. *Clinical Therapeutics*. 20: 3, 410-423.

391. Wood, L., Peat, G., Wilkie, R., Hay, E., Thomas, E., & Sim, J. (2006). A study of the noninstrumented physical examination of the knee found high observer variability. *Journal of Clinical Epidemiology*. 59, 512-520.
392. Wood, P., Prem, H., & Sutton, C. (2008). Total ankle replacement: Medium-term results in 200 Scandinavian total ankle replacements. *The Journal of Bone & Joint Surgery*. 90-B (5), 605-609.
393. Wood, P., Sutton, C., Mishra, V., & Suneja, R. (2009). A randomised, controlled trial of two mobile-bearing total ankle replacements. *The Journal of Bone & Joint Surgery*. 91-B (1), 69-74.
394. Woodley, S., Nicholson, H., Livingstone, V, Doyle, T., Meikle, G., Macintosh, J., & Mercer, S.. (2008). Lateral hip pain: Findings from magnetic resonance imaging and clinical examination. *Journal of Orthopaedic & Sports Physical Therapy*. 38 (6), 313-328.
395. Woolf, S., Barfield, W., Merrill, K., & McBride, Jr. A. (2008). Comparison of a continuous temperature-controlled cryotherapy device to a simple icing regimen following outpatient knee arthroscopy. *J. Knee Surg*. 21(1), 15-9. Abstract Only.
396. *Workers' Compensation Board-Alberta*. Work-related traumatic osteoarthritis. (2009). <http://www.ab.ca/>
397. World Health Organization (WHO). (n.d.). FRAX WHO Fracture Risk Assessment Tool. <http://www.shef.ac.uk/FRAX/>.
398. Wright, R., Dunn, W., Amendola, A., Andrish, J., Bergfeld, J., Kaeding, C., Marx, R., McCarty, E., Parker, R., Wolcott, M., Wolf, B., & Spindler, K. (2007). Risk of tearing the intact interior cruciate ligament in the contralateral knee and rupturing the anterior cruciate ligament graft during the first 2 years after anterior cruciate ligament reconstruction: a prospective moon cohort study. *Am. J. Sports Med*. 35, 1131 originally published online Apr 23, 2007, DOI: 10.1177/036546507301318.
399. Zaffagnini, S., Giordano, G., Vascellari, A., Bruni, D., Neri, M., Iacono, F., Kon, E., Presti, M., & Marcacci, M. (2007). Arthroscopic collagen meniscus implant results at 6 to 8 years follow up. *Knee Surg Sports Traumatol Arthrosc*. 15, 175-183. DOI: 10/1007/s00167-006-0144-4. Assessment: Inadequate.
400. Zaffagnini, S., Maracacci, M., Presti, M.L., Giordano, G., Iacono, F., & Neri, M.P. (2006). Prospective and randomized evaluation of ACL reconstruction with three techniques: a clinical and radiographic evaluation at 5 years follow-up. *Knee Surg Sports Traumatol Arthrosc*. 14, 1060-1069. DOI: 10.1007/s00167-006-0130-x.
401. Zhang, W., Doherty, M., Arden, N., Bannwarth, B., Bijlsma, J., Gunther, K-P, Hauselmann, J., Herrero-Beaumont, G., Jordan, K., Kaklamanis, P., Leeb, B., Lequesne, M., Lohmander, S., Mazieres, B., Martin-Mola, E., Pavelka, K., Pendleton, A., Punzi, L., Swoboda, B. Varatojo, R., Verbruggen, G., Zimmermann-Gorska, I., & Dougados, M. (2005). EULAR evidence based recommendations for the management of hip osteoarthritis: report of a task force of the EULAR standing committee for international clinical studies including therapeutics (ESCISIT). *Annals of the Rheumatic Diseases*. 64: 669-681. doi:10.1136/ard.2004.028886.
402. Zhang, W., Moskowitz, R., Nuki, G., Abramson, S., Altman, R., Arden, N. Bierma-Zeinstra, S., Brandt, K., Croft, P., Doherty, M., Dougados, M., Hochberg, M., Hunter, D., Kwoh, K., Lohmander, L. & Tugwell, P. (2008). OARSI recommendations for the

management of hip and knee osteoarthritis, Part II: OARSI evidence-based expert consensus guidelines. *Osteoarthritis and Cartilage*. 16, 137-162.

403. Zlowodzki, M., Bhandari, M., Marek, D., Cole, P., & Kregor, P. (2006). Operative treatment of acute distal femur fractures: Systematic review of 2 comparative studies and 45 case series (1989 to 2005). *Journal of Orthopaedic Trauma*. 20(5), 366-371.
404. Bernacki, M.D., MPH, Edward J, Xuguang Tao, M.D., PhD, and Larry Yuspeh, BA. "The Impact of Cost Intensive Physicians on Workers' Compensation." *JOEM* 20.10 (2009):
405. Henley, M.D., MBA, M Bradford, et al. "Evidence-Based Medicine, the Quality Initiative, and P4P: Performance for Paperwork?" *Bone Joint Surgery America* 90 (2008): 2781-2790

## **SHOULDER INJURY MEDICAL TREATMENT GUIDELINES BIBLIOGRAPHY**

406. Aaron, R., Ciombor, D. McK., & Simon, B. (2004). Treatment of nonunions with electric and electromagnetic fields. *Clin Orthop*. 419: 21-29.
407. Aaron, R., Boyan, B., Ciombor, D. McK., Schwartz, Z., & Simon, B. (2004). Stimulation of growth factor synthesis by electric and electromagnetic fields. *Clin Orthop*. 419: 30-37.
408. Abbott, Z, & Richardson, J. (2007). Subacromial impingement syndrome as a consequence of botulinum therapy to the upper trapezii: A case report. *Archives of Physical Medicine and Rehabilitation*. 88, 947-949.
409. Academy Annual Assembly Abstracts. (2006). *Arch Phys Med Rehabil*. 87.
410. Agency for Healthcare Research and Quality (AHRQ) (2008). Fracture prevention treatments for postmenopausal women with osteoporosis.
411. Ahrens, P.M., Boileau, P. (2007). Aspects of Current Management: The long head of biceps and associated tendinopathy. *The Journal of Bone & Joint Surgery (Br)*, 89-B (8), 1001-1009.
412. Akai, M. & Hayashi, K. (2002). Effect of electrical stimulation on musculoskeletal systems; a meta-analysis of controlled clinical trials. *Bioelectromagnetics*. 23, 132-143.
413. Altchek, D., Warren, R., Wickiewicz, T., & Ortiz, G. (1992). Arthroscopic labral debridement. A three-year follow-up study. *American Journal of Sports Medicine*. 20(6), 702-706.
414. **Alvarez, C., Litchfield, R., Jackowski, D., Griffin, S., & Kirkley, A. (2005). A prospective, double-blind, randomized clinical trial comparing subacromial injection of betamethasone and xylocaine alone in chronic rotator cuff tendinosis. *American Journal of Sports Medicine*. 33, 255-262. Assessment: Adequate**
415. *American Academy of Orthopaedic Surgeons*. Department of Research and Scientific Affairs. (2001). Universe of adult patients with localized shoulder pain symptoms-Phase I guideline.

416. *American Academy of Orthopaedic Surgeons*. Clinical guideline on shoulder pain. Support document. Overview.
417. American Association of Electrodiagnostic Medicine. (1999). *Technology Review: The neurometer current perception threshold (CPT)* *Muscle & Nerve* 22, 523-531.
418. American College of Rheumatology Ad Hoc Committee on Glucocorticoid-Induced Osteoporosis. (2001). Recommendations for the prevention and treatment of glucocorticoid-induced osteoporosis. *Arthritis & Rheumatism*. 44:7, 1496-1503.
419. American Shoulder and Elbow Surgeons. (2005). Editor's Message: Reflections on a Maturing Organization. *ASES News*. 5:1, 1-16.
420. Amir-Us-Saglain, H., Zubairi, A., Taufiq, I. (2007). Functional outcome of frozen shoulder after manipulation under anaesthesia. *Journal of the Pakistan Medical Association*. 57(4), 181-185. Abstract Only.
421. Andary, M. The use of history and physical examination to diagnose shoulder pain. *Painful Shoulder. 2003-2004 AAEM Course Committee*. 1-10.
422. Andrews, J. (2005). Diagnosis and treatment of chronic painful shoulder: Review of nonsurgical interventions. *The Journal of Arthroscopic and Related Surgery*. 21(3), 333-347.
423. Araghi, A., Prasarn, M., St. Clair, S., & Zuckerman, J. (2005). Recurrent anterior glenohumeral instability with onset of the anterior mechanism. *Bulletin (Hospital for Joint Diseases (New York, NY))*. 62(3-4), 99-101. Abstract Only.
424. Ardic, F., Kahraman, Y., Kacar, M., Kahraman, M., Findikoglu, G., & Yorgancioglu, Z. (2006). Shoulder impingement syndrome. Relationships between clinical, functional, and radiologic findings. *American Journal of Physical Medicine & Rehabilitation*. 85:1, 53-60.
425. Astrand, J., Thorngren, K., & Tagil, M. (2006). 'One Fracture is enough!: Experience with a prospective and consecutive osteoporosis screening program with 239 fracture patients'. *Acta Orthopaedica*. 77:1, 3-8.
426. Bahk, M., Ekavit, K., Atsushi, T., Sauers, E., & McFarland, E. (2007). Laxity testing of the shoulder: A review. *American Journal of Sports Medicine*. 35:1131-144.
427. Bailie, D., Llinas, P., & Ellenbecker, T. (2008). Cementless humeral resurfacing arthroplasty in active patients less than fifty-five years of age. *J Bone Joint Surg Am*. 90: 110-117.
428. Bak, K., & Fauno, P. (1997). Clinical findings in competitive swimmers with shoulder pain. *American Orthopaedic Society for Sports Medicine*. 25(2), 254-260.
429. Baker, C.L., Uribe, J., Whitman, C. (1990). Arthroscopic evaluation of acute initial anterior shoulder dislocations. *American Journal of Sports Medicine*. 18(1), 25-28.
430. Banerjee, S., Pulido, P., Adelson, W., Fronek, J., & Hoenecke, H. (2008, in press). The efficacy of continuous bupivacaine infiltration following arthroscopic rotator cuff repair. *Arthroscopy: The Journal of Arthroscopic and Related Surgery*. 24(4), 397-402.

431. Bang, M., & Deyle, G. (2000). Comparison of supervised exercise with and without manual physical therapy for patients with shoulder impingement syndrome. *Journal of Orthopedic & Sports Therapy*. 30(3), 126-137.
432. Bannister, G., Wallace, W., Stableforth, P., & Hutson, M. (1989). The management of acute acromioclavicular dislocation: a clinical radiological and anatomical study. *The Journal of Bone and Joint Surgery*. 71-B (5), 848-850. Assessment: Inadequate
433. Bara, T., & Synder, M. (2007). Nine-years experience with the use of shock waves for treatment of bone union disturbances. *Ortopedia, Traumatologia, Rehabil.* 9(3), 254-258. Abstract Only.
434. Barber, F. (2001, November/December). Coplaning of the acromioclavicular joint. *Arthroscopy: The Journal of Arthroscopic and Related Surgery*. 17(9), 913-917.
435. Barber, F. (2006). Long term results of acromioclavicular joint coplaning. *The Journal of Arthroscopic and Related Surgery*. 22(2), 125-129.
436. Baring, T., Emery, R., & Reilly, P. (2007). Management of rotator cuff disease: specific treatment for specific disorders. *Best Practice & Research Clinical Rheumatology*. 21(2), 279-294.
437. Beaton, D., Richards, R., (1996). Measuring Function of the Shoulder. A Cross-Sectional Comparison of Five Questionnaires. *The Journal of Bone & Joint Surgery*. 78-A (6), 882-90.
438. Beaudreuil, J., Bardin, T., & Orcel, P. (2007). Natural history or outcome with conservative treatment of degenerative rotator cuff tears. *Joint Bone Spine*. 74, 527-529.
439. Beggs, I. (2006). Ultrasound of the shoulder and elbow. *Orthopedic Clinics of North America*. 37, 388-285.
440. Bennett, M., & Turner, R. (2005). Hyperbaric oxygen therapy for promoting fracture healing and treating fracture non-union. *Cochrane Database of Systematic Reviews*. (1). Abstract Only.
441. Bergman, G., Winters, J., Groenier, K., Pool, J., Meyboon-de-Jong, B., Postema, K., et al. (2004). Manipulative therapy in addition to usual medical care for patients with shoulder dysfunction and pain. A randomized, controlled trial. *Annals of Internal Medicine*. 141(6), 432-439.
442. Bey, M., Elders, G., Huston, L., Kuhn, J., Blasier, R., & Soslowsky, L. (1998). The mechanism of creation of superior labrum, anterior, and posterior lesions in a dynamic biomechanical model of the shoulder: The role of inferior subluxation. *Journal of Shoulder and Elbow Surgery*. 7(4), 397-401. Abstract Only.
443. **Bingol, U., Altan, L., & Yurtkuran, M. (2005). Low-power laser treatment for shoulder pain. *Photomedicine and Laser Surgery*. 23(5), 459-464. Assessment: Adequate**
444. Birnbaum, K., Wirtz, D., Siebert, C., & Heller, K. (2002). Use of extracorporeal shock-wave therapy (ESWT) in the treatment of non-unions. A review of the literature. *Archives of Orthopaedic Trauma Surgery*. 122, 324-330. DOI 10.1007/s00402-001-0365-4.

445. Boardman, III, N., Cofield, R., Bengtson, K., Little, R., Jones, M., & Rowland, C. (2001). Rehabilitation after total shoulder arthroplasty. *The Journal of Arthroplasty*. 16(4), 483-486.
446. Boileau, P., Ahrens, P., & Hazidakis, A. (2004). Entrapment of the long head of the biceps tendon: The hourglass biceps—A cause of pain and locking of the shoulder. *The Journal of Shoulder and Elbow Surgery*. 13(3), 249-257.
447. Boileau, P., Baque, F., Valerio, L., Ahrens, P., Chuinard, C., & Trojani, C. (2007). Isolated arthroscopic biceps tenotomy or tenodesis improves symptoms in patients with massive irreparable rotator cuff tears. *The Journal of Bone and Joint Surgery*. 89, 747-757.
448. Boileau, P., Villalba, M., Hery, J., Balg, F., Aherns, P., & Neyton, L. (2006). Risk factors for recurrence of shoulder instability after arthroscopic bankart repair. *The Journal of Bone and Joint Surgery*. 88-A (8), 1755-1763.
449. Boileau, P., Chuinard, C., Le Huec, J., Walch, G., & Trojani, C. (2006). Proximal humerus fracture sequelae. *Clinical Orthopaedics and Related Research*. 442, 121-130.
450. Boileau, P., Watkinson, D., Hatzidakis, A., & Hovorka, I. (2006). Neer Award 2005. The grammont reverse shoulder prosthesis: results in cuff tear arthritis, fracture sequelae, and revision arthroplasty. *Journal of Shoulder and Elbow Surgery*. 15(5), 527-540.
451. Boileau, P., Watkinson, D., Hatzidakis, A., & Balg, F. (2005). Grammont reverse prosthesis: Design, rationale, and biomechanics. *The Journal of Shoulder and Elbow Surgery*. 14(1S), 147S-161S.
452. Boileau, P., Brassart, N., Watkinson, D., Carles, M., Hatzidakis, A., & Krishnan, S. (2005). Arthroscopic repair of full-thickness tears of the supraspinatus: Does the tendon really heal? *Journal of Bone and Joint Surgery*. 87; 1229-1240.
453. Boileau, P., Sinnerton, R., Chuinard, C., Walch, G. (2006). Arthroplasty of the shoulder. *Journal of Bone and Joint Surgery*. 88-B; 562-75.
454. Bottoni, C., Smith, E., Berkowitz, M., Towle, R., & Moore, J. (2006). Arthroscopic versus open shoulder stabilization for recurrent anterior instability: a prospective randomized clinical trial. *The American Journal of Sports Medicine*. 34(11), 1730-1737.
455. Bottoni, C., Wilckens, J., DeBerardino, T., D'Alleyrand, J., Rooney, R., Harpstrite, K., & Arciero, R. (2002). A prospective, randomized evaluation of arthroscopic stabilization versus non-operative treatment in patients with acute, traumatic, first-time shoulder dislocations. *The American Journal of Sports Medicine*. 30(4), 576-580.
456. Boutron, I., Ravaud, P., Nizard, R. (2007). The design and assessment of prospective randomized, controlled trials in orthopaedic surgery. *The Journal of Bone & Joint Surgery (Br)*. 89-B (7), 858-863.
457. Bowen, B., Seidenwurm, D., Davis, P., Brunberg, J., DeLa Paz, R., Dormont, P., Hackney, D., Jordan, J., Karis, J., Mukerji, S., Turski, P., Wippold, F., Zimmerman, R., McDermott, M., & Sloan, M. (2006). Plexopathy. *National Guideline Clearinghouse*.

458. Bowen, B., Seidenwurm, D. (2008). Plexopathy. ACR appropriateness criteria. *American Journal of Neuroradiology*. 29, 400-402.
459. Bradley, M., Tung, G., Green, A. (2005). Overutilization of shoulder magnetic resonance imaging as a diagnostic screening tool in patients with chronic shoulder pain. *Journal of Shoulder and Elbow Surgery*. 14(3), 233-237.
460. Bresler, F., Blum, A., Braun, M., Simon, J.M., Cossin, D., Regent, D., & Mole, D. (1998). Assessment of the superior labrum of the shoulder joint with CT-arthrography and MR-arthrography: correlation with anatomical dissection. *Surgical and Radiologic Anatomy*. 20, 57-62.
461. Brorson, S., & Hrobjartsson, A. (2008). Training improves agreement among doctors using the Neer system for proximal humeral fractures in a systematic review. *Journal of Clinical Epidemiology*. 61, 7-16.
462. Brosseau, L., Robinson, V., Wells, G., de Bie, R., Gam, A., Harman, K., Morin, M., Shea, B., & Tugwell, P. (2007). Lower level laser therapy (Classes III) for treating osteoarthritis (Review). *The Cochrane Collaboration*. 1-2.
463. Brox, J., & Brevik, J. (1996). Prognostic factors in patients with rotator tendinosis (stage II impingement syndrome) of the shoulder. *Scandinavian Journal of Primary Health Care*. 14, 101-105.
464. **Brox, J., Gjengedal, E., Uppheim, G., Bohmer, A., Brevik, J., Ljunggren, A., & Staff, P. (1999). Arthroscopic surgery versus supervised exercises in patients with rotator cuff disease (stage II impingement syndrome): A prospective, randomized, controlled study in 125 patients with a 2 ½ - year follow-up. *Journal of Shoulder and Elbow Surgery*. 8(2), 102-111. Assessment: Adequate.**
465. **Bryant, D., Litchfield, R., Sandow, M., Gartsman, G., Guyatt, G., & Kirkley, A. (2005). A comparison of pain, strength, range of motion and functional outcomes after hemiarthroplasty and total shoulder arthroplasty in patients with osteoarthritis of the shoulder. *The Journal of Bone and Joint Surgery*. 87-A (9), 1947-1956. Assessment: High quality.**
466. Buchbinder, R., Green, S., Youd, J., & Johnston, R. (2006). Oral steroids for adhesive capsulitis (Review). *Cochrane Database of Systematic Reviews*. 4.
467. **Buchbinder, R., Green, S., Forbes, A., Hall, S., & Lawler, G. (2004). Arthrographic joint distension with saline and steroid improves function and reduces pain in patients with painful stiff shoulder: results of a randomised double blind, placebo controlled trial. *Annals of Rheumatic Diseases*. (63) 302-309. Assessment: High quality.**
468. Buchbinder, R., Green, S., Youd, J., Johnston, R., & Cumpston, M. (2008). Arthrographic distension for adhesive capsulitis (frozen shoulder) (Review). *Cochrane Database of Systematic Reviews*. (1) 1-35.
469. Buchbinder, R., Hoving, J., Green, S., Hall, S., Forbes, A., & Nash, P. (2007). Short course prednisolone for adhesive capsulitis (frozen shoulder or stiff painful shoulder): A randomised, double blind, placebo controlled trial. *Annals of Rheumatic Diseases*. 63. 1460-1469.

470. Burton, D., & Watters, A. (2006). Management of proximal humeral fractures. *Current Orthopaedics*. (20), 222-233.
471. Buscayret, F., Edwards, T., Szabo, I., Adeleine, P., Coudane, H., & Walch, G. (2004). Glenohumeral arthrosis in anterior instability before and after surgical treatment: incidence and contributing factors. *The American Journal of Sports Medicine*. 32(5), 1165-1172. Abstract Only.
472. **Busse, J., Bhandari, M., Kulkarni, A., & Tunks, E. (2002). The effect of low-intensity pulsed ultrasound therapy on time to fracture healing: a meta-analysis. *Canadian Medical Association Journal*. 166(4), 437-441. Assessment: Adequate.**
473. **Cacchio, A., Paoloni, M., Barile, A., Don, R., de Paulis, F., Calvisi, V., Ranavolo, A., Frascarelli, M., Santilli, V., & Spacca, G. (2006). Effectiveness of radial shock-wave therapy for calcific tendinitis of the shoulder: single-blind, randomized clinical study. *Physical Therapy*. 86(5), 672-682. Assessment: Adequate**
474. Calis, M., Akgun, K., Birtane, M., Karacan, I., Calis, H., & Tuzun, F. (2000). Diagnostic values of clinical diagnostic tests in subacromial impingement syndrome. *Annals of the Rheumatic Diseases*. 59, 44-47.
475. Calis, M., Demir, H., Ulker, S., Kirnap, M., Duygulu, F., & Calis, H. (2006). Is intraarticular sodium hyaluronate injection as alternative treatment in patients with adhesive capsulitis? *Rheumatology International*. 26, 536-540. Assessment: Inadequate.
476. Calvo, E., Granizo, JJ, & Fernandez-Yrueguas, D. (2005). Criteria for arthroscopic treatment of anterior instability of the shoulder: a prospective study. *The Journal of Bone and Joint Surgery (Br)*. 87(5), 677-683. Abstract Only.
477. Calvo, E., Lopez-Franco, M., & Arribas, I. (2006). Clinical and radiologic outcomes of surgical and conservative treatment of type III acromioclavicular joint injury, *Journal of Shoulder and Elbow Surgery*. 15, 300-305.
478. **Canadian Orthopaedic Trauma Society. (2007). Nonoperative treatment compared with plate fixation of displaced midshaft clavicular fractures. A multicenter, randomized clinical trial. *JBJS*. 89: 1-10. Assessment: Adequate**
479. **Carette, S., Moffet, H., Tardif, J., Bessette, L., Morin, F., Fremont, P., Bykerk, V., Thorne, C., Bell, M., Bensen, W., & Blanchette, C. (2003). Intraarticular corticosteroids, supervised physiotherapy, or a combination of the two in the treatment of adhesive capsulitis of the shoulder. *Arthritis & Rheumatism*. 48(3), 829-838. Assessment: High-quality**
480. Chalidis, B., Sachinis, N., Dimitriou, C., Papadopoulos, P., Samoladas, E., & Pournaras, J. (2007). Has the management of shoulder dislocation changed over time? *International Orthopaedics*. 31, 385-389.
481. Chan, P., & Hems, T. (2006). Clinical signs of accessory nerve palsy. *The Journal of Trauma Injury, Infection and Critical Care*. 60(5), 1142-1144.
482. Chapovsky, F., & Kelly, IV, J. (2005). Osteochondral allograft transplantation for treatment of glenohumeral instability. *The Journal of Arthroscopic and Related Surgery*. 21(8), 1007.e1 – 1007.

483. Chen, S., Haen, P., Walton, J., & Murrell, G. (2005). The effects of thermal capsular shrinkage on the outcomes of arthroscopic stabilization for primary anterior shoulder instability. *The American Journal of Sports Medicine*. 33(5), 705-711.
484. Chen, A., Hunt, S., Hawkins, R., & Zuckerman, J. (2005). Management of bone loss associated with recurrent anterior glenohumeral instability. *The American Journal of Sports Medicine*. 33(6), 912-925.
485. Chillemi, C., Marinelli, M., & DeCupis, V. (2007). Rupture of the distal biceps brachii tendon: conservative treatment versus anatomic reinsertion-clinical and radiological evaluation after 2 years. *Archives of Orthopaedic and Trauma Surgery*. 127, 705-708.
486. Chin, P., Sperling, J., Cofield, R., Stuart, M., & Crownhart, B. (2007). Anterior acromioplasty for the shoulder impingement syndrome: Long-term outcome. *The Journal of Shoulder and Elbow Surgery*. 16(6), 697-700.
487. Chong, P., & Cross, D. (2004). Technology literature review: quantitative sensory testing. *American Association of Electrodiagnostic Medicine, Muscle & Nerve*. 29, 734-747.
488. Chou, R., Helfand, M., Peterson, K., & Dana, T. (2004). Drug class review of cyclooxygenase (COX)-2 inhibitors and non-steroidal anti-inflammatory drugs (NSAIDs). Retrieved June 16, 2008. Drug Effectiveness Review Project. Oregon Health and Science University. (<http://www.ohsu.edu/drugeffectiveness>).
489. Chroustovsky, J., Malusek, P., Jircik, M., & Konecny, R. (2003). Treatment of anterior glenohumeral instability: personal experience with an arthroscopic stabilization technique, its indications and results. *Acta chirurgiae orthopaedicae et traumatologiae Cechoslovaca*. 70(3), 164-169. Abstract Only.
490. Ciccone, II, W., Busey, T., Weinstein, D., Walden, D., & Elias, J. (2008). Assessment of pain relief provided by interscalene regional block and infusion pump after arthroscopic shoulder surgery. *The Journal of Arthroscopic and Related Surgery*. 24(1), 14-19.
491. Coghlan, J., Buchbinder, R., Green, S., Johnston, R., & Bell, S. (2008). Surgery for rotator cuff disease (Review). *The Cochrane Collaboration*. 1-4.
492. Cole, P., & Bhandari, M. (2006). What's new in orthopaedic trauma? *The Journal of Bone & Joint Surgery*. 88-A (11), 2545-2561.
493. Coleman, S., Cohen, D., Drakos, M., Allen, A., Williams, R., O'Brien, S., Altchek, D., & Warren, R. (2007). Arthroscopic repair of type II superior labral anterior posterior lesions with and without acromioplasty: a clinical analysis of 50 patients. *The American Journal of Sports Medicine*. 35(5), 749-756.
494. Collinge, C., Devinney, S., Herscovici, D., DiPasquale, T., & Sanders, R. (2006). Anterior-inferior plate fixation of middle-third fractures and nonunions of the clavicle. *Journal of Orthopaedic Trauma*. 20(10), 680-686.
495. Conboy, V., Morris, R., Kiss, J., & Carr, A. (1996). An evaluation of the constant-murley shoulder assessment. *The Journal of Bone and Joint Surgery*. 78-B (2), 229-232.
496. Cook, K., Roddey, T., Olson, S., Gartsman, G., Valenzuela, F., & Hanten, W. (2002). Reliability by surgical status of self-reported outcomes in patients who have

- shoulder pathologies. *Journal of Orthopaedic & Sports Physical Therapy*. 32(7), 336-346.
497. Cosentino, R., DeStefano, R., Selvi, E., Frati, E., Manca, S., Frediani, B., & Marcolongo, R. (2003). Extracorporeal shock wave therapy for chronic calcific tendinitis of the shoulder: single blind study. *Annals of Rheumatic Disease*. 62, 248-250. Assessment: Inadequate.
  498. Crane, P., Hart, D., Gibbons, L., & Cook, K. (2006). A 37-Item shoulder functional status item pool had negligible differential item functioning. *Journal of Clinical Epidemiology*. 59, 478-484.
  499. Cullen, D., Bredahl, W., & Janes, G. (2007). Diagnostic accuracy of shoulder ultrasound performed by a single operator. *Australasian Radiology*. 51, 226-229.
  500. Dahan, T., Fortin, L., Pelletier, M., Petit, M., Vadeboncoeur, R., & Suissa, S. (2000). Double blind randomized clinical trial examining the efficacy of bupivacaine suprascapular nerve blocks in frozen shoulder. *The Journal of Rheumatology*. 27(6), 1464-1469. Assessment: Inadequate.
  501. D'Alessandro, D., Bradley, J., Fleischli, J., & Connor, P. (2004). Prospective evaluation of thermal capsulorrhaphy for shoulder instability. Indications and results, two-to five-year follow-up. *The Journal of Sports Medicine*. 32(1), 21-33.
  502. Dawson, J., Fitzpatrick, R., & Carr, A. (1999). The assessment of shoulder instability: The development and validation of a questionnaire. *The Journal of Bone & Joint Surgery 81-B* (3), 420-426.
  503. Deeks, J. (2001). Systematic reviews of evaluations of diagnostic and screening tests. *British Medical Journal*. 323, 157-162.
  504. Deitch, J., Mehlman, C., Foad, S., Obbehat, A., & Mallory, M. (2003). Traumatic anterior shoulder dislocation in adolescents. *The American Journal of Sports Medicine*. 31(5), 758-763.
  505. del Cura, J., Torre, I., Zabala, R. & Legorburu, A. (2007). Sonographically guided percutaneous needle lavage in calcific tendinitis of the shoulder: Short- and long-term results. *AJR*. 189: W128-W134.
  506. DeMaeseneer, M., Van Roy, F., Lenchik, L., Shahabpour, M., Jacobson, J., Ryu, K., Handelberg, F., & Osteaux, M. (2000). CT and MR arthrography of the normal and pathologic anterosuperior labrum and labral-bicipital complex. *RadioGraphics*. 20, S67-S81.
  507. Deutsch, A., Altchek, D., Veltri, D., Potter, H. & Warren, R. (1997). Traumatic tears of the subscapularis tendon. *The American Journal of Sports Medicine*. 26; 13-22.
  508. De Winter, A., Jans, M., Scholten, R., Deville, W., Van Schaardenburg, D., & Bouter, L. (1999). Diagnostic classification of shoulder disorders: interobserver agreement and determinants of disagreement. *Annals of the Rheumatic Diseases*. 58(5), 272-277. Abstract Only.
  509. De Winter, A., Van der Heijden, G., Scholten, R., Van der Windt, D., & Bouter, L. (2007). The shoulder disability questionnaire differentiated well between high and low disability levels in patients in primary care, in a cross-sectional study. *Journal of Clinical Epidemiology*. 60, 1156-1163.

510. Dias, R., Cutts, S., & Massoud, S. (2005). Frozen Shoulder. *British Medical Journal*. 331, 1453-1456.
511. Dierhr, S., Ison, D., & Jamieson, B. (2006). What is the best way to diagnose a suspected rotator cuff tear? *The Journal of Family Practice*. 55(7), 621-624.
512. Di Lorenzo, L., Pappagallo, M., Gimigliano, R., Palmieri, E., Saviano, E., Bello, A., et al. (2006). Pain relief in early rehabilitation of rotator cuff tendinitis: any role for indirect suprascapular nerve block? *Europa MediaPhysica*. 42(3), 195-204.
513. Dimitriou, R., Dahabreh, Z., Katsoulis, E., Mathews, S., Branfoot, T., & Giannoudis, P. (2005). Application of recombinant BMP-7 on persistent upper and lower limb non-unions. *Injury International Journal of the Care of the Injured*. 36S, S51-S59.
514. Dinnes, J., Loveman, E., McIntyre, L., & Waugh, N. (2003). The effectiveness of diagnostic tests for the assessment of shoulder pain due to soft tissue disorders: a systematic review. *Health Technology Assessment*. 7(29), 1-46.
515. Di Silvestro, M., Lo, I., Mohtadi, N., Pletch, K., & Boorman, R. (2007). Patients undergoing stabilization surgery for recurrent, traumatic anterior shoulder instability commonly have restricted passive external rotation. *Journal of Shoulder and Elbow Surgery*. 16(3), 255-259.
516. Dodenhoff, R., Levy, O., Wilson, A., & Copeland, S. (2000). Manipulation under anesthesia for primary frozen shoulder: Effect on early recovery and return to activity. *Journal of Shoulder and Elbow Surgery*. 9, 23-26.
517. Doetsch, AM., Faber, J., Lynnerup, N., Watjen, I., Bliddal, H., & Danneskiold-Samsøe, B. (2004). The effect of calcium and vitamin D3 supplementation on the healing of the proximal humerus fracture: A randomized placebo-controlled study. *Calcified Tissue International*. 75, 183-188.
518. Dorrestijn, O., Stevens, M., Diercks, R., Van der Meer, K., & Winters, J. (2007). A new interdisciplinary treatment strategy versus usual medical care for the treatment of subacromial impingement syndrome: a randomized controlled trial. Retrieved from *BioMed Central Musculoskeletal Disorders*. <http://www.biomedcentral.com/1471-2474/8/15/>
519. Dunn, W., Schackman, B., Walsh, C., Lyman, S., Jones, E., Warren, R., et al. (2005). Variation in orthopaedic surgeons' perceptions about the indications for rotator cuff surgery. *The Journal of Bone & Joint Surgery*. 87, 1978-1984.
520. Durst, H., Blatter, G., & Kuster, M. (2002). Case report. Osteonecrosis of the humeral head after extracorporeal shock-wave lithotripsy. *The Journal of Bone and Joint Surgery*. 84-B, 744-766.
521. **Ebenbichler, GR., Erdogmus, C., Resch, K., Funovics, M., Kainberger, F., Barisani, G., Aringer, M., Nicolakis, P., Wiesinger, G., Baghestanian, M., Preisinger, E., & Falke-Moser, V. (1999). Ultrasound therapy for calcific tendinitis of the shoulder. *The New England Journal of Medicine*. 340(20), 1533-1538. Assessment: Adequate.**
522. Ejnisman, B., Andreoli, C., Soares, B., Falllopa, F., Peccin, M., Abdalla, R., & Cohen, M. (2005). Interventions for tears of the rotator cuff in adults. (Review) *Cochrane Collaboration*. 3.

523. Esch, J., & Hatzidakis, A., Arthroscopic subacromial decompression. *American Academy of Orthopaedic Surgeons*. 49, 507-518.
524. Evans, R., Goldberg, J., Orth, A., Warwick, J., Bruce, M., & Walsh, W. (2004). Reoperated clavicle nonunion treated with osteogenic protein 1 and electrical stimulation. *Journal of Shoulder and Elbow Surgery*. 13(5), 573-575.
525. Farber, A., Fayad, L., Johnson, T., Cascio, B., Shindle, M., Neubauer, P., et al. (2006). Magnetic resonance imaging of the shoulder. Current techniques and spectrum disease. *The Journal of Bone & Joint Surgery*. 88-A, Supplement 4, 64-79.
526. Ferrante, M., & Wilbourn, A. (1995). The utility of various sensory nerve conduction responses in assessing brachial plexopathies. *Muscle and Nerve*. 18, 879-889
527. Ferrante, M., & Wilbourn, A. (2002). Electrodiagnostic approach to the patient with suspected brachial plexopathy. *Neurologic Clinics of North America*. 20, 423-450.
528. Fischer, B., Gross, M., McCarthy, J., & Arroyo, J. (1999). Incidence of acromioclavicular joint complications after arthroscopic subacromial decompression. *The Journal of Arthroscopic and Related Surgery*. 15(3), 241-248.
529. **Franceschi, F., Longo, U., Ruzzini, L., Rizzello, G., Muffulli, N., & Denaro, V. (2007). No advantages in repairing a type II superior labrum anterior and posterior (SLAP) lesion when associated with rotator cuff repair in patients over age 50. *The American Journal of Sports Medicine*. X(X), 1-7. doi: 10.1177/036346507308194. Assessment: Adequate**
530. Gam, A., Schydlowsky, P., Rossel, I., Remvig, L., & Jensen, E. (1998). Treatment of “frozen shoulder” with distension and glucocorticoid compared with glucocorticoid alone. *Scandinavian Journal of Rheumatology*. 27, 425-430. Assessment: Inadequate.
531. Gartner, J., & Simons, B. (1990). Analysis of calcific deposits in calcifying tendinitis. *Clinical Orthopaedics and Related Research*. 254, 111-120.
532. Gartsman, G., Hasan, S. (2003). Specialty Update: What’s New in Shoulder and Elbow Surgery. *The Journal of Bone & Joint Surgery*. 85-A (1), 171-181.
533. **Gartsman, G., & O’Connor, D. (2004). Arthroscopic rotator cuff repair with and without arthroscopic subacromial decompression: A prospective, randomized study of one-year outcomes. *Journal of Shoulder and Elbow Surgery*. 13(4), 424-426. Assessment: Adequate**
534. **Gartsman, G., Roddey, T., & Hammerman, S. (2000). Shoulder arthroplasty with or without resurfacing of the glenoid in patients who have osteoarthritis. *The Journal of Bone and Joint Surgery*. 82, 26-34. Assessment: Adequate**
535. Gerber, C., Schneeberger, A., Perren, S., & Nyffeler, R. (1999). Experimental Rotator Cuff Repair. A Preliminary Study. *The Journal of Bone and Joint Surgery*. 81-A(9), 1281-1290.
536. **Gerdesmeyer, L., Wagenpfeil, S., Haake, M., Maier, M., Loew, M., Worler, K., Lampe, R., Seil, R., Handle, G., Gassel S., & Rompe, J. (2003). Extracorporeal shock wave therapy for the treatment of chronic calcifying tendonitis of the rotator cuff. A randomized controlled trial. *Journal of the American Medical Association*. 290(19), 2573-2580. Assessment: Adequate**

537. Getz, J., Recht, M., Piraino, D., Schils, J., Latimer, B., Jellema, L., et al. (1996). Acromial morphology: Relation to sex, age, symmetry, and subacromial enthesophytes. *Radiology*. 199(3), 737-742.
538. Ginn, K., & Cohen, M. (2005). Exercise therapy for shoulder pain aimed at restoring neuromuscular control: A randomized comparative clinical trial. *J Rehabil Med*. 37, 115-122.
539. Godfrey, J., Hamman, R., Lowenstein, S., Briggs, K., & Kocher, M. (2007). Reliability, validity, and responsiveness of the simple shoulder test: Psychometric properties by age and injury type. *Journal of Shoulder and Elbow Surgery*. 16(3), 260-267.
540. Goldberg, B., Lippitt, S., & Matsen, F. (2001). Improvement in comfort and function after cuff repair without acromioplasty. *Clinical Orthopaedics and Related Research*. 390, 142-150.
541. Gosk, J., Urban, M., & Rutowski, R. (2007). Entrapment of the suprascapular nerve: anatomy, etiology, diagnosis, treatment. *Ortopedia Traumatologia Rehabiliticja*. 1(6) (9), 68-74.
542. Green, S., Buchbinder, R., Glazier, R., & Forbes, A. (1998). Systematic review of randomized controlled trials of interventions for painful shoulder: selection criteria, outcome assessment, and efficacy. *British Medical Journal*. 316, 354-360.
543. Green, S., Buchbinder, R., & Hetrick, S. (2003). Physiotherapy interventions for shoulder pain (Review). *The Cochrane Database of Systematic Reviews*. (2).
544. Griggs, S., Ahn, A., & Green, A. (2000). Idiopathic adhesive capsulitis; A prospective functional outcome study of nonoperative treatment. *The Journal of Bone and Joint Surgery*. 82-A (10), 1398-1407.
545. Gstettner, C., Tauber, M., Hitzl, W., & Resch, H. (2008). Rockwood type III acromioclavicular dislocation: Surgical versus conservative treatment. *Journal of Shoulder and Elbow Surgery*. 17(2), 220-225.
546. Guanche, C., & Jones, D. (2003). Clinical testing for tears of the glenoid labrum. *The Journal of the Arthroscopic and Related Surgery*. 19(5), 517-523.
547. Guerra, W., & Baldaul, J., & Schroeder, W. (2007). Long-term results after microsurgical repair of traumatic nerve lesions of the upper extremities. *Zentralbl Neurochirurgie*. 68, 195-199.
548. Guery, J., Favard, L., Sirveaux, F., Oudet, D., Mole, D., & Walch, G. (2006). Reverse total shoulder arthroplasty. *The Journal of Bone and Joint Surgery*. 88-A (8), 1742-1747.
549. Gupta, T., Jain, V., & Tandon, P. (1991). Comparative study of bone growth by pulsed electromagnetic fields. *Medical & Biological Engineering & Computing*. 29(2), 113-120. Abstract Only.
550. Haahr, J., & Andersen, J. (2006). Exercises may be as efficient as subacromial decompression in patients with subacromial stage II impingement: 4-8 years' follow-up in a prospective, randomized study. *Scandinavian Journal of Rheumatology*. 35, 224-228. Assessment: Indadequate

551. Haake, M., Deike, B., Thon, A., & Schmitt, J. (2002). Exact focusing of extracorporeal shock wave therapy for calcifying tendinopathy. *Clinical Orthopaedics and Related Research*. 397, 323-331. Assessment: Inadequate
552. Hanchard, N., Howe, T., & Gilbert, M. (2005). Diagnosis of shoulder pain by history and selective tissue tension: agreement between assessors. *Journal of Orthopaedic and Sports Physical Therapy*. 35(3), 147-153. Abstract Only.
553. Handoll, H. & Madhok, R. (2003). Interventions for treating proximal humeral fractures in adults (Review). *The Cochrane Database of Systematic Reviews*. (4).
554. Handoll, H., Hanchard, N., Goodchild, L., & Feary, J. (2007). Conservative management following closed reduction of traumatic anterior dislocation of the shoulder (Review). *The Cochrane Database of Systematic Reviews*. (2). Abstract Only.
555. Handoll, H., & Almaiayah, M. (2004). Surgical versus non-surgical treatment for acute anterior shoulder dislocation. *The Cochrane Database of Systematic Reviews*. (2). Abstract Only.
556. Harniman, E., Carette, S., Kennedy, C., & Beaton, D. (2004). Extracorporeal shock wave therapy for calcific and noncalcific tendonitis of the rotator cuff: A systematic review. *Journal of Hand Therapy*. 17; 132-151.
557. Harryman, II, D., Mack, L., Wang, K., Jackins, S., Richardson, M., & Matsen, III, F. (1991). Repairs of the rotator cuff. *The Journal of Bone and Joint Surgery*. 73-A (7), 982-989.
558. Harvey, P., Pollard, T., Chennagiri, R., & Carr, A. (2005). Annotation: The use of outcome scores in surgery of the shoulder. *The Journal of Bone & Surgery (Br)*. 87-B (2), 151-154.
559. Harwood, M., & Smith, C. (2004). Superior labrum, anterior-posterior lesions and biceps injuries: diagnostic and treatment considerations. *Primary Care Clinics in Office Practice*. 31, 831-855.
560. Hawkins, R., & Kennedy, J. (1980). Impingement syndrome in athletes. *The American Journal of Sports Medicine*. 8(3), 151-158.
561. Hayes, K., Ginn, K., Walton, J., Szomor, Z., & Murrell, G. (2004). A randomised clinical trial evaluating the efficacy of physiotherapy after rotator cuff repair. *Australian Journal of Physiotherapy*. 50, 77-83. Assessment: Inadequate.
562. Hayes, K., & Petersen, C. (2003). Reliability of classifications derived from Cyriax's resisted testing in subjects with painful shoulders and knees. *Journal of Orthopaedic and Sports Physical Therapy*. 33(5), 235-246. Abstract Only.
563. *Health Technology Assessment*. (2005). Epidemiology and background. Executive summary: Prevention and treatment of postmenopausal osteoporosis. 9; 22.
564. Hegedus, E., Goode, A., Campbell, S., Morin, A., Tamaddoni, M., Mooreman, III, C., & Cook, C. (2008). Physical examination tests of the shoulder: a systematic review with meta-analysis of individual tests. *The British Journal of Sports Medicine*. 42, 80-92. Assessment: Inadequate
565. **Henkus, H., Cobben, L., Coerkamp, E., Nelissen, H., & van Arkel, E. (2006). The accuracy of subacromial injections: A prospective randomized magnetic**

566. Herold, T., Bachthaler, M., Hamer, O., Hente, R., Feuerbach, S., Fellner, C., Strotzer, M., & Paetzel, C. (2006). Indirect MR arthrography of the shoulder: use of abduction and external rotation to detect full- and partial-thickness tears of the supraspinatus tendon. *Radiology*. 240(1), 152-160. Abstract Only.
567. Herscovici, Jr., D., Saunders, D., Johnson, M., Sanders, R., & Di Pasquale, T. (2000). Percutaneous fixation of proximal humeral fractures. *Clinical Orthopaedics and Related Research*. 375, 97-104.
568. Hill, J., McGuire, M., & Crosby, L. (1997). Closed treatment of displaced middle-third fractures of the clavicle gives poor results. *British Editorial Society of Bone and Joint Surgery*. 79-B: 537-9.
569. Hirano, M., Junji, I., & Takagi, K. (2002). Acromial shapes and extension of rotator cuff tears: Magnetic resonance imaging evaluation. *Journal Elbow Surgery*. 11; 576-8.
570. Hodgson, S., Mawson, S., & Stanley, D. (2003). Rehabilitation after two-part fractures of the neck of the humerus. *The Journal of Bone and Joint Surgery*. 85-B (3), 419-422.
571. **Hodgson, S., Mawson, S., Saxton, J., & Stanley, D. (2007). Rehabilitation of two-part fractures of the neck of the humerus (two-year follow-up). *The Journal of Shoulder and Elbow Surgery*. 16(2), 143-145. Assessment: Adequate**
572. Hootman, J. (2004). Acromioclavicular dislocation: Conservative or surgical therapy. *Journal of Athletic Training*. 39(1), 10-11.
573. Hovelius, L. (1987). Anterior dislocation of the shoulder in teen-agers and young adults. Five-year prognosis. *The Journal of Bone and Joint Surgery*. 69(3), 393-399.
574. Hovelius, L., Augustini, B., Fredin, H., Johansson, O., Norlin, R., & Thorling, J. (1996). Primary anterior dislocation of the shoulder in young patients. A ten-year prospective study. *The Journal of Bone and Joint Surgery*. 78-A (11), 1677-1684.
575. Hsu, J., Paletta, Jr, G., Gambardella, R., & Jobe, F. (2007). Musculocutaneous nerve injury in major league baseball pitchers: A report of 2 cases. *American Journal of Sports Medicine*. 35(6), 1003-1006.
576. Iannotti, J., & Norris, T. (2003). Influence of preoperative factors on outcome of shoulder arthroplasty for glenohumeral osteoarthritis. *The Journal of Bone and Joint Surgery*. 85-A (2), 251-258.
577. Iannotti, J., & Jobe, C. (2006). Research issues in 2006, controversies in management of the contact athlete, and managing elbow and shoulder maladies in the young patient. *American Shoulder and Elbow Surgeons*. 6 (1), 1-20.
578. Ilfeld, B., Vandenborne, K., Duncan, P., Sessler, D., Enneking, F., Shuster, J., Theriaque, D., Chmielewski, T., Spadoni, E., & Wright, T. (2006). Ambulatory continuous interscalene nerve blocks decrease the time to discharge readiness after total shoulder arthroplasty. *Anesthesiology*. 105, 999-1007.
579. Ilfeld, B., Wright, T., Enneking, F., & Morey, T. (2005). Joint range of motion after total shoulder arthroplasty with and without a continuous interscalene nerve block: A

580. Inaba, A., & Yokota, T. (2003). Isolated musculocutaneous nerve palsy during sleep [Letter to the Editor]. *Muscle & Nerve*. 773-774.
581. *Institute For Clinical Systems Improvement (ICSI)*. (2006). Diagnosis and treatment of osteoporosis.
582. *Institute For Work & Health*. (2006). Disabilities of the arm, shoulder, and hand, (DASH Questionnaire).
583. **Itoi, E., Hatakeyama, Y., Sato, T., Kido, T., Minagawa, H., Yamamoto, N., et al. (2007). Immobilization in external rotation after shoulder dislocation reduces the risk of recurrence: A randomized controlled trial. *The Journal of Bone & Joint Surgery*. 89, 2124-2131. Assessment: Adequate.**
584. Itoi, E., Hatakeyama, Y., Kido, K., Sato, T., Minagawa, H., Wakabayashi, I., & Kobayashi, M. (2003). A new method of immobilization after traumatic anterior dislocation of the shoulder: A preliminary study. *Journal of Shoulder and Elbow Surgery*. 12(5), 413-415.
585. Itoi, E., & Tabata, S. (1992). Incomplete rotator cuff tears. Results of operative treatment. *Clinical Orthopaedics and Related Research*. 284, 128-135.
586. Jacob, A., & Sallay, P. (1997) Therapeutic efficacy of corticosteroid injections in the acromioclavicular joint. *Methodist Sports Medicine Center*. 380-385.
587. Jacobson, S., Speer, K., Moor, J., Janda, D., Saddemi, S., MacDonald, P., & Mallon, W. (1995). Reliability of radiographic assessment of acromial morphology. *Journal of Shoulder and Elbow Surgery*. 4(6), 449-453.
588. **Jakobsen, B., Johannsen, H., Suder, P., & Sojbjerg, J. (2007). Primary repair versus conservative treatment of first-time traumatic anterior dislocation of the shoulder: A randomized study with 10-year follow-up. *The Journal of the Arthroscopic and Related Surgery*. 23(2), 118-123. Assessment: Adequate**
589. Jaworski, C. (2007). Current understanding of teninopathies and treatment options. *American Academy of Family Physician*. 76(6), 773-775.
590. Jerosch, J., & Aldawoudy, A. (2007). Chondrolysis of the glenohumeral joint following arthroscopic capsular release for adhesive capsulitis: a case report. *Knee Surgery, Sports Traumatology, Arthroscopy*. 15(3), 292-294.
591. Jingushi, S., Mizuno, K., Matsushita, T., & Itoman, M. (2007). Low-intensity pulsed ultrasound treatment for postoperative delayed union or nonunion of long bone fractures. *Journal of Orthopaedic Science*. 12, 35-41.
592. Johnson, A., Godges, J., Zimmerman, G., & Ounanian, L. (2007). The effect of anterior versus posterior glide joint mobilization on external rotation range of motion in patients with shoulder adhesive capsulitis. *Journal of Orthopaedic & Sports Physical Therapy*. 37(3), 88-99.
593. Johnson, S., Petkov, V., & Williams, M. (2005). Improving osteoporosis management in patients with fractures. *Osteoporos International*. 16, 1079-1085.

594. Jones, D., & Chattopadhyay, C. (1999). Suprascapular nerve block for the treatment of frozen shoulder in primary care: a randomized trial. *British Journal of General Practice*. 49, 39-41. Assessment: Inadequate.
595. Jorgensen, U., Svend-Hansen, H., Bak, H., & Pedersen, I. (1999). Recurrent post-traumatic anterior shoulder dislocation-open versus arthroscopic repair. *Knee Surgery, Sports Traumatology, Arthroscopy*. 7(2), 118-124. Abstract Only.
596. Katolik, L., Romeo, A., Cole, B., Verma, N., Hayden, J. & Bach, B. (2005). Normalization of the Constant Score. *Journal of Shoulder and Elbow Surgery*. 14(3), 279-285.
597. Kelly, B., Roskin, L., Kirkendall, D., & Speer, K. (2000). Shoulder muscle activation during aquatic and dry land exercises in nonimpaired subjects. *Journal of Orthopaedic & Sports Physical Therapy*. 30, 204-210.
598. Kennedy, C., Haines, T., & Beaton, D. (2006). Eight predictive factors associated with response patterns during physiotherapy for soft tissue shoulder disorders were identified. *Journal of Clinical Epidemiology*. 59, 485-496.
599. Kettler, M., Tingart, M., Lunger, J., & Kuhn, V. (2008). Reattachment of the distal tendon of biceps: Factors affecting the failure strength of repair. *The Journal of Bone and Joint Surgery*. 90-B (1), 103-106.
600. Kibler, W., Uhl, T., Maddux, J., Brooks, P., Zeller, B., & McMullen, J. (2002). Qualitative clinical evaluation of scapular dysfunction: a reliability study. *Journal of Shoulder and Elbow Surgery*. 11(6), 550-556.
601. **Kim, S., Ha, K., & Han, K. (1999). Biceps load test: A clinical test for superior labrum anterior and posterior lesions in shoulders with recurrent anterior dislocations. *American Journal of Sports Medicine*. 27; 300-304. Assessment: Adequate.**
602. Kim, S., Ha, K., Jung, M., Lim, M., Kim, Y., & Park, J. (2003). Accelerated rehabilitation after arthroscopic Bankart repair for selected cases: a prospective randomized clinical study. *Arthroscopy*. 19(7), 722-731. Abstract Only,
603. Kim, S., Ha, K., Ahn, J., Kim, S., & Choi, H. (2001). Biceps load test II: A clinical test for SLAP lesions of the shoulder. *The Journal of the Arthroscopic and Related Surgery*. 17(2), 160-164.
604. Kim, S., Ha, K., Kim, S., & Choi, H. (2002). Results of arthroscopic treatment of superior labral lesions. *The Journal of Bone and Joint Surgery*. 84-A (6), 981-985.
605. Kim, T., Queale, W., Cosgarea, A., & McFarland, E. (2003). Clinical features of the different types of SLAP lesions. An analysis of one hundred and thirty-nine cases. *The Journal of Bone and Joint Surgery*. 85-A (1), 66-71.
606. Kim, Y., Kim, J., Ha, K., Choy, S., Joo, M., & Chung, Y. (2007). The passive compression test: A new clinical test for superior labral tears of the shoulder. *American Journal of Sports Medicine*. 35, 1489-1494.
607. Kirkley, A., Werstine, R., Ratjek, A., & Griffin, S. (2005). Prospective randomized clinical trial comparing the effectiveness of immediate arthroscopic stabilization versus immobilization and rehabilitation in first traumatic anterior dislocation of

608. Kirkley, A., Litchfield, R., Jackowski, D., & Lo, I. (2002). The use of the impingement test as a predictor of outcome following subacromial decompression for rotator cuff tendinosis. *The Journal of the Arthroscopic and Related Surgery*. 18(1), 8-15.
609. Kivimaki, J., Pohjolaninen, T., Malmivaara, A., Kannisto, M., Guillaume, J., Seitsalo, S., & Nissinen, M. (2007). Manipulation under anesthesia with home exercise versus home exercises alone in the treatment of frozen shoulder: A randomized controlled trial with 125 patients. *Journal of Shoulder and Elbow Surgery*. 16(6), 722-726.
610. Kivimaki, J., & Pohjolaninen, T. (2001). Manipulation under anesthesia for frozen shoulder with and without steroid injection. *Archives of Physical Medicine and Rehabilitation*. 82(9), 1188-1190. Assessment: Inadequate
611. Kleinhenz, J., Streitberger, K., Windeler, J., Guissbacher, A., Mavridis, G., & Martin, E. (1999). Randomised clinical trial comparing the effects of acupuncture and a newly designed placebo needle in rotator cuff tendinitis. *Pain*. 83(2), 235-241. Abstract Only.
612. Klepps, S., & Shenton, D. (2007). Current treatment of acromioclavicular separations. *Current Opinion in Orthopaedics*, 18, 373-379.
613. Ko, J., Huang, C., Chen, W., Chen, C., Chen, S., & Wang, C. (2006) Pathogenesis of partial tear of the rotator cuff: A clinical and pathologic study. *Journal of Shoulder and Elbow Surgery*. 15(3), 271-278.
614. Koester, M., George, M., & Kuhn, J. (2005). Shoulder impingement syndrome. *The American Journal of Medicine*. 118, 452-455.
615. Kralinger, F., Schwaiger, R., Wambacher, M., Farrell, E., Menth-Chiari, W., Lajai, G., Hubner, C., & Resch, H. (2004). Outcome after primary hemiarthroplasty for fracture of the head of the humerus. *The Journal of Bone and Joint Surgery*. 86-B (2), 217-219.
616. Krief, O., & Huguet, D. (2006). Shoulder pain and disability: comparison with MR findings. *American Journal of Roentgenology*. 186, 1234-1239.
617. Krivickas, L., & Wilbourn, A. (2000). Peripheral nerve injuries in athletes: A case series of over 200 injuries. *Seminars In Neurology*. 20(2), 225-232.
618. Kropf, E., & Sekiya, J. (2007). Osteoarticular allograft transplantation for large humeral head defects in glenohumeral instability. *The Journal of the Arthroscopic and Related Surgery*. 23(3). 322e1-322e5.
619. Kuo, I., Ong, C. Simmons, L., Bliuc, D., Eisman, J. & Center, J. (2007). Successful direct intervention for osteoporosis in patients with minimal trauma fractures. *Osteoporosis Int*. 18: 1633-1639.
620. Lastayo, P., Wright, T., Jaffe, R., & Hartzel, J. (1998). Continuous passive motion after repair of the rotator cuff. *The Journal of Bone and Joint Surgery*. 80-A (7), 1002-1011.

621. Lazaro-Blazquez, D., & Soto, O. (2004). Combined median and medial antebrachial cutaneous neuropathies: an upper-arm neurovascular syndrome. *Electromyography Clinical Neurophysiology*. 44(3), 187-191. Abstract Only.
622. **Lenters, T., Franta, A., Wolf, F., Leopold, S., & Matsen, III, F. (2007). Arthroscopic compared with open repairs for recurrent anterior shoulder instability. *The Journal of Bone and Joint Surgery*. 89-A (2), 244-254. Assessment: Adequate.**
623. Levine, W., & Flatow, E. (2000). The pathophysiology of shoulder instability. *The American Journal of Sports Medicine*. 28(6), 910-917.
624. Levy, A., Lintner, S., Kenter, K., & Speer, K. (1999). Intra- and interobserver reproducibility of the shoulder laxity examination. *The American Journal of Sports Medicine*. 27(4), 460-463.
625. Levy, J., Virani, N., Pupello, D., & Frankle, M. (2007). Use of the reverse shoulder prostheses for the treatment of failed hemiarthroplasty in patients with glenohumeral arthritis and rotator cuff deficiency. *The Journal of Bone and Joint Surgery*. 89-B (2), 189-195.
626. Levy, O., Funk, L., Sforza, G., & Copeland, S. (2004). Copeland surface replacement arthroplasty of the shoulder in rheumatoid arthritis. *The Journal of Bone and Joint Surgery*. 86-A (3), 512-518.
627. Lillkrona, U. (2007). Editorial. How should we use the constant score? *Journal of Shoulder & Elbow Surgery*. 1-2.
628. Lim, J., Acornley, A., & Dodenhoff, R. (2005). Recovery after arthroscopic subacromial decompression: prognostic value of the subacromial injection test. *The Journal of the Arthroscopic and Related Surgery*. 21(6), 680-683.
629. Litaker, D., Piro, M., Bilbeisi, H., & Brems, J. (2000). Returning to the bedside: using the history and physical examination to identify rotator cuff tears. *Journal of the American Geriatrics Society*. 48, 1633-1637.
630. Liu, H., Chao, C., Hsieh, J., & Jiang, C. (2006). Humeral head osteonecrosis after extracorporeal shock-wave treatment for rotator cuff tendinopathy. *The Journal of Bone and Joint Surgery*. 88-A (6), 1353-1356.
631. Liu, H., Paige, N, Goldzweig, C., Wong, E., Zhou, A., Suttorp, M., Munjas, B., Orwoll, E., & Shekelle, P. (2008). Screening for osteoporosis in men: A systematic review for an american college of physicians guidelines. *Annals of Internal Medicine*. 148 (9), 685-701.
632. Liu, S., Henry, M., & Nuccion, S. (1996). A prospective evaluation of a new physical examination in predicting glenoid labral tears. *The American Journal of Sports Medicine*. 24(6), 721-725.
633. Lo, I., Nonweiler, B., Woolfrey, M., Litchfield, R., & Kirkley, A. (2004). An evaluation of the apprehension, relocation, and surprise tests for anterior shoulder instability. *The American Journal of Sports Medicine*. 32(2), 301-307.
634. Lo, I., Griffin, S., & Kirkley, A. (2001). The development of a disease-specific quality of life measurement tool for osteoarthritis of the shoulder: The western ontario

635. Lofman, O., Hallberg, I., Berglund, K., Wahlstrom, O., Kartous, L., Rosenqvist, A., Larsson, L., & Toss, G. (2007). Women with low-energy fracture should be investigated for osteoporosis. *Acta Orthopaedica*. 78(6), 813-821.
636. Lowenstein, L., Jesse, K., & Kenton, K. (2007). Comparison of perception threshold testing and thermal-vibratory testing. *Muscle and Nerve*. Abstract Only.
637. Lubiecki, M., & Carr, A. (2007). Editorial. Frozen shoulder: past, present, and future. *Journal of Orthopaedic Surgery*. 15.
638. Luime, J., Verhagen, A., Miedema, H., Kuiper, J., Burdorf, A., Verhaar, J., & Koes, B. (2004). Does this patient have an instability of the shoulder or a labrum lesion? *Journal of American Medical Association*. 292(16), 1989-1999.
639. Luime, J, Koes, B, Miedem, H, Verhaar, J & Burdorf, A. (2005). High incidence and recurrence of shoulder and neck pain in nursing home employees was demonstrated during a 2-year follow-up. *Journal of Clinical Epidemiology*. 58; 407-413.
640. MacDonald, P., Clark, P., & Sutherland, K. (2000). An analysis of the diagnostic accuracy of the Hawkins and Neer subacromial impingement signs. *Journal of Shoulder and Elbow Surgery*. 9(4), 299-301.
641. Madronero, A., Pitillas, I., & Manso, F. (1988). Pulsed electromagnetic field treatment failure in radius non-united fracture healing. *Journal of Biomedical Engineering*. 10(5), 463-466. Abstract Only.
642. Maeseneer, M., Van Roy, F., Lenchik, L., Shahabpour, M., Jacobson, J., Ryu, K., Handelberg, F., & Osteaux, M. (2000). CT and MR arthrography of the normal and pathologic anterosuperior labrum and labral-bicipital complex. *RadioGraphics*. 20, S67-S81.
643. Magee, T., Williams, D., & Mani, N. (2004). Shoulder MR arthrography: Which patient group benefits most? *American Journal of Roentgenology*. 183, 969-974.

644. Maier, D., Jaeger, M., Suedkamp, N., & Koestler, W. (2007). Stabilization of the long head of the biceps tendon in the context of early repair of traumatic subscapularis tendon tears. *The Journal of Bone and Joint Surgery*. 86, 1763-1769.
645. Makela, J., Ramstad, R., Mattila, V., & Pihlajamaki, H. (2006). Brachial plexus lesions after backpack carriage in young adults. *Clinical Orthopaedics and Related Research*. 452, 205-209.
646. Malliou, P., Giannakopoulos, K., Beneka, A., Gioftsidou, A., & Godolias, G. (2004). Effective ways of restoring muscular imbalances of the rotator cuff muscle group: A comparative study of various training methods. *British Journal of Sports Medicine*. 38(6), 766-772. Abstract Only.
647. Mallon, W., Misamore, G., Snead, D., & Denton, P. (2004). The impact of preoperative smoking habits on the results of rotator cuff repair. *Journal of Shoulder and Elbow Surgery*. 13(2), 129-132.
648. Matsen, F.A., & Smith, K.L. (1990). Effectiveness evaluation and the shoulder. In Rockwood & Matsen (Eds), *The Shoulder. Second Edition Volume 2*, 1316-1325.
649. Matson, F., Chebli, C., & Lippitt, S. (2006). Principles for the Evaluation and Management of Shoulder Instability. *The Journal of Bone & Joint Surgery*. 88-A (3), 648-659.
650. Matsoukis, J., Tabib, W., Guiffant, P., Mandelbaum, A., Walch, G., Nemoz, C., et al. (2003). Shoulder arthroplasty in patients with a prior anterior shoulder dislocation. Results of a multicenter study. *The Journal of Bone and Joint Surgery*. 85-A (8), 1417-1424. Abstract Only.
651. Mazzocca, A., Arciero, R., & Bicos, J. (2007). Evaluation and treatment of acromioclavicular joint injuries. *The American Journal of Sports Medicine*. 35, 316-329.
652. McCarrick, M., & Kemp, J. (2000) The effect of strength training and reduced training on rotator cuff musculature. *Clin Biomech*. 15 Suppl 1, 42-45. Abstract Only.
653. McClain, R., Hotari, C., Scribner, C., & Detrisac, D. (2008). The clinical value of histologic examination in shoulder arthroscopy. *The Journal of Bone and Joint Surgery*. 90-A (2), 281-283.
654. McFarland, E., Kim, T., & Savino, R. (2002). Clinical assessment of three common tests for superior labral anterior-posterior lesions. *The American Journal of Sports Medicine*. 30(6), 810-815.
655. McFarland, E., Selhi, H., & Keyurapan, E. (2006). Clinical evaluation of impingement: What to do and what works. *The Journal of Bone & Joint Surgery*. 88-A (2), 432-441.
656. McGillicuddy, J. (2004). Cervical radiculopathy, entrapment neuropathy, and thoracic outlet syndrome: how to differentiate? *Journal of Neurosurgery*, 1, 179-187.
657. McKee, M., Pederson, E., Jones, C., Stephen, D., Kreder, H., Schemitsch, E., et al. (2006). Deficits following nonoperative treatment of displaced midshaft clavicular fractures. *The Journal of Bone and Joint Surgery*. 88, 35-40.
658. Meller, R., Krettek, C., Gosling, T., Wahling, K., Jagodzinski, M., & Zeichen, J. (2007). Recurrent shoulder instability among athletes: changes in quality of life, sports activity,

659. Mihita, T., McGarry, M., Tibone, J., Abe, M., & Lee, T. (2005). Type II SLAP lesions: A new scoring system- The sulcus score. *Journal of Shoulder and Elbow Surgery*. 14(15), 19S-23S.
660. Milano, G., Grasso, A., Salvatore, M., Zarelli, D., Deriu, L., & Fabbriani, C. (2007). Arthroscopic rotator cuff repair with and without subacromial decompression: A prospective randomized study. *The Journal of the Arthroscopic and Related Surgery*. 23(1), 81-88. Assessment: Inadequate.
661. Milgrom, C., Schaffler, M., Gilbert, S., & van Holsbeeck, M. (1995). Rotator-cuff changes in asymptomatic adults. *Journal of Bone & Joint Surgery*. 77-B, 296-298.
662. Mimori, K., Muneta, T., Nakagawa, T., & Shinomiya, K. (1999). A new pain provocation test for superior labral tears of the shoulder. *American Journal of Sports Medicine*. 27:2, 137-142.
663. Misamore, G., Ziegler, D. & Rushton, J. (1995). Repair of the rotator cuff. A comparison of results in two populations of patients. *Journal of Bone & Joint Surgery*. 77; 1335-1339.
664. Mitchell, C., Adebajo, A., Hay, E., & Carr, A. (2005). Shoulder pain: diagnosis and management in primary care. *British Medical Journal*. 331, 1124-1128.
665. Moghekar, A., Moghekar, A., Karli, N., & Chaudhry, V. (2007). Brachial plexopathies: Etiology, frequency and electrodiagnostic localization. *Journal of Clinical Neuromuscular Disease*. 9(1), 243-247.
666. Morgan, C., Burkhart, S., Palmeri, M., & Gillespie, M. (1998). Type II SLAP lesions: Three subtypes and their relationships to superior instability and rotator cuff tears. *Arthroscopy: The Journal of the Arthroscopic and Related Surgery*. 14(6), 553-565.
667. Mullins, G., O'Sullivan, S., Neligan, A., Daly, S., Galvin, R., Sweeney, B., & McNamara, B. (2007). Non-traumatic brachial plexopathies, clinical, radiological and neurophysiological findings from a tertiary centre. *Clinical Neurology and Neurosurgery*. 109, 661-666.
668. Murrell, G. & Walton, J. (2001). Diagnosis of rotator cuff tears. *The Lancet*. 357; 769-770.
669. Nath, R., Lyons, A., & Bietz, G. (2007). Microneurolysis and decompression of long thoracic nerve injury are effective in reversing scapular winging: Long-term results in 50 cases. *BMC Musculoskeletal Disorders*. 8(25), 1-7.
670. *National Guidelines Clearinghouse*. (2002). Medical treatment guidelines. Screening for osteoporosis in postmenopausal women: recommendation and rationale. <http://www.ngc.gov/>.
671. *National Guidelines Clearinghouse*. (2003). Medical treatment guidelines. Review criteria for knee surgery. Washington Department of Labor and Industries.
672. *National Guidelines Clearinghouse*. (2003). Physician's guide to prevention and treatment of osteoporosis.
673. *National Guidelines Clearinghouse*. (2006). Diagnosis and treatment of osteoporosis.

674. *National Osteoporosis Foundation*. (2003). *Physician's Guide to prevention and treatment of osteoporosis*. Washington (DC): National Osteoporosis Foundation.
675. Natsis, K., Tsikaras, P., Totlis, T., Gigis, I., Skandalakis, P., Appell, H., et al. (2007). Correlation between the four types of acromion and the existence of enthesophytes: A study on 423 dried scapulas and review of the literature. *Clinical Anatomy*. 20, 267-272.
676. Nicholson, G., Goodman, D., Flatow, E., & Bigliani, L. (1996). The acromion: Morphologic condition and age-related changes. A study of 420 scapulas. *Journal of Shoulder and Elbow Surgery*. 5(1), 1-11.
677. Nordqvist, A., Petersson, C., & Redlund-Johnell, I. (1998). Mid-clavicle fractures in adults: end results study after conservative treatment. *Journal of Orthopaedic Trauma*. 12 (8): 572-576.
678. Nordqvist, A., Redlund-Johnell, I. von Scheele, A., & Petersson, C. (1997). Shortening of clavicle after fracture: Incidence and clinical significance, a 5-year follow-up of 85 patients. *Acta Orthopaedica Scandinavica*. 68(4). 349-351.
679. Norregaard, J., Krogsaard, M., Lorenzen, T., & Jensen, E. (2008). Diagnosing patients with longstanding shoulder joint pain. *Annals of Rheumatic Diseases*. 61, 646-649.
680. Nuber, G., & Bowen, M. (2003). Arthroscopic treatment of acromioclavicular joint injuries and results. *Clinics in Sports Medicine*. 22, 301-317.
681. O'Brien, S., Allen, A., Coleman, S., & Drakos, M. (2002). The trans-rotator cuff approach to SLAP lesions: Technical aspects for repair and a clinical follow-up of 31 patients at a minimum of 2 years. *Arthroscopy: The Journal of Arthroscopic and Related Surgeries*. 18(4), 372-377.
682. O'Driscoll, S., Goncalves, L., & Dietz, P. (2007). The hook test for distal biceps tendon avulsion. *American Journal of Sports Medicine*. 35(11), 1865-1869.
683. Oh, T., Kim, J., Kim, W., Gong, H., & Lee, J. (2008). The evaluation of various physical examinations for the diagnosis of type II superior labrum anterior and posterior lesion. *American Journal of Sports Medicine*. 36, 353-359.
684. Okike, K., Kocher, M., Mehlman, C., & Bhandari, M. (2007). Conflict of interest in orthopaedic research: An association between findings and funding in scientific presentations. *The Journal of Bone & Joint Surgery*. 89-A (3), 608-613.
685. Omar, N., Alvi, F., & Srinivasan, M. (2007). An unusual presentation of whiplash injury: long thoracic and spinal accessory nerve injury. *European Spine Journal*. 16 (Suppl 3), 275-7. Abstract Only.
686. Osinski, T., Malfair, D., & Steinbach, L. (2006). Magnetic resonance arthrography. *Orthopedic Clinics of North America*. 37, 299-319.
687. Ostor, A., Richards, C., Prevost, A., Hazleman, B., & Speed, C. (2004). Interrater reproducibility of clinical tests for rotator cuff lesions. *Annals of the Rheumatic Diseases*. 63, 1288-1292.
688. **Pan, P., Chou, C., Chiou, H., Mu, H., Chen Lee, H., & Chan, R. (2003). Extracorporeal shock wave therapy for chronic calcific tendinitis of the**

689. Park, H., Lin, S., Yokota, A., & McFarland, E. (2004). Return to play for rotator cuff injuries and superior labrum anterior posterior (SLAP) lesions. *Clinics in Sports Medicine*. 23, 321-334.
690. Park, H., Yokota, A., Gill, H., Rassi, G., & McFarland, E. (2005). Diagnostic accuracy of clinical tests for the different degrees of subcromial impingement syndrome. *The Journal of Bone and Joint Surgery*. 1446-1455.
691. Parsons, IV, I., Millett, P., & Warner, J. (2004). Glenoid wear after shoulder hemiarthroplasty. *Clinical Orthopaedics and Related Research*. 421, 120-125.
692. Paxinos, A., Walton, J., Rutten, S., Muller, M., & Murrell, G. (2006). Arthroscopic stabilization of superior labral (SLAP) tears with biodegradable tack: Outcomes to 2 years. *Arthroscopy: The Journal of Arthroscopic and Related Surgery*. 22(6), 627-634.
693. Pfahler, M., Haraida, S., Schulz, C. Anetzberger, H., Refior, H., Bauer, S., & Bigliani, U. (2003). Age-related changes of the glenoid labrum in normal shoulders. *Journal of Shoulder and Elbow Surgery*. 12(1), 40-52.
694. Phillips, A., Smart, C., & Groom, A. (1998). Acromioclavicular dislocation. Conservative or surgical therapy. *Clinical Orthopaedics and Related Research*. 353, 10-7. Abstract Only.
695. Placzek, J., Lukens, S., Badalanmenti, S., Roubal, P., Freeman, D., Walleman, K., et al. (2004). Shoulder outcome measures: A comparison of 6 functional tests. *The American Journal of Sports Medicine*. 32(5), 1270-1277.
696. Poolman, R., Struijjs, P., Krips, R., Sierevelt, I., Marti, R., Farrokhyar, F., et al. (2007). Reporting outcomes in orthopaedic randomized trials: Does blinding of outcome assessors matter? *The Journal of Bone and Joint Surgery*. 89-A (3), 550-558.
697. Potter, H., & Foo, L. (2006). Magnetic resonance imaging of articular cartilage: Cartilage, degeneration, and repair. *The American Journal of Sports Medicine*. 34(4), 664-677.
698. Potter, J., Jones, C., Wild, L., Schemitsch, E., & McKee, M. (2007). Does delay matter? The restoration of objectively measured shoulder strength and patient-oriented outcome after immediate fixation versus delayed reconstruction of displaced midshaft fractures of the clavicle. *The Journal of Shoulder and Elbow Surgery*. 16(5), 514-518.
699. Provencher, M., Mologne, T., Hongo, M., Zhao, K., Tasto, J., & An, K. (2007). Arthroscopic versus open rotator interval closure: biomechanical evaluation of stability and motion. *Arthroscopy*. 23(6), 583-592.
700. Qaseem, A., Snow, V., Shekelle, P., Hopkins, Jr., R., Forcica, M., & Owens, D. (2008). Screening for osteoporosis in men: A clinical practice guideline for the American college of physicians. *Annals of Internal Medicine*. 148, 680-684.
701. Quillien, D., Wuchner, M., & Hatch, R. (2004). Acute shoulder injuries. *American Family Physician*. 70(10), 1947-1954.

702. Ramsey, M., Getz, C., & Parsons, B. (2007). What's new in shoulder and elbow surgery? *The Journal of Bone & Joint Surgery*. 89-A (1), 220-230.
703. Razmjou, H., Bean, A., Osnabrugge, V., MacDermid, J., & Holtby, R. (2006). Cross-sectional and longitudinal construct validity of two rotator cuff disease-specific outcome measures. *BioMed Central Musculoskeletal Disorders*. 7(26), <http://www.biomedcentral.com/1471-2474/7/26>
704. Reilly, P, Macleod, I, MacFarlane, R., Windley, J., & Emery, R., (2006). Dead men and radiologists don't lie; a review of cadaveric and radiological studies of rotator cuff tear prevalence. *Annals Royal College of Surgeons of England*. 88: 116-121.
705. Reuss, B., Schwartzberg, R., Zlatkin, M., Cooperman, A., & Dixon, J. (2006). Magnetic resonance imaging accuracy for the diagnosis of superior labrum anterior-posterior lesions in the community setting: Eighty-three arthroscopically confirmed cases. *Journal of Shoulder and Elbow Surgery*. 15(5), 580-585.
706. Richards, R., An, K., Bigliani, L., Friedman, R., Gartsman, G., Gristina, A., Iannotti, V., Mow, V., Sidles, J., & Zuckerman, J. (1994). A standardized method for the assessment of shoulder function. *Journal of Shoulder and Elbow Surgery*. 3(6), 347-352. Abstract Only.
707. Riley, G. (2008). Tendinopathy-from basic science to treatment. *Nature Clinical Practice Rheumatology*. 4(2), 82-89.

708. Robinson, C., Howes, J., Murdoch, H., Will, E., & Graham, C. (2006). Functional outcome and risk of recurrent instability after primary traumatic anterior shoulder dislocation in young patients. *The Journal of Bone and Joint Surgery*. 88(11), 2326-2336.
709. Robinson, C., Kelly, M., & Wakefield, A. (2002). Redislocation of the shoulder during the first six weeks after a primary anterior dislocation: Risk factors and results of treatment. *The Journal of Bone and Joint Surgery*. 84-A (9), 1552-1559.
710. Rockwood, Jr., C. (2007). Editorial. The reverse total shoulder prosthesis. *The Journal of Bone and Joint Surgery*. 89-A (2), 233-235.
711. Roddey, T., Olson, S., Cook, K., Gartsman, G., & Hanten, W. (2000). Comparison of the University of California-Los Angeles shoulder scale and the simple shoulder test with the shoulder pain and disability index: Single-administration reliability and validity. *Physical Therapy*. 80(8), 759-768.
712. **Roddey, T., Olson, S., Gartsman, G., Hanten, W., & Cook, K. (2002). A randomized controlled trial comparing 2 instructional approaches to home exercise instruction following arthroscopic full-thickness rotator cuff repair surgery. *Journal of Orthopaedic & Sports Physical Therapy*. 32(11), 548-559. Assessment: Adequate**
713. Romero, A., Mazzocca, A., Hang, D., Shott, S., & Bach, Jr., B. (2004). Shoulder scoring scales for the evaluation of rotator cuff repair. *Clinical Orthopaedics and Related Research*. 427, 107-114.
714. Rompe, J., Zoellner, J., & Nafe, B. (2001). Shock wave therapy versus conventional surgery in the treatment of calcifying tendinitis of the shoulder. *Clinical Orthopaedics and Related Research*. 387, 72-82.
715. Rothman, K. (1990). No adjustments are needed for multiple comparisons. *Epidemiology Resources*. 1(1), 43-46.
716. *Rotator Cuff Tear*. (n.d.). Retrieved December 13, 2007, from <http://209.85173.104/search?q=cache:SE5HWpJulKIJ:www.orthospecmd.com/RotatorCuff.html>
717. Rovetta, G., & Monteforte, P. (1998). Intraarticular injection of sodium hyaluronate plus steroid versus steroid in adhesive capsulitis of the shoulder. *Bioscience Ediprint*. 125-130. Assessment: Inadequate.
718. Rowan, K., Andrews, G., Spielmann, A., & Leith, J. (2007). MR shoulder arthrography in patients younger than 40 years of age: Frequency of rotator cuff tear versus labroligamentous pathology. *Australasian Radiology*. 51, 257-259.
719. Rubin, B., & Kibler, B. (2002). Fundamental principles of shoulder rehabilitation: conservative to postoperative management. *The Journal of Arthroscopic and Related Surgery*. 18; 29-39.
720. **Ryans, I., Montgomery, A., Galway, R., Kernohan, W., & McKane, R. (2005). A randomized controlled trial of intra-articular triamcinolone and/or physiotherapy in shoulder capsulitis. *Rheumatology (Oxford, England)*. 44(4), 529-535. Assessment: High-quality.**

721. Ryu, K., Lee, S., Rhee, Y., & Lim, J. (1993). *Journal of Ultrasound Medicine*. 12, 445-449.
722. Sabeti-Aschraf, M., Dorotka, R., Goll, A., & Trieb, K. (2005). Extracorporeal shock wave therapy in the treatment of calcific tendinitis of the rotator cuff. *The American Journal of Sports Medicine*. 33(9), 1365-1368. Assessment: Inadequate.
723. Safran, M. (2004). Nerve injury about the shoulder in athletes, part 1: Suprascapular nerve and axillary nerve. *The American Journal of Sports Medicine*. 32(3), 803-819.
724. Safran, M. (2004). Nerve injury about the shoulder in athletes, part 2: Long thoracic nerve, spinal accessory nerve, burners/stingers, thoracic outlet syndrome. *The American Journal of Sports Medicine*. 32(4), 1063-1076.
725. Sahin, F., Yilmaz, F., Esit, N., Aysal, F., & Kuran, B. (2007). Compressive neuropathy of long thoracic nerve and accessory nerve secondary to heavy load bearing. A case report. *Europa Medicophys*. 43(1), 71-74. Abstract Only.
726. Sanders, T., & Miller, M. (2005). A systematic approach to magnetic resonance imaging interpretation of sports medicine injuries of the shoulder. *The American Journal of Sports Medicine*. 33(7), 1088-1105.
727. Sanders, T., Morrison, W., & Miller, M. (2007). Imaging techniques for the evaluation of glenohumeral instability. *The American Journal of Sports Medicine*. 28(3), 414-434.
728. Sarris, I., Papadimitriou, N., & Sotereanos, D. (2003). Bipolar arthroplasty for chronic rotator cuff tear arthroplasty. *The Journal of Arthroplasty*. 18(2), 169-173. Abstract Only.
729. Schaden, W., Fischer, A., & Sailler, A. (2001). Extracorporeal shock wave therapy of nonunion or delayed osseous union. *Clinical Orthopaedics and Related Research*. 387, 90-94. Abstract Only.
730. **Schmitt, J., Haake, M., Tosch, A., Hildebrand, R., Deike, B., & Griss, P. (2001). Low-energy extracorporeal shock-wave treatment (ESWT) for tendinitis of the supraspinatus. *The Journal of Bone and Joint Surgery*. 83-B (6), 873-876. Assessment: Adequate.**
731. Senbursa, G., Baltaci, G., & Atay, A. (2007). Comparison of conservative treatment with and without manual physical therapy for patients with shoulder impingement syndrome: a prospective, randomized clinical trial. *Knee Surgery, Sports Traumatology, Arthroscopy*, 15, 915-921.
732. Seror, P. (2004). Medial antebrachial cutaneous nerve conduction study, a new tool to demonstrate mild lower brachial plexus lesions. A report of 16 cases. *Clinical Neurophysiology*. 115, 2316-2322.
733. Shah, N., Bayliss, N., & Malcolm, A. (2001). Shape of the acromion: Congenital or acquired—A macroscopic, radiographic, and microscopic study of acromion. *The Journal of Shoulder and Elbow Surgery*. 10(4), 309-317.

734. **Shah, N., & Lewis, M. (2007). Shoulder adhesive capsulitis: systematic review of randomised trials using multiple corticosteroid injections. *British Journal of General Practice*. 57(541), 662-668. Assessment: High-quality.**
735. Sharma, P., & Maffulli, N. (2005). Current concepts review: Tendon injury and tendinopathy: Healing and repair. *The Journal of Bone and Joint Surgery*. 87-A (1), 187-202.
736. Sher, J., Uribe, J., Posada, A, Murphy, B. & Zlatkin, M. (1995). Abnormal findings on magnetic resonance images of asymptomatic shoulders. *Journal of Bone & Joint Surgery*. 77-A (1): 10-15.
737. Sheridan, M., & Hannafin, J. (2006). Upper extremity: Emphasis on frozen shoulder. *Orthopedic Clinics of North America*. 37, 531-539.
738. Silverstein, E., Leger, R., & Shea, K. (2007). The use of intra-articular hylan G-F 20 in the treatment of symptomatic osteoarthritis of the shoulder. *The American Journal of Sports Medicine*. 35(6), 979-985.
739. Singh, H., Osbahr, D., Holovacs, T., Cawley, P., & Speer, K. (2001). The efficacy of continuous cryotherapy on the postoperative shoulder: a prospective, randomized investigation. *The Journal of Shoulder and Elbow Surgery*. 10(6), 522-525. Abstract Only.
740. Sirveaux, F., Favard, L., Oudet, D., Huquet, D., Walch, G., & Mole, D. (2004). Grammont inverted total shoulder arthroplasty in the treatment of glenohumeral osteoarthritis with massive rupture of the cuff. *The Journal of Bone and Joint Surgery*. 86-B (3), 388-395.
741. Sjoden, G., Movin, T., Guntner, P., Aspenlin, P., Ahrengart, L., Ersmark, H. & Sperber, A. (1997). Poor reproducibility of classification of proximal humeral fractures. *Acta Orthop Scand*. 68(3), 239-242.
742. Skedros, J., Hunt, K., & Pitts, T. (2007). Variations in corticosteroid/anesthetic injections for painful shoulder conditions: comparisons among orthopaedic surgeons, rheumatologists, and physical medicine and primary-care physicians. *BioMed Musculoskeletal Disorders*. 8(63). [www.biomedcentral.com/1471-2474/8/63](http://www.biomedcentral.com/1471-2474/8/63).
743. **Skedros, J., & Pitts, T. (2007). Temporal variations in a modified Neer impingement test can confound clinical interpretation. *Clinical Orthopaedics and Related Research*. 460; 130-136. Assessment: Adequate.**
744. Spangehl, M., Hawkins, R., McCormack, R., & Loomer, R. (2002). Arthroscopic versus open acromioplasty: a prospective, randomized, blinded study. *The Journal of Shoulder and Elbow Surgery*. 11(2), 101-107. Abstract Only.
745. Speed, C., & Hazleman, B. (1999). Calcific tendinitis of the shoulder. *The New England Journal of Medicine*. 340, 1582-1584.
746. Speed, C. (2006). Shoulder pain. *BMJ Clinical Evidence*. 15; 1-3.
747. Speer, K., Cavanaugh, J., Warren, R., Day, L., & Wickiewicz, T. (1993). A role for hydrotherapy in shoulder rehabilitation. *The American Journal of Sports Medicine*. 21(6), 850-853.

748. Speer, K., Osbahr, D., Montella, B., Apple, A., & Mair, S. (2001). Acromial morphotype in the young asymptomatic athletic shoulder. *The Journal of Shoulder and Elbow Surgery*. 10(5), 434-437.
749. Stein, B., Ahmad, C., Pfaff, C., Biglani, L. & Levine, W. (2006). A comparison of magnetic resonance imaging findings of the acromioclavicular joint in symptomatic versus asymptomatic patients. *Journal of Shoulder Elbow Surgery*. 15; 56-59.
750. Swamy, G., & Schemitsch, E. (1998). Humeral head fracture dislocation: Case report and review of the literature. *The Journal of Trauma*. 44(2), 377-380.
751. Swaringen, J., Mell, A., Langenderfer, J., LaScalza, S., Hughes, R., Kuhn, J., & Arbor, A. (2006). Electromyographic analysis of physical examination tests for type II superior labrum anterior-posterior lesions. *Journal of Shoulder and Elbow Surgery*. 15(5), 576-579.
752. Tan, C., Guisasola, I., Machani, B., Kemp, G., Sinopidis, C., Brownson, P., et al. (2006). Arthroscopic stabilization of the shoulder: a prospective randomized study of absorbable versus nonabsorbable suture anchors. *Arthroscopy*. 22(7), 716-720. Abstract Only.
753. Tang, B., Eslick, G., Nowson, C., Smith, C. & Bensoussan, A. (2007). Use of calcium or calcium in combination with vitamin D supplementation to prevent fractures and bone loss in people aged 50 years and older: a meta-analysis. *The Lancet*. 370: 657-66.
754. Taskaynatan, M., Yilmaz, B., Ozgul, A., Yazicioglu, K., & Kalyon, T. (2004). Suprascapular nerve block versus steroid injection for non-specific shoulder pain. *The Tohoku Journal of Experimental Medicine*. 205, 19-25.
755. Tauber, M., Moursy, M., Koller, H., Schwartz, M., & Resch, H. (2008). Direct pectoralis major muscle transfer for dynamic stabilization of scapular winging. *The Journal of Shoulder and Elbow Surgery*. 17(1), (Suppl 1), S29-S34.
756. Taverna, E., Battistella, F., Sansone, V., Perfetti, C., & Tasto, J. (2007). Radiofrequency-based plasma microtenotomy compared with arthroscopic subacromial decompression yields equivalent outcomes for rotator cuff tendinosis. *The Journal of Arthroscopic and Related Surgery*. 23(10), 1042-1051.
757. Tennent, T., Beach, W., & Meyers, J. (2003). Clinical sports medicine update. A review of the special tests associated with shoulder examination: Part I: The rotator cuff tests. *The American Journal of Sports Medicine*. 31(1), 154-160.
758. Tennent, T., Beach, W., & Meyers, J. (2003). Clinical sports medicine update. A review of the special tests associated with shoulder examination: Part II: Laxity, instability, and superior labral anterior and posterior (SLAP) lesions. *The American Journal of Sports Medicine*. 31(2), 301-307.
759. Thein, J., & Brody, L. (2000). Aquatic-based rehabilitation and training for the shoulder. *Journal of Athletic Training*. 35(3), 382-389.
760. Tibone, J., Lee, T., Csintalan, R., Dettling, J., & McMahon, P. (2002). Quantitative assessment of glenohumeral translation. *Clinical Orthopaedics and Related Research*. 400, 93-97.

761. Tingart, M., Bathis, H., Bouillon, B., & Tiling, T. (2001). Therapy of traumatic anterior shoulder dislocation: current status of therapy in Germany. Are there scientifically verified therapy concept? *Chirurg*. 72(6), 677-683.
762. Toth, C., McNeil, S., & Feasby, T. (2005). Peripheral nervous system injuries in sport and recreation. *Sports Medicine*. 35(8), 717-738.
763. Tsao, B., & Wilbourn, A. (2004). Infraclavicular brachial plexus injury following axillary regional block. *Muscle & Nerve*. 30; 44-48.
764. Tzannes, A., & Murrell, G. (2002). Clinical Examination of the unstable shoulder. *Sports Medicine*. 32(7), 1-11. Author Proof.
765. Tzannes, A., Paxinos, A., Callanan, M., & Murrell, G. (2004). An assessment of the interexaminer reliability of tests for shoulder instability. *The Journal of Shoulder and Elbow Surgery*. 13(1), 18-23.
766. Uthoff, H.K., & Loehr, J.F. (1990). Calcifying Tendinitis. In Rockwood & Matsen (Eds), *The Shoulder. Second Edition Volume 2*, 1003-1008.
767. *University of Washington Medicine Orthopaedics and Sports Medicine*. Simple shoulder test.
768. Vad, V., Warren, R., Altchek, D., O'Brian, S., Rose, H., & Wickiewicz, T. (2002). Negative prognostic factors in managing massive rotator cuff tears. *Clinical Journal of Sports Medicine*. 12, 151-157.
769. Vad, V., Southern, D., Warren, R., Altchek, D., & Dines, D. (2003). Prevalence of peripheral neurologic injuries in rotator cuff tears with atrophy. *Journal of Shoulder and Elbow Surgery*. 12(4), 333-336.
770. Valiveti, M, Reginato, A, (Deceased), & Falasca, G. (2006). Viscosupplementation for degenerative joint disease of shoulder and ankle. *Journal of Clinical Rheumatology*. 12(3), 162-163.
771. Verhagen, A., Karels, C., Bierma-Zeinstra, S., Feleus, A., Dahaghin, S., Burdorf, A., et al. (2006). Exercise proves effective in a systematic review of work-related complaints of the arm, neck, or shoulder. *Journal of Clinical Epidemiology*. 60, 110-117.
772. Wainner, R., Fritz, J., Irrgang, J., Boninger, M., Delitto, A., & Allison, S. (2003). Reliability and diagnostic accuracy of the clinical examination and patient self-report measures for cervical radiculopathy. *Spine*. 28(1), 52-62.
773. Walch, G., Boulahia, A., Calderone, S., & Robinson, A. (1998). The dropping and hornblower's signs in evaluation of rotator cuff tears. *The Journal of Bone and Joint Surgery*. 80-B, (4), 624-628.
774. Walither, M., Werner, A., Stahlschmidt, T., Woelfel, R., & Gohlke, F. (2004). The subacromial impingement syndrome of the shoulder treated by conventional physiotherapy, self-training, and a shoulder brace: Results of a prospective, randomized study. *The Journal of Shoulder and Elbow Surgery*. 13(4), 417-423.
775. Wall, B., Nove-Josserand, L., O'Connor, D., Edwards, B., & Walch, G. (2007). Reverse total shoulder arthroplasty: A review of results according to etiology. *The Journal of Bone and Joint Surgery*. 89, 1476-1485.

776. Walsh, M. (2005). Upper limb neural tension testing and mobilization. *Journal of Hand Therapy*. April-June, 241-258.
777. Walsworth, M., Mills III, J., & Michener, L. (2004). Diagnosing suprascapular neuropathy in patients with shoulder dysfunction: A report of 5 cases. *Physical Therapy*. 84(4), 359-372.
778. Walsworth, M., Doukas, W., Murphy, K., Mielcarek, B., & Michener, L. (2008). Reliability and diagnostic accuracy of history and physical examination from diagnosing glenoid labral tears. *The American Journal of Sports Medicine*. 36(1), 162-168.
779. Wang, J., & Shapiro, M. (1997). Changes in acromial morphology with age. *Journal Shoulder Elbow Surgery*. 6; 55-59.
780. Washington State Department of Labor and Industries. Medical Treatment Guidelines. Criteria for shoulder surgery. Provider bull. 02-01; date introduced March 2002. <http://www.LNI.wa.gov/ClaimsIns/Providers/Treatment/TreatGuide/default.asp>.
781. Wittenberg, R., Rubenthaler, F., Wolk, T., Ludwig, J., Willburger, R., & Steffen, R. (2001). Surgical or conservative treatment for chronic rotator cuff calcifying tendinitis – a matched-pair analysis of 100 patients. *Archives of Orthopaedic and Trauma Surgery*. 121, 56-59.
782. Wolf, B., Strickland, S., Williams, R., Allen, A., Altchek, D., & Warren, R. (2005). Open posterior stabilization for recurrent posterior glenohumeral instability. *The Journal of Shoulder and Elbow Surgery*. 14(2), 157-164. Abstract Only.
783. Woodward, T., & Best, T. (2000). The painful shoulder: Part I. clinical evaluation. *American Family Physician*. 61(10), <http://www.aafp.org/afp/20000515/3079.html>
784. Wysocki, R., & Cohen, M. (2007). Ectopic ossification of the triceps muscle after application of bone morphogenetic protein-7 to the distal humerus for recalcitrant nonunion: A case report. *The Journal of Hand Surgery*. 32A (5), 647-650.
785. Yang, J., & Lin, J. (2006). Reliability of function-related tests in patients with shoulder pathologies. *Journal of Orthopaedic & Sports Physical Therapy*. 36(8), 572-576.
786. Yilmaz, C., Eskandari, M., & Colak, M. (2005). Traumatic musculocutaneous neuropathy: a case report. *Archives of Orthopaedic and Traumatic Surgery*. 125, 414-416. DOI: 10.1007/s00402-005-0818-2
787. Zanetti, M., Carstensen, T., Weishaupt, D., Jost, B., & Hodler, J. (2001). MR arthrographic variability of the arthroscopically normal glenoid labrum: qualitative and quantitative assessment. *European Radiology*. 11; 559-566.
788. Zehetgruber, H., Noske, H., & Lang, T. (2002). Suprascapular nerve entrapment. A meta-analysis. *International Orthopaedics (SICOT)*. 26, 339-343.
789. Zingg, P., Jost, B., Sukthankar, A., Buhler, M., Pfirrmann, C., & Gerber, C. (2007). Clinical and structural outcomes of nonoperative management of massive rotator cuff tears. *The Journal of Bone & Joint Surgery*. 89(9), 1928-1934. Abstract Only.

790. Zuckerman, J., Kummer, F., Cuomo, F., & Greller, M. (1997). Interobserver reliability of acromial morphology classification: An anatomic study. *Journal Shoulder Elbow Surgery*. 6; 286-287.
791. Bernacki, M.D., MPH, Edward J, Xuguang Tao, M.D., PhD, and Larry Yuspeh, BA. "The Impact of Cost Intensive Physicians on Workers' Compensation." *JOEM* 20.10 (2009):
792. Henley, M.D., MBA, M Bradford, et al. "Evidence-Based Medicine, the Quality Initiative, and P4P: Performance for Paperwork?" *Bone Joint Surgery America* 90 (2008): 2781-2790.